

# **WORLD ENERGY BALANCES 2019 FIRST EDITION (OECD AND SELECTED EMERGING ECONOMIES)**

## **DATABASE DOCUMENTATION**

This document provides information regarding the 2019 First edition of the IEA *World Energy Balances* database (for OECD and selected emerging economies– the final edition will contain global data). This document can be found online at: [http://wds.iea.org/wds/pdf/OECDBAL\\_Documentation.pdf](http://wds.iea.org/wds/pdf/OECDBAL_Documentation.pdf)

Please address your inquiries to [balances@iea.org](mailto:balances@iea.org).

*Please note that all IEA data is subject to the following Terms and Conditions found on the IEA's website:*  
[www.iea.org/t&c/termsandconditions/](http://www.iea.org/t&c/termsandconditions/)

## TABLE OF CONTENTS

1. CHANGES FROM LAST EDITION .....	4
2. DATABASE STRUCTURE .....	5
3. FLOW DEFINITIONS .....	6
4. PRODUCT DEFINITIONS .....	24
5. GEOGRAPHICAL COVERAGE.....	38
6. COUNTRY NOTES AND SOURCES .....	39
7. METHODOLOGICAL NOTES.....	40
8. UNITS AND CONVERSIONS .....	43
9. ABBREVIATIONS.....	46

# 1. CHANGES FROM LAST EDITION

## Geographical coverage

In an effort to enhance timeliness of data for countries beyond the OECD, the IEA is pleased to include full coverage of selected emerging economies in this release. The countries included are: Brazil, Indonesia, Morocco, Singapore and Thailand.

Old longname	New longname	Shortname	Old shortname (if changed)
	Brazil	BRAZIL	
	Indonesia	INDONESIA	
	Morocco	MOROCCO	
	Singapore	SINGAPORE	
	Thailand	THAILAND	

Lithuania became an OECD Member in July 2018. Accordingly, Lithuania appears in the list of OECD Members and is not included in the non-OECD aggregates for data from 1990, starting with the 2019 first edition.

## 2. DATABASE STRUCTURE

This release of the database *World Energy Balances* includes annual data for OECD countries and selected emerging economies (the final version containing data for the World is updated in August) and contains the following:

- countries: 41 countries and 5 regional aggregates (see section 5: *Geographical coverage*);
- years: 1960-2017, unless otherwise specified.

The database includes the following four files:

OECDBAL.IVT	<b>Summary energy balances</b> Energy balances in matrix form (19 product categories; 62 flows) (ktoe; TJ); Electricity and heat output by type of producer (10 flows) (GWh; TJ/ktoe).
OECEBIG.IVT	<b>Extended energy balances</b> Energy balances in matrix form (67 products and 83 flows) (ktoe; TJ); Electricity and heat output by type of producer (10 flows) (GWh; TJ/ktoe).
OECDIND.IVT	<b>Indicators</b> 48 energy, economic and coupled indicators (various units).
OECDCONV.IVT	<b>Conversion factors of OECD countries:</b> net calorific values by flow for 15 coal, peat, oil shale products (toe/t; kJ/kg); average net calorific values for 23 oil products and 4 biofuel products (toe/t; kJ/kg); volume to mass ratio for 22 oil products and 3 biofuel products (barrels/tonne).

### 3. FLOW DEFINITIONS

Supply		
Flow	Short name	Definition
Production	INDPROD	Comprises the production of primary energy, i.e. hard coal, lignite, peat, crude oil, NGLs, natural gas, biofuels and waste, nuclear, hydro, geothermal, solar and the heat from heat pumps that is extracted from the ambient environment. Production is calculated after removal of impurities (e.g. sulphur from natural gas). Calculation of production of hydro, geothermal, etc. and nuclear electricity is explained in the section 8 <i>Units and Conversions</i> .
Imports	IMPORTS	Comprise amounts having crossed the national territorial boundaries of the country whether or not customs clearance has taken place. <i>For coal:</i> Imports comprise the amount of fuels obtained from other countries, whether or not there is an economic or customs union between the relevant countries. Coal in transit should not be included. <i>For oil and natural gas:</i> Quantities of crude oil and oil products imported under processing agreements (i.e. refining on account) are included. Quantities of oil in transit are excluded. Crude oil, NGL and natural gas are reported as coming from the country of origin; refinery feedstocks and oil products are reported as coming from the country of last consignment. <i>For electricity:</i> Amounts are considered as imported when they have crossed the national territorial boundaries of the country. If electricity is “wheeled” or transited through a country, the amount is shown as both an import and an export.

<b>Supply</b>		
<b>Flow</b>	<b>Short name</b>	<b>Definition</b>
Exports	EXPORTS	<p>Comprise amounts having crossed the national territorial boundaries of the country whether or not customs clearance has taken place.</p> <p><i>For coal:</i> Exports comprise the amount of fuels supplied to other countries, whether or not there is an economic or customs union between the relevant countries. Coal in transit should not be included.</p> <p><i>For oil and natural gas:</i> Quantities of crude oil and oil products exported under processing agreements (i.e. refining on account) are included. Re-exports of oil imported for processing within bonded areas are shown as an export of product from the processing country to the final destination.</p> <p><i>For electricity:</i> Amounts are considered as exported when they have crossed the national territorial boundaries of the country. If electricity is “wheeled” or transited through a country, the amount is shown as both an import and an export.</p>
International marine bunkers	MARBUNK	<p>Covers those quantities delivered to ships of all flags that are engaged in international navigation. The international navigation may take place at sea, on inland lakes and waterways, and in coastal waters. Consumption by ships engaged in domestic navigation is excluded. The domestic/international split is determined on the basis of port of departure and port of arrival, and not by the flag or nationality of the ship. Consumption by fishing vessels and by military forces is also excluded. See <i>domestic navigation, fishing and non-specified (other)</i>.</p>
International aviation bunkers	AVBUNK	<p>Includes deliveries of aviation fuels to aircraft for international aviation. Fuels used by airlines for their road vehicles are excluded. The domestic/international split should be determined on the basis of departure and landing locations and not by the nationality of the airline. For many countries this incorrectly excludes fuel used by domestically owned carriers for their international departures.</p>
Stock changes	STOCKCHA	<p>Reflects the difference between opening stock levels on the first day of the year and closing levels on the last day of the year of stocks on national territory held by producers, importers, energy transformation industries and large consumers. A stock build is shown as a negative number, and a stock draw as a positive number.</p>
Total primary energy supply	TPES	<p>Total primary energy supply (TPES) is made up of production + imports - exports - international marine bunkers - international aviation bunkers ± stock changes. Note, exports, bunkers and stock changes incorporate the algebraic sign directly in the number.</p>

<b>Supply</b>		
<b>Flow</b>	<b>Short name</b>	<b>Definition</b>
Transfers	TRANSFER	<p>Comprises <i>interproduct transfers</i>, <i>products transferred</i> and <i>recycled products</i>.</p> <p><i>Interproduct transfers</i> results from reclassification of products either because their specification has changed or because they are blended into another product, e.g. kerosene may be reclassified as gasoil after blending with the latter in order to meet its winter diesel specification. The net balance of <i>interproduct transfers</i> is zero.</p> <p><i>Products transferred</i> is intended for oil products imported for further processing in refineries. For example, fuel oil imported for upgrading in a refinery is transferred to the feedstocks category.</p> <p><i>Recycled products</i> are finished products which pass a second time through the marketing network, <b>after</b> having been once delivered to final consumers (e.g. used lubricants which are reprocessed).</p>
Statistical differences	STATDIFF	<p>Includes the sum of the unexplained statistical differences for individual fuels, as they appear in the basic energy statistics. It also includes the statistical differences that arise because of the variety of conversion factors in the coal and oil columns.</p>

<b>Transformation processes</b>		
<b>Flow</b>	<b>Short name</b>	<b>Definition</b>
Transformation processes	TOTTRANF	Transformation processes comprise the conversion of primary forms of energy to secondary and further transformation (e.g. coking coal to coke, crude oil to oil products, and fuel oil to electricity). Inputs to transformation processes are shown as negative numbers and output from the process is shown as a positive number. Transformation losses will appear in the “total” column as negative numbers.
Main activity producer electricity plants	MAINELEC	Refers to plants which are designed to produce electricity only. If one or more units of the plant is a CHP unit (and the inputs and outputs can not be distinguished on a unit basis) then the whole plant is designated as a CHP plant. Main activity producers generate electricity for sale to third parties, as their primary activity. They may be privately or publicly owned. Note that the sale need not take place through the public grid.
Autoproducer electricity plants	AUTOELEC	Refers to plants which are designed to produce electricity only. If one or more units of the plant is a CHP unit (and the inputs and outputs can not be distinguished on a unit basis) then the whole plant is designated as a CHP plant. Autoproducer undertakings generate electricity wholly or partly for their own use as an activity which supports their primary activity. They may be privately or publicly owned.
Main activity producer CHP plants	MAINCHP	Refers to plants which are designed to produce both heat and electricity (sometimes referred to as co-generation power stations). If possible, fuel inputs and electricity/heat outputs are on a unit basis rather than on a plant basis. However, if data are not available on a unit basis, the convention for defining a CHP plant noted above should be adopted. Main activity producers generate electricity and/or heat for sale to third parties, as their primary activity. They may be privately or publicly owned. Note that the sale need not take place through the public grid.
Autoproducer CHP plants	AUTOCHP	Refers to plants which are designed to produce both heat and electricity (sometimes referred to as co-generation power stations). If possible, fuel inputs and electricity/heat outputs are on a unit basis rather than on a plant basis. However, if data are not available on a unit basis, the convention for defining a CHP plant noted above should be adopted. Note that for autoproducer CHP plants, all fuel inputs to electricity production are taken into account, while only the part of fuel inputs to heat sold is shown. Fuel inputs for the production of heat consumed within the autoproducer's establishment are not included here but are included with figures for the final consumption of fuels in the appropriate consuming sector. Autoproducer undertakings generate electricity and/or heat, wholly or partly for their own use as an activity which supports their primary activity. They may be privately or publicly owned.

<b>Transformation processes</b>		
<b>Flow</b>	<b>Short name</b>	<b>Definition</b>
Main activity producer heat plants	MAINHEAT	Refers to plants (including heat pumps and electric boilers) designed to produce heat only and who sell heat to a third party (e.g. residential, commercial or industrial consumers) under the provisions of a contract. Main activity producers generate heat for sale to third parties, as their primary activity. They may be privately or publicly owned. Note that the sale need not take place through the public grid.
Autoproducer heat plants	AUTOHEAT	Refers to plants (including heat pumps and electric boilers) designed to produce heat only and who sell heat to a third party (e.g. residential, commercial or industrial consumers) under the provisions of a contract. Autoproducer undertakings generate heat, wholly or partly for their own use as an activity which supports their primary activity. They may be privately or publicly owned.
Heat pumps	THEAT	Includes heat produced by heat pumps in transformation. Heat pumps that are operated within the residential sector where the heat is not sold are not considered a transformation process and are not included here – the electricity consumption would appear as residential use.
Electric boilers	TBOILER	Includes electric boilers used to produce heat.
Chemical heat for electricity production	TELE	Includes heat from chemical processes that is used to generate electricity.
Blast furnaces	TBLASTFUR	Includes the production of recovered gases (e.g. blast furnace gas and oxygen steel furnace gas). The production of pig-iron from iron ore in blast furnaces uses fuels for supporting the blast furnace charge and providing heat and carbon for the reduction of the iron ore. Accounting for the calorific content of the fuels entering the process is a complex matter as transformation (into blast furnace gas) and consumption (heat of combustion) occur simultaneously. Some carbon is also retained in the pig-iron; almost all of this reappears later in the oxygen steel furnace gas (or converter gas) when the pig-iron is converted to steel. In the 1992/1993 annual questionnaires, Member Countries were asked for the first time to report in <i>transformation processes</i> the quantities of all fuels (e.g. pulverised coal injection [PCI] coal, coke oven coke, natural gas and oil) entering blast furnaces and the quantity of blast furnace gas and oxygen steel furnace gas produced. The Secretariat then needed to split these inputs into the transformation and consumption components. The transformation component is shown in the row <i>blast furnaces</i> in the column appropriate for the fuel, and the consumption component is shown in the row <i>iron and steel</i> , in the column appropriate for the fuel. The Secretariat decided to assume a transformation efficiency such that the carbon input into the blast furnaces should equal the carbon output. This is roughly equivalent to assuming an energy transformation efficiency of 40%.
Gas works	TGASWKS	Includes the manufacture of town gas. <i>Note: in the summary balances this item also includes other gases blended with natural gas (TBLENDGAS).</i>
Coke ovens	TCOKEOVS	Includes the manufacture of coke and coke oven gas.

<b>Transformation processes</b>		
<b>Flow</b>	<b>Short name</b>	<b>Definition</b>
Patent fuel plants	TPATFUEL	Includes the manufacture of patent fuels.
BKB/peat briquette plants	TBKB	Includes the manufacture of BKB and peat briquettes.
Oil refineries	TREFINER	Includes the manufacture of finished oil products.
Petrochemical plants	TPETCHEM	Covers backflows returned from the petrochemical industry. Note that backflows from oil products that are used for non-energy purposes (i.e. white spirit and lubricants) are not included here, but in non-energy use.
Coal liquefaction plants	TCOALLIQ	Includes coal, oil and tar sands used to produce synthetic oil.
Gas-to-liquids (GTL) plants	TGTL	Includes natural gas used as feedstock for the conversion to liquids, e.g. the quantities of fuel entering the methanol production process for transformation into methanol.
For blended natural gas	TBLENDGAS	Includes other gases that are blended with natural gas.
Charcoal production plants	TCHARCOAL	Includes the transformation of solid biofuels into charcoal.
Non-specified (transformation)	TNONSPEC	Includes other non-specified transformation.
<b>Flows used in the summary balances</b>		
Liquefaction plants	LIQUEFAC	Is equal to the sum of TCOALLIQ and TGTL.
Other transformation	TNONSPEC	Is equal to the sum of TCHARCOAL and TNONSPEC.

Energy industry own use and Losses		
Flow	Short name	Definition
Energy industry own use	TOTENGY	Energy industry own use covers the amount of fuels used by the energy producing industries (e.g. for heating, lighting and operation of all equipment used in the extraction process, for traction and for distribution).  It includes energy consumed by energy industries for heating, pumping, traction and lighting purposes [ISIC Rev. 4 Divisions 05, 06, 19 and 35, Group 091 and Classes 0892 and 0721].
Coal mines	EMINES	Represents the energy which is used directly within the coal industry for hard coal and lignite mining. It excludes coal burned in pithead power stations (included under electricity plants in transformation processes) and free allocations to miners and their families (considered as part of household consumption and therefore included under residential).
Oil and gas extraction	EOILGASEX	Represents the energy which is used for oil and gas extraction. Flared gas is not included.
Blast furnaces	EBLASTFUR	Represents the energy which is used in blast furnaces.
Gas works	EGASWKS	Represents the energy which is used in gas works.
Gasification plants for biogases	EBIOGAS	Represents own consumption of biogas necessary to support temperatures needed for anaerobic fermentation.
Coke ovens	ECOKEOVS	Represents the energy used in coke ovens.
Patent fuel plants	EPATFUEL	Represents the energy used in patent fuel plants.
BKB/peat briquette plants	EBKB	Represents the energy used in BKB and peat briquette plants.
Oil refineries	EREFINER	Represents the energy used in oil refineries.
Coal liquefaction plants	ECOALLIQ	Represents the energy used in coal liquefaction plants.
Liquefaction (LNG) / regasification plants	ELNG	Represents the energy used in LNG and regasification plants.
Gas-to-liquids (GTL) plants	EGTL	Represents the energy used in gas-to-liquids plants.
Own use in electricity, CHP and heat plants	EPOWERPLT	Represents the energy used in electricity, CHP and heat plants.
Pumped storage plants	EPUMPST	Represents the difference between electricity consumed in hydroelectric plants for pumped storage and electricity produced from pumped storage..
Nuclear industry	ENUC	Represents the energy used in the nuclear industry.
Charcoal production plants	ECHARCOAL	Represents the energy used in charcoal production plants.

<b>Energy industry own use and Losses</b>		
<b>Flow</b>	<b>Short name</b>	<b>Definition</b>
Non-specified (energy)	ENONSPEC	Represents use in non-specified energy sector.
Losses	DISTLOSS	Losses in energy distribution, transmission and transport.
<b>Flow used in the summary balances</b>		
Energy industry own use	OWNUSE	Is equal to the sum of EMINES, EOILGASEX, EBLASTFUR, EGASWKS, EBIOGAS, ECOKEOVS, EPATFUEL, EBKB, EREFINER, ECOALLIQ, ELNG, EGTL, EPOWERPLT, EPUMPST, ENUC, ECHARCOAL, ENONSPEC and DISTLOSS.

Final consumption		
Flow	Short name	Definition
Total final consumption	TFC	Equal to the sum of the consumption in the end-use sectors and non-energy uses. Energy used for transformation processes and for own use of the energy producing industries is excluded. Final consumption reflects for the most part deliveries to consumers (see note on <i>stock changes</i> ). Backflows from the petrochemical industry are not included in final consumption (see <i>from other sources</i> under supply and <i>petrochemical plants</i> in transformation). <i>Starting with the 2009 edition, international aviation bunkers is no longer included in final consumption at the country level.</i>
Industry	TOTIND	Industry consumption is specified by sub-sector as listed below: (Note - energy used for transport by industry is not included here but is reported under transport. Non-energy use in industry is not included here but reported separately.)
Iron and steel	IRONSTL	[ISIC Rev. 4 Group 241 and Class 2431]
Chemical and petrochemical	CHEMICAL	[ISIC Rev. 4 Divisions 20 and 21] Excluding petrochemical feedstocks.
Non-ferrous metals	NONFERR	[ISIC Rev. 4 Group 242 and Class 2432] Basic industries.
Non-metallic minerals	NONMET	[ISIC Rev. 4 Division 23] Such as glass, ceramic, cement, etc.
Transport equipment	TRANSEQ	[ISIC Rev. 4 Divisions 29 and 30]
Machinery	MACHINE	[ISIC Rev. 4 Divisions 25 to 28] Fabricated metal products, machinery and equipment other than transport equipment.
Mining and quarrying	MINING	[ISIC Rev. 4 Divisions 07 and 08 and Group 099] Mining (excluding fuels) and quarrying.
Food and tobacco	FOODPRO	[ISIC Rev. 4 Divisions 10 to 12]
Paper, pulp and print	PAPERPRO	[ISIC Rev. 4 Divisions 17 and 18]
Wood and wood products	WOODPRO	[ISIC Rev. 4 Division 16] Wood and wood products other than pulp and paper.
Construction	CONSTRUC	[ISIC Rev. 4 Division 41 to 43]
Textile and leather	TEXTILES	[ISIC Rev. 4 Divisions 13 to 15]
Non-specified (industry)	INONSPEC	[ISIC Rev. 4 Divisions 22, 31 and 32] Any manufacturing industry not included above. Note: Most countries have difficulties supplying an industrial breakdown for all fuels. In these cases, the <i>non-specified (industry)</i> row has been used. Regional aggregates of industrial consumption should therefore be used with caution.
Transport	TOTTRANS	Consumption in transport covers all transport activity (in mobile engines), excluding non-energy use, regardless of the economic sector to which it is contributing [ISIC Rev. 4 Divisions 49 to 51], and is specified as follows:

Final consumption		
Flow	Short name	Definition
Domestic aviation	DOMESAIR	Includes deliveries of aviation fuels to aircraft for domestic aviation - commercial, private, agricultural, etc. It includes use for purposes other than flying, e.g. bench testing of engines, but not airline use of fuel for road transport. The domestic/international split should be determined on the basis of departure and landing locations and not by the nationality of the airline. Note that this may include journeys of considerable length between two airports in a country (e.g. San Francisco to Honolulu). For many countries this incorrectly includes fuel used by domestically owned carriers for outbound international traffic;
Road	ROAD	Includes fuels used in road vehicles as well as agricultural and industrial highway use. Excludes military consumption as well as motor gasoline used in stationary engines and diesel oil for use in tractors that are not for highway use;
Rail	RAIL	Includes quantities used in rail traffic, including industrial railways;
Pipeline transport	PIPELINE	Includes energy used in the support and operation of pipelines transporting gases, liquids, slurries and other commodities, including the energy used for pump stations and maintenance of the pipeline. Energy for the pipeline distribution of natural gas or coal gases, hot water or steam (ISIC Rev. 4 Division 35) from the distributor to final users is excluded and should be reported in <i>energy industry own use</i> , while the energy used for the final distribution of water (ISIC Rev. 4 Division 36) to household, industrial, commercial and other users should be included in <i>commercial/public services</i> . Losses occurring during the transport between distributor and final users should be reported as <i>losses</i> ;
Domestic navigation	DOMESNAV	Includes fuels delivered to vessels of all flags not engaged in international navigation (see <i>international marine bunkers</i> ). The domestic/international split should be determined on the basis of port of departure and port of arrival and not by the flag or nationality of the ship. Note that this may include journeys of considerable length between two ports in a country (e.g. San Francisco to Honolulu). Fuel used for ocean, coastal and inland fishing and military consumption are excluded;
Non-specified (transport)	TRNONSPE	Includes all transport not elsewhere specified. Note: <i>International marine bunkers</i> and <i>international aviation bunkers</i> are shown in <i>Supply</i> and are not included in the transport sector as part of final consumption.
Other	TOTOTHER	Includes residential, commercial/public services, agriculture/forestry, fishing and non-specified (other). It excludes non-energy use.

<b>Final consumption</b>		
<b>Flow</b>	<b>Short name</b>	<b>Definition</b>
Residential	RESIDENT	Includes consumption by households, excluding fuels used for transport. Includes households with employed persons [ISIC Rev. 4 Divisions 97 and 98] which is a small part of total residential consumption.
Commercial and public services	COMMPUB	[ISIC Rev. 4 Divisions 33, 36-39, 45-47, 52, 53, 55-56, 58-66, 68-75, 77-82, 84 (excluding Class 8422), 85-88, 90-96 and 99]
Agriculture/forestry	AGRICULT	Includes deliveries to users classified as agriculture, hunting and forestry by the ISIC, and therefore includes energy consumed by such users whether for traction (excluding agricultural highway use), power or heating (agricultural and domestic) [ISIC Rev. 4 Divisions 01 and 02].
Fishing	FISHING	Includes fuels used for inland, coastal and deep-sea fishing. Fishing covers fuels delivered to ships of all flags that have refuelled in the country (including international fishing) as well as energy used in the fishing industry [ISIC Rev. 4 Division 03].
Non-specified (other)	ONONSPEC	Includes all fuel use not elsewhere specified as well as consumption in the above-designated categories for which separate figures have not been provided. Military fuel use for all mobile and stationary consumption is included here (e.g. ships, aircraft, road and energy used in living quarters) regardless of whether the fuel delivered is for the military of that country or for the military of another country.
Non-energy use	NONENUSE	Non-energy use covers those fuels that are used as raw materials in the different sectors and are not consumed as a fuel or transformed into another fuel. Non-energy use is shown separately in final consumption under the heading non-energy use.  Note that for biomass commodities, only the amounts specifically used for energy purposes (a small part of the total) are included in the energy statistics. Therefore, the non-energy use of biomass is not taken into consideration and the quantities are null by definition.
Non-energy use industry/ transformation/ energy	NEINTREN	Non-energy in industry, transformation processes and energy industry own use.
<i>Memo: Non-energy use chemical/petrochemical</i>	<i>NECHEM</i>	The petrochemical industry includes cracking and reforming processes for the purpose of producing ethylene, propylene, butylene, synthesis gas, aromatics, butadene and other hydrocarbon-based raw materials in processes such as steam cracking, aromatics plants and steam reforming [part of ISIC Rev. 4 Group 201].
Non-energy use in transport	NETRANS	Non-energy use in transport.
Non-energy use in other	NEOTHER	Non-energy use in other sectors such as residential, commercial/public services, agriculture/forestry and fishing.

Electricity output (GWh)		
Flow	Short name	Definition
Electricity output (GWh)	ELOUTPUT	Shows the total number of GWh generated by power plants separated into electricity plants and CHP plants. <b>Contrary to the <i>Energy Statistics</i>, electricity production for hydro pumped storage is excluded within the <i>Energy Balances</i>.</b>
Electricity output (GWh) -main activity producer electricity plants	ELMAINE	
Electricity output (GWh) -autoproducer electricity plants	ELAUTOE	
Electricity output (GWh) -main activity producer CHP plants	ELMAINC	
Electricity output (GWh) -autoproducer CHP plants	ELAUTOC	

Heat output		
Flow	Short name	Definition
Heat output	HEATOUT	Shows the total heat generated by plants separated into CHP plants and heat plants.
Heat output-main activity producer CHP plants	HEMAINC	
Heat output-autoproducer CHP plants	HEAUTOE	
Heat output-main activity producer heat plants	HEMAINH	
Heat output-autoproducer heat plants	HEAUTOH	

<b>Conversion factors: calorific values and density</b>		
Expressed in tonne of oil equivalent / tonne and kilojoules / kilogramme; volume to mass in barrels / tonne		
<b>Flow</b>	<b>Short name</b>	<b>Definition</b>
Average net calorific value	NAVERAGE	Represents the average gross energy content minus the latent heat of vaporisation of 1 unit of mass.
NCV of production	NINDPROD	
NCV of imports	NIMPORTS	
NCV of exports	NEXPORTS	
NCV of coke ovens	NCOKEOVS	
NCV of blast furnaces	NBLAST	
NCV in main activity producer electricity plants	NMAIN	
NCV in autoproducer electricity plants	NAUTOELEC	
NCV in main activity CHP plants	NMAINCHP	
NCV in autoproducer CHP plants	NAUTOCHP	
NCV in main activity heat plants	NMAINHEAT	
NCV in autoproducer heat plants	NAUTOHEAT	
NCV in industry	NIND	
NCV for other uses	NOTHER	
Volume to mass ratio	BBLTONRATIO	This ratio (barrels/tonne) is the inverse of density

Indicators		
Flow	Short name	Notes
Total primary energy supply (TPES) (Mtoe)	TPES	Total primary energy supply, expressed in Mtoe.
Total final consumption (TFC) (Mtoe)	TFC	Total final consumption, expressed in Mtoe.
Population (millions)	POP	<p><b>For OECD Countries:</b></p> <p>The main source of these series for 1970 to 2017 when available is the OECD <i>National Accounts Statistics</i> database [ISSN: 2074-3947 (online)], last published in book format as <i>National Accounts of OECD Countries, Volume 2018 Issue 1: Main Aggregates</i>, OECD 2018. Data for 1960 to 1969 have been estimated using the growth rates from the population series published in the <i>OECD Factbook 2015</i> (online database version). Growth rates from the <i>OECD Factbook 2015</i> were also used to estimate data for <b>Chile</b> (prior to 1986), <b>Estonia</b> (prior to 1993), <b>Israel</b> (prior to 1995), the <b>Slovak Republic</b> (prior to 1990) and <b>Slovenia</b> (prior to 1995). Data for <b>Latvia</b> (prior to 1995) and <b>Lithuania</b> (prior to 1995) are IEA Secretariat estimates based on GDP growth rates from the World Bank.</p> <p><b>For non-OECD countries:</b></p> <p>The main source of the population data is <i>World Development Indicators</i>, The World Bank, Washington D.C., 2018.</p>
GDP (billion 2010 USD using exchange rates)	GDP	<p><b>For OECD Countries:</b></p> <p>The main source of these series for 1970 to 2017 is the OECD <i>National Accounts Statistics</i> database [ISSN: 2074-3947 (online)], last published in book format as <i>National Accounts of OECD Countries, Volume 2018 Issue 1: Main Aggregates</i>, OECD 2018. GDP data for <b>Australia</b>, <b>France</b>, <b>Greece</b>, <b>Korea</b>, <b>Sweden</b> and the <b>United Kingdom</b> for 1960 to 1969 and <b>Denmark</b> for 1966 to 1969 as well as for <b>Netherlands</b> for 1969 were taken from the same source. GDP data for 1960 to 1969 for the other countries have been estimated using the growth rates from the series in the <i>OECD Economic Outlook</i> No 98 and other data previously published by the OECD. Growth rates from these sources were also used to estimate data for the <b>Czech Republic</b> (prior to 1990), <b>Hungary</b> (prior to 1991) and <b>Poland</b> (prior to 1990) and the <b>Slovak Republic</b> (prior to 1992). Data for <b>Chile</b> (prior to 1986) and <b>Estonia</b> (prior to 1992) are IEA Secretariat estimates based on GDP growth rates from the World Bank.</p> <p><b>For non-OECD countries:</b></p> <p>The main source of the GDP data is <i>World Development Indicators</i>, The World Bank, Washington D.C., 2018.</p> <p>For non-OECD countries GDP data have been compiled for all individual countries at market prices in 2010 US dollars.</p>

Indicators		
Flow	Short name	Notes
GDP (billion 2010 USD using PPPs)	GDPPPP	<p><b>For OECD Countries:</b></p> <p>Purchasing power parities are the rates of currency conversion that equalise the purchasing power of different currencies. A given sum of money, when converted into different currencies at the PPP rates, buys the same basket of goods and services in all countries. In other words, PPPs are the rates of currency conversion which eliminate the differences in price levels between different countries. The PPPs selected to convert the GDP from national currencies to US dollars were aggregated using the Èltetö, Köves and Szulc (EKS) Eurostat-OECD method and rebased on the United States. For a more detailed description of the methodology please see <i>Eurostat-OECD Methodological Manual on Purchasing Power Parities</i>, 2012 edition, European Union / OECD 2012.</p> <p>The main source of these series for 1970 to 2017 is the OECD <i>National Accounts Statistics</i> database [ISSN: 2074-3947 (online)], last published in book format as <i>National Accounts of OECD Countries, Volume 2018 Issue 1: Main Aggregates</i>, OECD 2018. GDP data for <b>Australia, France, Greece, Korea, Sweden</b> and the <b>United Kingdom</b> for 1960 to 1969 and <b>Denmark</b> for 1966 to 1969 as well as for <b>Netherlands</b> for 1969 were taken from the same source. GDP data for 1960 to 1969 for the other countries have been estimated using the growth rates from the series in the <i>OECD Economic Outlook</i> No 98 and other data previously published by the OECD. Growth rates from these sources were also used to estimate data for the <b>Czech Republic</b> (prior to 1990), <b>Hungary</b> (prior to 1991) and <b>Poland</b> (prior to 1990) and the <b>Slovak Republic</b> (prior to 1992). Data for <b>Chile</b> (prior to 1986), <b>Estonia</b> (prior to 1993) and <b>Latvia</b> (prior to 1994) are IEA Secretariat estimates based on GDP growth rates from the World Bank.</p> <p><b>For non-OECD countries:</b></p> <p>The main source of the GDP PPP data is <i>World Development Indicators</i>, The World Bank, Washington, D.C., 2018. However, this source is available for GDP PPP (constant 2011 US dollars scaled to the levels of 2010 using current PPP US dollars) only from 1990. Therefore, prior to 1990 GDP PPP data have been calculated based on the PPP conversion factor (GDP) to market exchange rate ratio.</p> <p>The GDP PPP reflects the changes to power purchasing parity rates based on the 2011 International Comparison Program (ICP), published in 2014. The ICP has worked for 6 years to better estimate the value of the PPP 'basket of goods' for all countries for which the World Bank calculates GDP PPP. For many countries, this value has significantly changed in comparison to previous ICP exercises. This leads to significant revisions to GDP PPP for many countries compared to previous publications.</p> <p>Please note that the regional totals shown for OECD and other regions were calculated by summing individual countries' GDP data. This calculation yields slightly different results to the GDP totals published by OECD in its national accounts which are derived from chained-linked indices. GDP data from the World Bank have also been summed rather than using chain-linked indices.</p>

Indicators		
Flow	Short name	Notes
Energy production (Mtoe)	INDPROD	Total primary energy production, expressed in Mtoe.
Net imports (Mtoe)	NETIMP	Imports minus exports for total energy, expressed in Mtoe.
Oil supply (Mtoe)	OILTPES	Primary supply of oil, expressed in Mtoe.
Net oil imports (Mtoe)	OILIMP	Imports of oil minus exports of oil, expressed in Mtoe.
Electricity generation (TWh)	ELOUTPUT	Shows the total amount of electricity generated by power plants separated into electricity plants and CHP plants, expressed in TWh.
Electricity consumption (TWh)	ELECONS	Domestic consumption, i.e. gross production + imports - exports - losses, expressed in TWh.
Total self-sufficiency	TOTSELF	Production divided by TPES expressed as a ratio.
Coal self-sufficiency	COALSELF	Production divided by TPES expressed as a ratio. Includes coal, peat and oil shale.
Oil self-sufficiency	OILSELF	Production divided by TPES expressed as a ratio.
Gas self-sufficiency	GASSELF	Production divided by TPES expressed as a ratio.
Share of fossil in TPES	FOSSILTPES	TPES of fossil fuels divided by total TPES expressed as a ratio. Fossil fuels include coal, oil and natural gas.
Share of fossil in electricity generation	FOSSILELE	Output of electricity produced based on fossil fuels divided by total output of electricity expressed as a ratio. Fossil fuels include coal, oil and natural gas.
Share of renewable sources in TPES	RENTPES	Renewable sources TPES divided by total TPES, expressed as a ratio. Renewable sources include hydro, geothermal, solar, wind, tide, wave, biofuels and the renewable fraction of municipal waste.
Share of renewable sources in electricity generation	RENEL	Output of electricity produced from renewable sources divided by total output of electricity, expressed as a ratio. Renewable sources include electricity from hydro, geothermal, solar, wind, tide, wave, biofuels and the renewable fraction of municipal waste.
TPES/population	TPESPOP	Expressed as toe per capita.
TPES/GDP	TPESGDP	Expressed as toe per thousand 2010 USD.
TPES/GDP PPP	TPESGDPPPP	Expressed as toe per thousand 2010 USD PPP.
Oil supply/ population	OILSUPPOP	Expressed as toe per capita.
Oil Supply/GDP	OILSUPGDP	Expressed as toe per thousand 2010 USD.
Oil Supply/GDP PPP	OILSUPGDPPPP	Expressed as toe per thousand 2010 USD PPP.
Net oil imports/GDP	OILIMPGDP	Expressed as toe per thousand 2010 USD.
Net oil imports/GDP PPP	OILIMPGDPPPP	Expressed as toe per thousand 2010 USD PPP.

Indicators		
Flow	Short name	Notes
Electricity consumption/population	ELEPOP	Expressed as kWh per capita.
Electricity consumption/GDP	ELEGDP	Expressed as kWh per 2010 USD.
Electricity consumption/GDP PPP	ELEGDPPPP	Expressed as kWh per 2010 USD.
TFC/population	TFCPOP	Expressed as toe per capita.
TFC/GDP	TFCGDP	Expressed as toe per thousand 2010 USD.
TFC/GDP PPP	TFCGDPPPP	Expressed as toe per thousand 2010 USD PPP.
Transport/population	TRANPOP	Expressed as toe per capita.
Transport/GDP	TRANGDP	Expressed as toe per thousand 2010 USD.
Transport/GDP PPP	TRANGDPPPP	Expressed as toe per thousand 2010 USD PPP.
Residential/population	RESPOP	Expressed as toe per capita.
Residential/GDP	RESGDP	Expressed as toe per thousand 2010 USD.
Residential/GDP PPP	RESGDPPPP	Expressed as toe per thousand 2010 USD PPP.
Services/population	SERVPOP	Expressed as toe per capita.
Services /GDP	SERVGDP	Expressed as toe per thousand 2010 USD.
Services /GDP PPP	SERVDPPPP	Expressed as toe per thousand 2010 USD PPP.
Industry/population	INDPOP	Expressed as toe per capita.
Industry /GDP	INDGDP	Expressed as toe per thousand 2010 USD.
Industry /GDP PPP	INDGDPPPP	Expressed as toe per thousand 2010 USD PPP.
Industrial production index (2010=100)	IPI	The main source of these series is the OECD database Main Economic Indicators, March 2019. Industrial production refers to the goods produced by establishments engaged in mining (including oil extraction), manufacturing, and production of electricity, gas and water. These are Sections B, C, D and E of ISIC Rev. 4 or NACE Rev. 2 classifications. From 1991, the industrial production index for Germany refers to unified Germany and has been linked to the series for western Germany. Data for Mexico include construction (Section F). For OECD Total and OECD Europe, the IPI has been chain linked and data refer to all OECD countries from 1990 onwards; prior to 1990 <b>Chile</b> , the <b>Czech Republic</b> , <b>Estonia</b> , <b>Hungary</b> , <b>Israel</b> , <b>Poland</b> , the <b>Slovak Republic</b> , <b>Slovenia</b> and <b>Switzerland</b> are not included.
Index of industry consumption/industrial production	INDIPI	Expressed as an index where 2010=100.

<b>Indicators</b>		
<b>Flow</b>	<b>Short name</b>	<b>Notes</b>
Index of industry oil consumption/industrial production	OILINDIPI	Expressed as an index where 2010=100.

## 4. PRODUCT DEFINITIONS

Coal		
Product	Short name	Definition
Hard coal (if no detail)	HARDCOAL	This item is only used if the detailed breakdown is not available. It includes anthracite, coking coal and other bituminous coal.
Brown coal (if no detail)	BROWN	This item is only used if the detailed breakdown is not available. It includes lignite and sub-bituminous coal.
Anthracite	ANTCOAL	Anthracite is a high rank coal used for industrial and residential applications. It is generally less than 10% volatile matter and a high carbon content (about 90% fixed carbon). Its gross calorific value is equal to or greater than 24 000 kJ/kg on an ash-free but moist basis.
Coking coal	COKCOAL	Coking coal refers to bituminous coal with a quality that allows the production of a coke suitable to support a blast furnace charge. Its gross calorific value is equal to or greater than 24 000 kJ/kg on an ash-free but moist basis.
Other bituminous coal	BITCOAL	Other bituminous coal is used mainly for steam raising and space heating purposes and includes all bituminous coal that is not included under coking coal nor anthracite. It is characterized by higher volatile matter than anthracite (more than 10%) and lower carbon content (less than 90% fixed carbon). Its gross calorific value is equal to or greater than 24 000 kJ/kg on an ash-free but moist basis.
Sub-bituminous coal	SUBCOAL	Non-agglomerating coals with a gross calorific value between 20 000 kJ/kg and 24 000 kJ/kg containing more than 31% volatile matter on a dry mineral matter free basis.
Lignite	LIGNITE	Lignite is a non-agglomerating coal with a gross calorific value of less than 20 000 kJ/kg and greater than 31% volatile matter on a dry mineral matter free basis. <i>Note: starting with the 2014 edition, oilshale is presented separately and not included with lignite any longer.</i>
Patent fuel	PATFUEL	Patent fuel is a composition fuel manufactured from hard coal fines with the addition of a binding agent. The amount of patent fuel produced may, therefore, be slightly higher than the actual amount of coal consumed in the transformation process. Consumption of patent fuels during the patent fuel manufacturing process is included under <i>other energy industries</i> .

Coal		
Product	Short name	Definition
Coke oven coke	OVENCOKE	Coke oven coke is the solid product obtained from the carbonisation of coal, principally coking coal, at high temperature. It is low in moisture content and volatile matter. Coke oven coke is used mainly in the iron and steel industry, acting as energy source and chemical agent. Also included are semi-coke (a solid product obtained from the carbonisation of coal at a low temperature), lignite coke (a semi-coke made from lignite), coke breeze and foundry coke. The heading <i>other energy industries</i> includes the consumption at the coking plants themselves. Consumption in the <i>iron and steel industry</i> does not include coke converted into blast furnace gas. To obtain the total consumption of coke oven coke in the iron and steel industry, the quantities converted into blast furnace gas have to be added (these are included in <i>blast furnaces</i> ).
Gas coke	GASCOKE	Gas coke is a by-product of hard coal used for the production of town gas in gas works. Gas coke is used for heating purposes. <i>Other energy industry own use</i> includes the consumption of gas coke at gas works.
Coal tar	COALTAR	Coal tar is a result of the destructive distillation of bituminous coal or of the low-temperature carbonisation of brown coal. Coal tar from bituminous coal is the liquid by-product of the distillation of coal to make coke in the coke oven process. Coal tar can be further distilled into different organic products (e.g. benzene, toluene, naphthalene), which normally would be reported as a feedstock to the petrochemical industry.
BKB	BKB	Brown coal briquettes are composition fuels manufactured from lignite, produced by briquetting under high pressure with or without the addition of a binding agent.
Gas works gas	GASWKSGS	Gas works gas covers all types of gas produced in public utility or private plants, whose main purpose is the manufacture, transport and distribution of gas. It includes gas produced by carbonisation (including gas produced by coke ovens and transferred to gas works), by total gasification (with or without enrichment with oil products) and by reforming and simple mixing of gases and/or air.
Coke oven gas	COKEOVGS	Coke oven gas is obtained as a by-product of the manufacture of coke oven coke for the production of iron and steel.
Blast furnace gas	BLFURGS	Blast furnace gas is produced during the combustion of coke in blast furnaces in the iron and steel industry. It is recovered and used as a fuel, partly within the plant and partly in other steel industry processes or in power stations equipped to burn it.

Coal		
Product	Short name	Definition
Other recovered gases	OGASES	By-product of the production of steel in an oxygen furnace, recovered on leaving the furnace. The gases are also known as converter gas, LD gas or BOS gas. The quantity of recuperated fuel should be reported on a gross calorific value basis. Also covers non-specified manufactured gases not mentioned above, such as combustible gases of solid carbonaceous origin recovered from manufacturing and chemical processes not elsewhere defined.

Peat and peat products		
Product	Short name	Definition
Peat	PEAT	Peat is a combustible soft, porous or compressed, fossil sedimentary deposit of plant origin with high water content (up to 90% in the raw state), easily cut, of light to dark brown colour. Peat used for non-energy purposes is not included here. Milled peat is included here.
Peat products	PEATPROD	Products such as peat briquettes derived directly or indirectly from sod peat and milled peat.

Oil shale		
Product	Short name	Definition
Oil shale and oil sands	OILSHALE	Oil shale and oil sands are sedimentary rock which contains organic matter in the form of kerogen. Kerogen is a waxy hydrocarbon-rich material regarded as a precursor of petroleum. Oil shale may be burned directly or processed by heating to extract shale oil. Oil shale and tar sands used as inputs for other transformation processes are included here (this includes the portion consumed in the transformation process). Shale oil and other products derived from liquefaction are included in <i>from other sources</i> under crude oil ( <i>other hydrocarbons</i> ).

<b>Natural gas</b>		
<b>Product</b>	<b>Short name</b>	<b>Definition</b>
Natural gas	NATGAS	<p>Natural gas comprises gases, occurring in underground deposits, whether liquefied or gaseous, consisting mainly of methane. It includes both "non-associated" gas originating from fields producing only hydrocarbons in gaseous form, and "associated" gas produced in association with crude oil as well as methane recovered from coal mines (colliery gas) or from coal seams (coal seam gas).</p> <p>Production represents dry marketable production within national boundaries, including offshore production and is measured after purification and extraction of NGL and sulphur. It includes gas consumed by gas processing plants and gas transported by pipeline. Quantities of gas that are re-injected, vented or flared are excluded.</p>

<b>Crude, NGL, refinery feedstocks</b>		
<b>Product</b>	<b>Short name</b>	<b>Definition</b>
Crude/NGL/ feedstocks (if no detail)	CRNGFEED	This item is only used if the detailed breakdown is not available. It includes crude oil, natural gas liquids, refinery feedstocks, additives/blending components and other hydrocarbons.
Crude oil	CRUDEOIL	Crude oil is a mineral oil consisting of a mixture of hydrocarbons of natural origin and associated impurities, such as sulphur. It exists in the liquid phase under normal surface temperatures and pressure and its physical characteristics (density, viscosity, etc.) are highly variable. It includes field or lease condensates (separator liquids) which are recovered from associated and non-associated gas where it is commingled with the commercial crude oil stream.
Natural gas liquids	NGL	NGLs are the liquid or liquefied hydrocarbons produced in the manufacture, purification and stabilisation of natural gas. These are those portions of natural gas which are recovered as liquids in separators, field facilities, or gas processing plants. NGLs include but are not limited to ethane, propane, butane, pentane, natural gasoline and condensate.
Refinery feedstocks	REFFEEDS	A refinery feedstock is a processed oil destined for further processing (e.g. straight run fuel oil or vacuum gas oil) other than blending in the refining industry. With further processing, it will be transformed into one or more components and/or finished products. This definition also covers returns from the petrochemical industry to the refining industry (e.g. pyrolysis gasoline, C4 fractions, gasoil and fuel oil fractions).
Additives/blending components	ADDITIVE	Additives are non-hydrocarbon substances added to or blended with a product to modify its properties, for example, to improve its combustion characteristics. Alcohols and ethers (MTBE, methyl tertiary-butyl ether) and chemical alloys such as tetraethyl lead are included here. The biomass fractions of biogasoline, biodiesel and ethanol are not included here, but under liquid biofuels. This differs from the presentation of additives in the <i>Oil Information</i> publication.
Other hydrocarbons	NONCRUDE	This category includes synthetic crude oil from tar sands, shale oil, etc., liquids from coal liquefaction, output of liquids from natural gas conversion into gasoline, hydrogen and emulsified oils (e.g. Orimulsion).

Oil products		
Product	Short name	Definition
Refinery gas	REFINGAS	Refinery gas is defined as non-condensable gas obtained during distillation of crude oil or treatment of oil products (e.g. cracking) in refineries. It consists mainly of hydrogen, methane, ethane and olefins. It also includes gases which are returned from the petrochemical industry. Refinery gas production refers to gross production. Own consumption is shown separately under <i>oil refineries in energy industry own use</i> .
Ethane	ETHANE	Ethane is a naturally gaseous straight-chain hydrocarbon (C <sub>2</sub> H <sub>6</sub> ). It is a colourless paraffinic gas which is extracted from natural gas and refinery gas streams.
Liquefied petroleum gases (LPG)	LPG	Liquefied petroleum gases are the light hydrocarbon fraction of the paraffin series, derived from refinery processes, crude oil stabilisation plants and natural gas processing plants, comprising propane (C <sub>3</sub> H <sub>8</sub> ) and butane (C <sub>4</sub> H <sub>10</sub> ) or a combination of the two. They could also include propylene, butylene, isobutene and isobutylene. LPG are normally liquefied under pressure for transportation and storage.
Motor gasoline excl. bio	NONBIOGASO	Motor gasoline is light hydrocarbon oil for use in internal combustion engines such as motor vehicles, excluding aircraft. Motor gasoline is distilled between 35°C and 215°C and is used as a fuel for land based spark ignition engines. Motor gasoline may include additives, oxygenates and octane enhancers, including lead compounds such as TEL (tetraethyl lead) and TML (tetramethyl lead). Motor gasoline excluding bio does not include the liquid biofuel or ethanol blended with gasoline - see liquid biofuels.
Aviation gasoline	AVGAS	Aviation gasoline is motor spirit prepared especially for aviation piston engines, with an octane number suited to the engine, a freezing point of -60°C, and a distillation range usually within the limits of 30°C and 180°C.
Gasoline type jet fuel	JETGAS	Gasoline type jet fuel includes all light hydrocarbon oils for use in aviation turbine power units, which distil between 100°C and 250°C. This fuel is obtained by blending kerosenes and gasoline or naphthas in such a way that the aromatic content does not exceed 25% in volume, and the vapour pressure is between 13.7 kPa and 20.6 kPa. Additives can be included to improve fuel stability and combustibility.
Kerosene type jet fuel excl bio	NONBIOJETK	Kerosene type jet fuel is a medium distillate used for aviation turbine power units. It has the same distillation characteristics and flash point as kerosene (between 150°C and 300°C but not generally above 250°C). In addition, it has particular specifications (such as freezing point) which are established by the International Air Transport Association (IATA). It includes kerosene blending components. Kerosene type jet fuel excluding bio does not include the liquid biofuels blended with jet kerosene.

Oil products		
Product	Short name	Definition
Other kerosene	OTHKERO	Kerosene (other than kerosene used for aircraft transport which is included with aviation fuels) comprises refined petroleum distillate intermediate in volatility between gasoline and gas/diesel oil. It is a medium oil distilling between 150°C and 300°C.
Gas/diesel oil excl. bio	NONBIODIES	Gas/diesel oil includes heavy gas oils. Gas oils are obtained from the lowest fraction from atmospheric distillation of crude oil, while heavy gas oils are obtained by vacuum redistillation of the residual from atmospheric distillation. Gas/diesel oil distils between 180°C and 380°C. Several grades are available depending on uses: diesel oil for diesel compression ignition (cars, trucks, marine, etc.), light heating oil for industrial and commercial uses, and other gas oil including heavy gas oils which distil between 380°C and 540°C and which are used as petrochemical feedstocks. Gas/diesel oil excluding bio does not include the liquid biofuels blended with gas/diesel oil – see liquid biofuels.
Fuel oil	RESFUEL	Fuel oil defines oils that make up the distillation residue. It comprises all residual fuel oils, including those obtained by blending. Its kinematic viscosity is above 10 cSt at 80°C. The flash point is always above 50°C and the density is always higher than 0.90 kg/l.
Naphtha	NAPHTHA	Naphtha is a feedstock destined either for the petrochemical industry (e.g. ethylene manufacture or aromatics production) or for gasoline production by reforming or isomerisation within the refinery. Naphtha comprises material that distils between 30°C and 210°C. Naphtha imported for blending is shown as an import of naphtha, and then shown in the <i>transfers</i> row as a negative entry for naphtha and a positive entry for the corresponding finished product (e.g. gasoline).
White spirit & SBP	WHITESP	White spirit and SBP are refined distillate intermediates with a distillation in the naphtha/kerosene range. White Spirit has a flash point above 30°C and a distillation range of 135°C to 200°C. Industrial Spirit (SBP) comprises light oils distilling between 30°C and 200°C, with a temperature difference between 5% volume and 90% volume distillation points, including losses, of not more than 60°C. In other words, SBP is a light oil of narrower cut than motor spirit. There are seven or eight grades of industrial spirit, depending on the position of the cut in the distillation range defined above.
Lubricants	LUBRIC	Lubricants are hydrocarbons produced from distillate or residue; they are mainly used to reduce friction between bearing surfaces. This category includes all finished grades of lubricating oil, from spindle oil to cylinder oil, and those used in greases, including motor oils and all grades of lubricating oil base stocks.

<b>Oil products</b>		
<b>Product</b>	<b>Short name</b>	<b>Definition</b>
Bitumen	BITUMEN	Bitumen is a solid, semi-solid or viscous hydrocarbon with a colloidal structure that is brown to black in colour. It is obtained by vacuum distillation of oil residues from atmospheric distillation of crude oil. Bitumen is often referred to as asphalt and is primarily used for surfacing of roads and for roofing material. This category includes fluidised and cut back bitumen.
Paraffin waxes	PARWAX	Paraffin waxes are saturated aliphatic hydrocarbons. These waxes are residues extracted when dewaxing lubricant oils, and they have a crystalline structure which is more or less fine according to the grade. Their main characteristics are that they are colourless, odourless and translucent, with a melting point above 45°C.
Petroleum coke	PETCOKE	Petroleum coke is defined as a black solid residue, obtained mainly by cracking and carbonising of petroleum derived feedstocks, vacuum bottoms, tar and pitches in processes such as delayed coking or fluid coking. It consists mainly of carbon (90 to 95%) and has a low ash content. It is used as a feedstock in coke ovens for the steel industry, for heating purposes, for electrode manufacture and for production of chemicals. The two most important qualities are "green coke" and "calcinated coke". This category also includes "catalyst coke" deposited on the catalyst during refining processes: this coke is not recoverable and is usually burned as refinery fuel.
Non-specified oil products	ONONSPEC	Other oil products not classified above (e.g. tar, sulphur and grease) are included here. This category also includes aromatics (e.g. BTX or benzene, toluene and xylene) and olefins (e.g. propylene) produced within refineries.

<b>Biofuels and waste</b>		
<b>Product</b>	<b>Short name</b>	<b>Definition</b>
Industrial waste	INDWASTE	Industrial waste of non-renewable origin consists of solid and liquid products (e.g. tyres) combusted directly, usually in specialised plants, to produce heat and/or power. Renewable industrial waste is not included here, but with solid biofuels, biogases or liquid biofuels.
Municipal waste (renewable)	MUNWASTER	Municipal waste consists of products that are combusted directly to produce heat and/or power and comprises wastes produced by households, industry, hospitals and the tertiary sector that are collected by local authorities for incineration at specific installations. Municipal waste is split into renewable and non-renewable.
Municipal waste (non-renewable)	MUNWASTEN	Municipal waste consists of products that are combusted directly to produce heat and/or power and comprises wastes produced by households, industry, hospitals and the tertiary sector that are collected by local authorities for incineration at specific installations. Municipal waste is split into renewable and non-renewable.
Primary solid biofuels	PRIMSBIO	Primary solid biofuels is defined as any plant matter used directly as fuel or converted into other forms before combustion. This covers a multitude of woody materials generated by industrial process or provided directly by forestry and agriculture (firewood, wood chips, bark, sawdust, shavings, chips, sulphite lyes also known as black liquor, animal materials/wastes and other solid biofuels).
Biogases	BIOGASES	Biogases are gases arising from the anaerobic fermentation of biomass and the gasification of solid biomass (including biomass in wastes). The biogases from anaerobic fermentation are composed principally of methane and carbon dioxide and comprise landfill gas, sewage sludge gas and other biogases from anaerobic fermentation.  Biogases can also be produced from thermal processes (by gasification or pyrolysis) of biomass and are mixtures containing hydrogen and carbon monoxide (usually known as syngas) along with other components. These gases may be further processed to modify their composition and can be further processed to produce substitute natural gas.  Biogases are used mainly as a fuel but can be used as a chemical feedstock.
Biogasoline	BIOGASOL	Biogasoline includes bioethanol (ethanol produced from biomass and/or the biodegradable fraction of waste), biomethanol (methanol produced from biomass and/or the biodegradable fraction of waste), bioETBE (ethyl-tertio-butyl-ether produced on the basis of bioethanol; the percentage by volume of bioETBE that is calculated as biofuel is 47%) and bioMTBE (methyl-tertio-butyl-ether produced on the basis of biomethanol: the percentage by volume of bioMTBE that is calculated as biofuel is 36%). Biogasoline includes the amounts that are blended into the gasoline - it does not include the total volume of gasoline into which the biogasoline is blended.

<b>Biofuels and waste</b>		
<b>Product</b>	<b>Short name</b>	<b>Definition</b>
Biodiesels	BIODIESEL	Biodiesels includes biodiesel (a methyl-ester produced from vegetable or animal oil, of diesel quality), biodimethylether (dimethylether produced from biomass), Fischer Tropsh (Fischer Tropsh produced from biomass), cold pressed bio-oil (oil produced from oil seed through mechanical processing only) and all other liquid biofuels which are added to, blended with or used straight as transport diesel or in electricity and heat generation. Biodiesels includes the amounts that are blended into the diesel - it does not include the total volume of diesel into which the biodiesel is blended.
Other liquid biofuels	OBIOLIQ	Other liquid biofuels includes liquid biofuels not reported in either biogasoline or biodiesels.
Non-specified primary biofuels and waste	RENEWNS	This item is used when the detailed breakdown for primary biofuels and waste is not available.
Charcoal	CHARCOAL	It covers the solid residue of the destructive distillation and pyrolysis of wood and other vegetal material.
Memo: Renewables	MRENEW	Is equal to the sum of HYDRO, GEOTHERM, SOLARPV, SOLARTH, TIDE, WIND, MUNWASTER, SBIOMASS, GBIOMASS, BIOGASOL, BIODIESEL, OBIOLIQ, RENEWNS and CHARCOAL.

<b>Electricity and heat</b>		
<b>Product</b>	<b>Short name</b>	<b>Definition</b>
Elec/heat output from non-specified manufactured gases	MANGAS	This item is only used if the detailed breakdown is not available. It includes coke oven gas, blast furnace gas and oxygen steel furnace gas. Gas works gas is not included here.
Heat output from non-specified combustible fuels	HEATNS	This item is only used if the detailed breakdown is not available.
Nuclear	NUCLEAR	Energy released by nuclear fission or nuclear fusion.
Hydro	HYDRO	Hydro energy represents the potential and kinetic energy of water converted into electricity in hydroelectric plants.
Geothermal	GEO THERM	Geothermal energy is the energy available as heat emitted from within the earth's crust, usually in the form of hot water or steam. It is exploited at suitable sites: <ul style="list-style-type: none"> <li>• for electricity generation using dry stream or high enthalpy brine after flashing</li> <li>• directly as heat for district heating, agriculture, etc.</li> </ul>
Solar photovoltaics	SOLARPV	Electricity from photovoltaic cells.
Solar thermal	SOLARTH	Solar energy is the solar radiation exploited for hot water production and electricity generation, by: <ul style="list-style-type: none"> <li>• flat plate collectors, mainly of the thermosyphon type, for domestic hot water or for the seasonal heating of swimming pools</li> <li>• solar thermal-electric plants</li> </ul> Passive solar energy for the direct heating, cooling and lighting of dwellings or other buildings is not included.
Tide, wave and ocean	TIDE	Tide, wave and ocean represents the mechanical energy derived from tidal movement, wave motion or ocean current and exploited for electricity generation.
Wind	WIND	Wind energy represents the kinetic energy of wind exploited for electricity generation in wind turbines.
Other sources	OTHER	Other sources includes production not included elsewhere such as fuel cells.
Electricity	ELECTR	Gross electricity production is measured at the terminals of all alternator sets in a station; it therefore includes the energy taken by station auxiliaries and losses in transformers that are considered integral parts of the station.  The difference between gross and net production is generally estimated as 7% for conventional thermal stations, 1% for hydro stations, and 6% for nuclear, geothermal and solar stations. Production in hydro stations includes production from pumped storage plants.

<b>Electricity and heat</b>		
<b>Product</b>	<b>Short name</b>	<b>Definition</b>
Heat	HEAT	<p>Heat production includes all heat produced by main activity producer CHP and heat plants, as well as heat sold by autoproducer CHP and heat plants to third parties.</p> <p>Fuels used to produce quantities of heat for sale are included in the transformation processes under the rows <i>CHP plants</i> and <i>Heat plants</i>. The use of fuels for heat which is not sold is included under the sectors in which the fuel use occurs.</p>

Products for summary balances		
Product	Short name	Definition
Coal and coal products	COAL	Is equal to the sum of HARDCOAL, BROWN, ANTCOAL, COKCOAL, BITCOAL, SUBCOAL, LIGNITE, PATFUEL, OVENCOKE, GASCOKE, COALTAR, BKB, GASWKSGS, COKEOVGS, BLFURGS, OXYSTGS and MANGAS. <i>Note: starting with the 2011 edition, gas works gas is included here with coal. In previous years, gas works gas was included with natural gas. Starting with the 2014 edition, oilshale is presented separately and not included with lignite any longer.</i>
Peat and peat products	PEAT	Is equal to the sum of PEAT and PEATPROD.
Oil shale and oil sands	OILSHALE	Is equal to OILSHALE.
Crude, NGL and feedstocks	CRNGFEED	Is equal to the sum of CRNGFEED, CRUDEOIL, NGL, REFFEEDS, ADDITIVE and NONCRUDE.
Oil products	TOTPRODS	Is equal to the sum of REFININGAS, ETHANE, LPG, MOTORGAS, AVGAS, JETGAS, JETKERO, OTHKERO, GASDIES, RESFUEL, NAPHTHA, WHITESP, LUBRIC, BITUMEN, PARWAX, PETCOKE and ONONSPEC.
Natural gas	NATGAS	Is equal to NATGAS. <i>Note: starting with the 2011 edition, gas works gas is included with coal. In previous years, gas works gas was included with natural gas.</i>
Nuclear	NUCLEAR	Is equal to NUCLEAR.
Hydro	HYDRO	Is equal to HYDRO.
Geothermal	GEO THERM	Is equal to GEO THERM.
Solar/wind/other	SOLWIND	Is equal to the sum of SOLARPV, SOLARTH, TIDE, WIND, HEATPUMP, BOILER, CHEMHEAT and OTHER.
Biofuels and waste	COMRENEW	Is equal to the sum of INDWASTE, MUNWASTER, MUNWASTEN, SBIOMASS, GBIOMASS, BIOGASOL, BIODIESEL, OBIOLIQ, RENEWNS and CHARCOAL.
Heat production from non-specified combustible fuels	HEATNS	Is equal to HEATNS.
Electricity	ELECTR	Is equal to ELECTR.
Heat	HEAT	Is equal to HEAT.
Total	TOTAL	Is equal to TOTAL of all the previous energy sources. Is also equal to the sum of MTOTSOLID, MTOTOIL, NATGAS, NUCLEAR, HYDRO, COMRENEW and MTOTOTHER.

<b>Products for summary balances</b>		
<b>Product</b>	<b>Short name</b>	<b>Definition</b>
Memo: Renewables	MRENEW	Is equal to the sum of HYDRO, GEOTHERM, SOLARPV, SOLARTH, TIDE, WIND, MUNWASTER, SBIOMASS, GBIOMASS, BIOGASOL, BIODIESEL, OBIOLIQ, RENEWNS and CHARCOAL.
Memo: Coal, peat and oil shale	MTOTSOLID	Is equal to the sum of COAL, PEAT and OILSHALE.
Memo: Primary and secondary oil	MTOTOIL	Is equal to the sum of CRNGFEED and TOTPRODS.
Memo: Geothermal, solar/wind/other, heat, electricity.	MTOTOTHER	Is equal to the sum of GEOTHERM, SOLARWIND, HEAT and ELECTR.

## 5. GEOGRAPHICAL COVERAGE

<b>Countries and regions</b>		
This document is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area.		
Country/Region	Short name	Definition
Australia	AUSTRALI	Excludes the overseas territories.
Austria	AUSTRIA	
Belgium	BELGIUM	
Canada	CANADA	
Chile	CHILE	
Czech Republic	CZECH	
Denmark	DENMARK	Excludes Greenland and the Faroe Islands, except prior to 1990, where data on oil for Greenland were included with the Danish statistics. The Administration is planning to revise the series back to 1974 to exclude these amounts.
Estonia	ESTONIA	
Finland	FINLAND	
France	FRANCE	France includes Monaco and excludes the overseas collectivities: New Caledonia; French Polynesia; Saint Barthélemy; Saint Martin; Saint Pierre and Miquelon; and Wallis and Futuna. Energy data for the following overseas departments: Guadeloupe; French Guiana; Martinique; Mayotte; and Réunion are included for the years 2011-2017, and excluded for earlier years. Economic indicators data for France includes the aforementioned overseas departments for the whole time series.
Germany	GERMANY	Includes the new federal states of Germany from 1970 onwards.
Greece	GREECE	
Hungary	HUNGARY	
Iceland	ICELAND	
Ireland	IRELAND	

## Countries and regions

This document is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area.

Country/Region	Short name	Definition
Israel	ISRAEL	The statistical data for Israel are supplied by and under the responsibility of the relevant Israeli authorities. The use of such data by the OECD is without prejudice to the status of the Golan Heights, East Jerusalem and Israeli settlements in the West Bank under the terms of international law.
Italy	ITALY	Includes San Marino and the Holy See.
Japan	JAPAN	Includes Okinawa.
Korea	KOREA	
Latvia	LATVIA	Latvia became an OECD Member in July 2016. Accordingly, Latvia appears in the list of OECD Members and is included in the zone aggregates for data starting in 1990, starting with the 2017 edition. Prior to 1990, data for Latvia are included in Former Soviet Union.
Lithuania	LITHUANIA	Lithuania became an OECD Member in July 2018. Accordingly, Lithuania appears in the list of OECD Members and is included in the zone aggregates for data starting in 1990, starting with the 2019 edition. Prior to 1990, data for Lithuania are included in Former Soviet Union.
Luxembourg	LUXEMBOU	
Mexico	MEXICO	Mexico became the 30 <sup>th</sup> IEA Member country in February 2018. Accordingly, starting with the 2018 preliminary edition, Mexico now appears in the list of IEA Members and is included in the IEA zone aggregate for data starting in 1971 and for the entire time series.
Netherlands	NETHLAND	Excludes Suriname, Aruba and the other former Netherland Antilles (Bonaire, Curaçao, Saba, Saint Eustatius and Sint Maarten).
New Zealand	NZ	
Norway	NORWAY	
Poland	POLAND	
Portugal	PORTUGAL	Includes the Azores and Madeira.
Slovak Republic	SLOVAKIA	
Slovenia	SLOVENIA	
Spain	SPAIN	Includes the Canary Islands.
Sweden	SWEDEN	

## Countries and regions

This document is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area.

Country/Region	Short name	Definition
Switzerland	SWITLAND	Includes Liechtenstein for oil data. Data for other fuels do not include Liechtenstein.
Turkey	TURKEY	
United Kingdom	UK	Shipments of coal and oil to the Channel Islands and the Isle of Man from the United Kingdom are not classed as exports. Supplies of coal and oil to these islands are, therefore, included as part of UK supply. Exports of natural gas to the Isle of Man are included with the exports to Ireland.
United States	USA	Includes the 50 states and the District of Columbia but generally excludes all territories, and all trade between the U.S. and its territories. Oil statistics include Guam, Puerto Rico and the United States Virgin Islands; trade statistics for coal include international trade to and from Puerto Rico and the United States Virgin Islands. Starting with 2017 data, inputs to and outputs from electricity and heat generation include Puerto Rico.
Brazil	BRAZIL	Brazil joined the IEA as an Association country in October 2017.
Indonesia	INDONESIA	Indonesia joined the IEA as an Association country in November 2015.
Morocco	MOROCCO	Morocco joined the IEA as an Association country in November 2016.
Singapore	SINGAPORE	Singapore joined the IEA as an Association country in October 2016.
Thailand	THAILAND	Thailand joined the IEA as an Association country in November 2015.

## Countries and regions

This document is without prejudice to the status of or sovereignty over any territory, to the delimitation of international frontiers and boundaries and to the name of any territory, city or area.

Country/Region	Short name	Definition
OECD Total	OECDTOT	Includes Australia, Austria, Belgium, Canada, Chile, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Israel <sup>1</sup> , Italy, Japan, Korea, Latvia <sup>2</sup> , Lithuania <sup>3</sup> , Luxembourg, Mexico, the Netherlands, New Zealand, Norway, Poland, Portugal, the Slovak Republic, Slovenia, Spain, Sweden, Switzerland, Turkey, the United Kingdom and the United States.  Estonia, Latvia, Lithuania and Slovenia are included starting in 1990. Prior to 1990, data for Estonia, Latvia and Lithuania are included in Former Soviet Union and data for Slovenia in Former Yugoslavia in the publication <i>World Energy Balances</i> .
OECD Americas	OECDAM	Includes Canada, Chile, Mexico and the United States.
OECD Asia Oceania	OECDAO	Includes Australia, Israel <sup>1</sup> , Japan, Korea and New Zealand.
OECD Europe	OECD EUR	Includes Austria, Belgium, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia <sup>2</sup> , Lithuania <sup>3</sup> , Luxembourg, the Netherlands, Norway, Poland, Portugal, the Slovak Republic, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.  Estonia, Latvia, Lithuania and Slovenia are included starting in 1990. Prior to 1990, data for Estonia, Latvia and Lithuania are included in Former Soviet Union and data for Slovenia in Former Yugoslavia in the publication <i>World Energy Balances</i> .
IEA	IEATOT	Includes Australia, Austria, Belgium, Canada, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Ireland, Italy, Japan, Korea, Luxembourg, Mexico, the Netherlands, New Zealand, Norway, Poland, Portugal, the Slovak Republic, Spain, Sweden, Switzerland, Turkey, the United Kingdom and the United States.

1. The statistical data for Israel are supplied by and under the responsibility of the relevant Israeli authorities. The use of such data by the OECD is without prejudice to the status of the Golan Heights, East Jerusalem and Israeli settlements in the West Bank under the terms of international law.

2. Latvia became an OECD Member in July 2016. Accordingly, Latvia appears in the list of OECD Members and is included in the regional aggregates for data starting in 1990, starting with the 2017 edition.

3. Lithuania became an OECD Member in July 2018. Accordingly, Lithuania appears in the list of OECD Members and is included in the zone aggregates for data starting in 1990, starting with the 2019 First edition.



## 6. COUNTRY NOTES AND SOURCES

### OECD COUNTRIES

#### General notes

The notes given in this document refer to data for the years 1960 to 2017 published in the book, as well as in the on-line data service. In general, more detailed notes are available for data starting in 1990.

Data are obtained through annual submission of five fuel questionnaires from national administrations, as indicated for each country in the section on sources.

In some instances it has been necessary for the IEA Secretariat to estimate some data; explanations of the estimates are provided in the country notes. For more information on fuel-specific methodologies, please refer to the various IEA information books

This section lists a few specific notes that apply to all countries, and it is followed by a time series of comprehensive country-specific notes by fuel and flow.

Prior to 1974, most fuel inputs and electricity and heat outputs for autoproducers are included in main activity producers. The figures for the quantities of fuels used for the generation of electricity and heat and the corresponding outputs in CHP and heat plants should be used with caution. Despite estimates introduced by the IEA Secretariat, inputs and outputs are not always consistent. Please refer to notes below under *Electricity and heat*.

Data for anthracite, coking coal, other bituminous coal, sub-bituminous coal and lignite are available separately from 1978. Prior to 1978, only data for hard coal and brown coal (lignite/sub-bituminous coal) are available.

In 1996, the IEA Secretariat extensively revised data on coal and coke use in blast furnaces, and in the iron and steel industry (for those countries with blast furnaces), based on data provided to the OECD Steel Committee and other sources. The quantities of fuels transformed

into blast furnace gas have been estimated by the IEA Secretariat based on its blast furnace model.

For biofuels and waste (i.e. solid biofuels, biogases, liquid biofuels, industrial waste and municipal waste), there may be breaks in time series between 1988 and 1989, as in 1997 the IEA Secretariat extensively revised these data based on data from Eurostat (for the EU-15 member countries) and on other national sources for other OECD member countries, and data from Eurostat were generally available from 1989. Generally, data on biofuels and waste are reported in non-specified prior to 1989.

### Australia

#### Source

Department of Environment and Energy, Canberra.

#### General notes

All data refer to the fiscal year (e.g. July 2016 to June 2017 for 2017).

Starting with the 2013 edition and following, data for Australia were revised back to 2003 due to the adoption of the National Greenhouse and Energy Reporting (NGER) as the main energy consumption data source for the Australian Energy Statistics. As a result, there are breaks in the time series for many data between 2002 and 2003. The revisions have also introduced some methodological issues, including identifying inputs and outputs to certain transformation processes such as gas works plants, electricity plants and CHP plants. Energy industry own use and inputs to the transformation processes are sometimes not reported separately in the correct categories. More detail is given in the notes below.

## Coal

### *General notes*

- In the 2017 edition, the Australian administration revised data on **coal tar** back to 2010 resulting in breaks in time series between 2009 and 2010.
- In the 2016 edition, extensive revisions were made to 2010 to 2013 data for many primary and manufactured products causing breaks in production, trade and consumption between 2009 and 2010. Time series which begin in 2010 may be reported in other flows until 2009. 2014 data were reported on the same basis as 2010 to 2013.
- In the 2015 edition, increases of production and consumption of **other bituminous coal** for 2013 are due to both new mine capacity and improved classification data. In the 2016 edition, these revisions were extended back to 2010. Apparent switching between **sub-bituminous coal** and **other bituminous coal** between 2009 and 2010 suggests that some **other bituminous coal** was reported as **sub-bituminous coal** prior to this, across several flows.
- In the 2013 edition, production data for all **manufactured gases** were revised downwards as part of the new national methodology, leading to significant statistical differences.
- Reclassification of some **coal** types in the 2013 edition were calculated on an energy basis and resulted in a net increase of quantities of primary coal from 2003 to 2011.
- Breaks in the time series for **gas works gas** between 2008 and 2009 are due to a change of survey, while reduced production and consumption between 2006 and 2008 are due to the removal of some **natural gas** inputs.
- Data on **blast furnace gas** for electricity production by autoproducers begins in 1986.
- **Hard coal** data prior to 1978 may include **sub-bituminous coal**.

### *Supply*

- The decrease of lignite production and consumption in 2017 was due to the closure of brown coal fired Hazelwood power plant in early 2017, contributing to a higher consumption of other bituminous coal.

- Only **anthracite** exports are reported separately; the remainder that is consumed domestically is included with **other bituminous coal**.
- Export trade in **coke oven coke** between 2005 and 2011 exists, but data are unavailable for reasons of confidentiality. From 2012 onward exports are estimated by the Australian administration but without providing information on the destination country.

### *Transformation*

- In 2015, a new plant within the mining sector started its operations increasing the consumption of **coke oven coke**.
- The one company producing **BKB** closed its operation during 2015. As such, production and consumption declined significantly.
- For 2003 to 2012, **coke oven gas** reported as energy industry own-use in electricity or CHP plants is used for generation purposes, while **natural gas** used for own-use plant support is reported in the transformation sector.
- **Natural gas** consumed to fuel the distribution of **natural gas** in natural gas networks is reported as transformation for **gas works gas** production until 2005.
- The drop in **BKB** production in 2004 was due to a fire in the main production plant.

### *Consumption*

- In the 2016 edition, revisions for 2010 onwards have increased the quantities of **sub-bituminous coal** and decreased the quantities of **other bituminous coal** being used in the non-metallic minerals industry as more accurate information has become available.
- Consumption in wood and wood products is included in paper, pulp and print from 2001 onwards.

## Oil

### *General notes*

- In the 2019 edition the Australian administration introduced several revisions to the time series back to 2011 as a result of new and updated data sources becoming available.
- In 2017, the Australian administration added new companies to their reporting. This pri-

marily impacts the stocks of **motor gasoline** and **gas/diesel oil**.

- Between 2009 and 2010 some breaks in time series may occur due to changes in methodologies and to improved data sources, with major revisions explained below.
- **Other hydrocarbons** reported under *from other sources natural gas* correspond to hydrogen used in refineries, also represented as the output of *non-specified transformation* in the balances format.
- An in-depth review of Australian oil statistics, in particular investigation of amounts currently reported under recycled products as well as statistical differences for **motor gasoline** and **bitumen**, is on-going and may result in further improvements in the next editions.

### Supply

- **Crude oil** production and imports continued to decline in 2016 following the closure of domestic refining capacity in New South Wales (Kurnell Refinery) and Queensland (Bulwer Island Refinery). Refinery outputs also fell as a result. These two sites have been converted to import terminals helping Australia expanding its import capacity. As a result refined products imports increased considerably in 2016.
- From 2010 **crude oil** production estimates for selected companies have been replaced by actual data.
- Imports of **fuel oil** have been estimated by the Australian administration.
- In the 2015 data, **fuel oil** imports dropped significantly due to the closure of the two large consumers of this product, the Gove alumina refinery and the Point Henry aluminium smelter.
- There is a break in the time series for **crude oil** and **NGL** between 2001 and 2002.
- The drop in the production of **crude oil** in 1999 is due to a gas explosion at the Longford plant.
- Prior to 1992, part of the **NGL** production is included in **crude oil**.

### Transformation

- There is a break in the refinery balance between 2010 and 2011 due to the reclassification of a facility from upstream to downstream.
- As a result of a new methodology adopted to split **gas/diesel oil** inputs between main activity and au-

toproducer plants, breaks in series appear between 2009 and 2010.

### Consumption

- In 2017 the Queensland Nickel refinery closed down and the Portland Aluminium refinery was reduced for an extended period due to a power fault. As a result fuel oil consumption in the non-ferrous metal sector declined in 2017.
- In the 2019 edition the bitumen time series was revised with higher levels of consumption for 2015 and 2016. This is based on the monthly Australian Petroleum Statistics which now has better coverage of the consumption data.
- Breaks in the time series appear between 2009 and 2010 in transport consumption due to a change in methodology.

### Natural gas

#### General notes

- In the 2019 edition, the Australian administration proceeded to major revisions on the supply side from 2013 onwards due to a change in methodology on production quantities and more recent sources on calorific values. Additionally the *Oil and gas extraction*, and *Liquefaction (LNG) / re-gasification plants* on the demand side were revised from 2003 onwards, which resulted in increased statistical differences. Work is undertaken by the administration in order to provide new revisions in the 2020 edition that will address this gap.
- In the 2016 edition, the Australian administration revised **natural gas** demand data for some flows back to 2010, resulting in breaks in time series between 2009 and 2010.
- In 2015, the Australian administration revised production and certain consumption data back to 2006. The production figures now include previously uncaptured flows.
- Prior to 1991 **natural gas** data include **ethane**.

#### Supply

- For 2017, there is a significant increase in production (+23%) and exports (+43%) of gas, due to the LNG exporting capacity coming online in 2016 and 2017.
- Around 30% of the production (mainly coal seam gas) is estimated by the Australian administration.

### Transformation

- From 2011 to 2016, the *Non-specified transformation* of **natural gas** represents amounts used to produce hydrogen for hydrodesulphurization in refineries.
- Until 2005, **natural gas** consumed to fuel the distribution of natural gas in natural gas networks was reported as transformation for **gas works gas** production.

### Consumption

- Consumption in the *residential* and *agriculture/forestry* sectors is estimated by the Australian administration based on models.
- There are breaks between 2002 and 2003 in due to major revisions made in the *Oil and gas extraction*, and *Liquefaction (LNG) / regasification plants* in the context of the 2019 edition.
- Between 2009 and 2010 some breaks in time series may occur due to changes in methodologies and to improved data sources. Revisions to the consumption data include changes to energy use in liquefaction plants, and a shift of *gas works gas (transformation)* to *non-specified energy* from 2006 onwards. Revisions to previous years are pending.
- Between 2001 and 2002 there are breaks in time series for consumption data due to an industry structural shift and changes in methodology.
- Data for 1999 and 2000 end-use consumption are estimated by the Australian administration.

## Biofuels and waste

### General notes

- In the 2018 edition, **biogases** were revised downward by the Australian administration back to 2015 as a result of the removal on 1 July 2015 of a production subsidy for domestic ethanol. The subsidy was equal to the excise rate on unleaded petrol.
- A large **biogas** production facility did not report any production in 2016-2017. In 2017, this led to reductions in the consumption of **biogases** in auto CHP plants and the commercial and public services sector.
- Increases in production of **solid biofuels** since 2014 are related to incentives under the Renewable Energy Target legislation, which went into effect in 2001 and aims to increase the share of electricity generation from renewable sources. More information is available here: <http://www.cleanenergyregulator.gov.au/RET>.

- The data for **biogasoline** and **biodiesel** are not available before 2003 and 2004 respectively.
- From 1996, a different industry consumption breakdown for biofuels and waste is available and leads to breaks in time series.

### Supply

- **Biogas** production data at sewage treatment works are not available.
- Indigenous production of **biodiesel** has decreased substantially in 2016 because one of the major **biodiesel** producers ceased production in January 2016. The trend continues in 2017, when, according to Bioenergy Australia, low oil prices and higher feedstock prices created a difficult market for the remaining **biodiesel** producers.
- Production of **biogasoline (ethanol)** decreased since the Ethanol Production Grants Programme ended on 30 June 2015. On 1 July 2015, the fuel excise on domestically produced ethanol was reduced to zero and will be increased by 2.5 cents per litre until it reaches 12.5 cents per litre. Additionally, 2017 quantities were also affected by low oil prices.

### Consumption

- In the 2018 edition, **solid biofuels** were revised back to 2010 by the Australian administration, expanding the scope from the revisions in the 2016 and 2017 editions to indigenous production and consumption sectors which weren't previously revised. This results in a break in time series between 2009 and 2010.
- In the 2017 edition of this publication, there has been a revision to the time series of **solid biofuels** consumption in "Paper, pulp and printing" sector. This time series has been revised back to 2010 resulting in break in time series between 2009 and 2010.
- In the 2016 edition of this publication, the Australian administration revised **primary solid biofuels** back to 2010 which impact mostly final consumption in Food and Tobacco. This created breaks in time series.
- The consumption data of **biogases** in industry is not available before 2003.

## Electricity and heat

### General notes

- In the 2016 edition, several combustible fuel electricity production time series as well as some electricity consumption time series were revised by the Australian administration back to 2010 in order to limit the use of estimated data and are causing some breaks.
- From 1992 onwards, heat data are not available.

### Supply

- Data for production of electricity from **wind** are available from 1994.
- Data for electricity production from **solar photovoltaic** start in 1992 and from **solar thermal** in 2003.

### Transformation

- Fuels used for generation by autoproducers represent single fuel-fired units only. The use of fuel in multi-fired units operated by autoproducers is included in industry consumption.
- In the 2018 edition, new methodologies were introduced by the Australian administration for reporting electricity production from solar sources. First, the methodology for reporting electricity production from **solar PV** and **solar thermal** was changed between 2009 and 2010, resulting in a break in time series. Prior to 2010, the ratio of electricity production from **solar thermal** to total solar was assumed to be the same each year. After 2010, **solar PV** autoproducer electricity production is the residual after the main activity **solar PV** and **solar thermal** are deducted from total solar production. There is an additional break in time series between 2013 and 2014 for **solar** production when a new methodology for determining large-scale **solar PV** production was introduced for main activity **solar PV** plants.
- In the 2017 edition, following an extended review of past data, the Australian administration revised electricity outputs of **blast furnace gas** autoproducer electricity plants for the period 2003-2004 and of autoproducer CHP plants fuelled by **other oil products** for 2009, resulting in more realistic efficiency rates for these plants.
- In 2002, the Australian administration started to use a new survey methodology and reclassified the types of plants between main activity producers and autoproducers.

- Prior to 1995, electricity production from **biogases** is included in natural gas.
- Prior to 1986, inputs and outputs from autoproducer CHP plants are not available.

### Consumption

- The significant growth in **electricity** consumption at LNG/regasification plants in 2016 and 2017, is due to the commencement of large-scale production at Australia's new east coast LNG plants.
- Prior to 2006, **electricity** consumption in mining and quarrying includes consumption in liquefaction/regasification plants.
- From 1990 to 2008, **electricity** consumption in wood and wood products is included together with paper, pulp and printing.
- The direct use of **solar heat** (mostly domestic solar panels) is available from 1974.
- **Electricity** consumption in coke ovens has been estimated by the Australian administration from 1974 to 1999.
- Prior to 1974, the breakdown of **electricity** consumption in industry and energy sub-sectors is not available and energy industry consumption is included in industry.
- **Electricity** consumption in the *non-specified transport* sector represents transport support services, including those for air and water transport, and for transport for mining operations.
- Prior to 1971 **electricity** consumption in the commercial and public services sector is included in industry.
- Reported **electricity** consumption in the oil and gas extraction section may include some consumption in LNG/regasification plants.

## Austria

### Source

Bundesanstalt Statistik Österreich, Vienna.

### General notes

- Starting with the 2016 edition and following, widespread data revisions were received due to enhanced reporting from 2005 onwards as a consequence of improved Austrian Final Energy Consumption surveys. For some time series, these revisions were extrapolated back to 1990. As a consequence, there may be breaks between 2004

and 2005, and 1989 and 1990. For more details on the methodologies in the revisions in the energy balance, there is more information here: [http://www.statistik.at/wcm/idc/idcplg?IdcService=GET\\_PDF\\_FILE&RevisionSelectionMethod=LatestReleased&dDocName=036412](http://www.statistik.at/wcm/idc/idcplg?IdcService=GET_PDF_FILE&RevisionSelectionMethod=LatestReleased&dDocName=036412). For more details on the methodologies related to consumption in households, there is more information here: [http://www.statistik.at/wcm/idc/idcplg?IdcService=GET\\_PDF\\_FILE&RevisionSelectionMethod=LatestReleased&dDocName=078265](http://www.statistik.at/wcm/idc/idcplg?IdcService=GET_PDF_FILE&RevisionSelectionMethod=LatestReleased&dDocName=078265)

## Coal

### General notes

- In the 2019 edition, revisions concerning the iron and steel industry were received for data since 2005. The revisions impacted the energy sector for **coke oven gas** and **blast furnace gas**.
- In the 2016 edition, revisions concerning the iron and steel industry were received for data since 1990. The following flows were impacted by these revisions: inputs to blast furnaces, the breakdown between transformation and own-use energy support, and calorific values.
- The last **lignite** mine closed in the second quarter of 2004 and **lignite** use for power generation ceased in 2006.
- Since 1996, **gas works gas** data are reported with **natural gas** because it is distributed in the same network. The amount of **gas works gas** is negligible and it is mostly consumed by households.
- “Trochekohle” is included with **BKB** because of its high calorific value.
- LD gas, which should normally be reported as **other recovered gases**, is reported with **blast furnace gas**.

## Oil

### Supply

- Exports of **naphtha** are no longer reported from 2014, past values may refer to exports of petrochemical raw material.
- Deliveries of **gas/diesel** to international marine bunkers were revised back to 1990 after implementation of a new study results.
- Prior to 1990, a portion of **naphtha** is included with **other oil products**.

### Transformation

- In the 2019 edition the administration incorporated revisions as a result of improved reporting from the refinery to Statistics Austria. As a result there may be breaks in the time series between 2004 and 2005.

## Natural gas

### Supply

- Export amounts are calculated by the national administration by subtracting *stock changes* and domestic consumption from *import* figures.

### Transformation

- In the 2018 edition, the time series for *blast furnaces* was reclassified from 1990 onwards, and thus moved from the Transformation to the Energy sector. This has resulted in increasing the efficiency of the blast furnaces process.
- Between 1995 and 1996 there is a break in time series for *autoproducer electricity and CHP* plants due to the availability of more detailed data.

### Consumption

- In the 2019 edition, Austrian administration revised *oil and gas extraction* and *oil refinery natural gas* consumption data for 2005 onwards based on data reported to the Emissions Trading Scheme (ETS). Additionally, it revised data since 2005 for *other sectors’ flows* since 2005 and *industry sector* since 2012 based on a combination of the results of sample surveys and data from the regulator.
- Any inconsistencies in the time series for *commercial/public services* until 2011 are the result of this sub-sector being computed as a residual. Since 2012 the *commercial/public services* consumption figures are surveyed annually and the consumption quantities in small and medium enterprises in *industry* are the projected results of biannual sample surveys. The increase in *pipeline transport* consumption for 2013 is due to a new methodology of data collection. Historical revisions are pending. Prior to 2000, differences due to measurement are included with *distribution losses*.

## Biofuels and waste

### General notes

- Data for 1986 to 1989 for **solid biofuels, industrial waste, biogases** and **liquid biofuels** are IEA Secretariat estimates based on information published by OSTAT in *Energieversorgung Österreichs Endgültige Energiebilanz*.

### Consumption

- In the 2016 edition, improvement in the iron and steel industry data have allowed more precision in the consumption, among other for **industrial waste** in blast furnaces.
- In the 2016 edition, the consumption of **solid biofuels** in the residential sector was revised down from 2005 data.

## Electricity and heat

### Supply

- Amounts for both net electricity production and plant own use are calculated by the Austrian administration by applying a fixed percentage multiplier to the gross production of all plants in the public grid, regardless of plant type or fuel.
- Electricity production from **geothermal** main electricity plants only refers to electricity that is fed into the grid. Total production is not known as these plants are below the reporting threshold.

### Transformation

- Electricity plants data may include some CHP plants operating in **electricity** only mode.
- Fluctuating efficiencies from year to year for **solid biofuel** and **industrial waste** plants are related to operational decisions which are governed by a formula described in the *Standard documentation Meta information on Energy balances for Austria and the Laender of Austria* published in June 2016 on the Statistics Austria website.
- In the 2018 edition, electricity production from **municipal waste** main activity electricity plants was revised from 2003-2009. Additionally, electricity production from **municipal waste** main activity CHP plants was revised in 2014.
- A large autoproducer electricity plant was reclassified as an autoproducer CHP plant and therefore creates a break in time series for **municipal waste** in 2011.

- In 2009, inputs of **other oil products** to autoproducer CHP plants were reclassified as **refinery gas** and **natural gas**.
- Due to a change in the survey methodology, the **heat** produced in small plants (capacity inferior to 1 MW) is not reported starting in 2002.
- **Heat from chemical processes** used for **electricity** production is available from 2004.
- Electricity generation from **geothermal** started in 2002.
- Prior to 2002, data for **biogases** only include plants of 1 MW or larger.
- Prior to 1981, inputs to main activity producer electricity plants include inputs to CHP plants. All electricity production by CHP plants is included in electricity plants, and only production from combustible fuel sources is taken into account. Autoproducer CHP heat production is included in main activity producer CHP plants. For heat, own use is included in distribution losses.

### Consumption

- In the 2019 edition, Austria revised data back to 2005 in order to present international reporting as consistent as possible with the national energy balances. In addition, consumption figures were revised based on more recent surveys of energy consumption in small and medium-sized enterprises. Outliers and the extrapolation methodology will be revised following the results of the next survey.
- **Electricity** consumption in oil refineries includes consumption in gas works plants prior to 1991.
- From 1990 to 2009, small amounts of **electricity** used in heat pumps have been included in the residential sector.
- Starting in 1990, consumption of **electricity** in the field of electricity supply, district heating and water supply are included in *other energy industry own use*, prior to that it was included in commercial/public services.
- Also prior to 1991, **electricity** consumption in the iron and steel industry includes consumption in coke ovens and blast furnaces.

## Belgium

### Source

Observatoire de l'Energie, Brussels.

## Coal

### General notes

- In the 2016 edition, improved data collection has led to some breaks in time series. These revisions include **hard coal** classifications, products and processes in integrated iron and steel manufacture and may be extended further back in future editions.
- Data for **anthracite** prior to 2014 may include a small portion of **other bituminous coal**.
- **Hard coal** data prior to 1978 may include **sub-bituminous coal**.
- **Other bituminous coal** and **sub-bituminous coal** data reported in *from other sources* refer to coal recuperated from coal dumps.

### Supply

- Supply-side data are obtained through surveying questionnaires instead of customs data.
- In the 2019 edition, the calorific values of imported **bituminous coal** were revised upwards by the Belgian administration since 2015, resulting in a significant increase in the coal primary energy supply. Historical revisions are pending.
- Conventional production of **other bituminous coal** ceased on 31 August 1992.

### Transformation

- In the 2019 edition, **anthracite** previously reported as consumption in the *iron and steel industry* was reclassified as part of the transformation process in *blast furnaces* since 2013.
- In 2016, the decrease of **other bituminous coal** inputs to main activity producer electricity plants was due to the permanent closure of Langerlo, Belgium's last coal-fired main activity electricity.
- In 2015, the decrease of **coke oven gas** inputs to autoproducer CHP plants is due to a power plant closure in 2015.
- In 2014 and 2015, **coking coal** inputs to coke ovens decreased due to a coke oven closure in June 2014.
- In 2014, the decrease of **other bituminous coal** inputs to main activity producer electricity plants is due to a power plant closure in 2014.

### Consumption

- In the 2018 edition, industrial consumption for the period 2013 through 2015 was revised for **coking coal** and **anthracite**, as more accurate consumption data became available. Data for **coking coal** prior

to 2013 may include a small portion of **anthracite**.

- The decrease of **other bituminous coal** and **coke oven coke** in the iron and steel industry in 2002 is due to the closure of several plants.
- The use of **coke oven gas** in chemical and petrochemical activities ceased in 1996.

## Oil

### General notes

- Between 2008 and 2009 breaks in series occur for **naphtha** and **LPG** in both transformation and final consumption in the petrochemical sector as a result of methodological improvements made by the Belgian administration.
- Data on biofuels are not available before 2009.

### Supply

- In 2017 new legislation increased the biofuel blending target for **motor gasoline** from 4% of volume to 8.5% of volume. As part of this E10 gasoline was introduced and became the new standard product in the country.
- In the 2019 edition, the Belgian administration included new companies in their reporting; some of which are particularly active in the production and trade of **lubricants** and **bitumen**.
- Consumption in international marine bunkers dipped in 2014 and 2015 due to the closure of several bunkering companies. During 2015 these were replaced by new companies which became fully operational in 2016.
- Starting from 2013, a new data source was introduced for petroleum coke trade.

### Transformation

- In 2017 the upgrade project of Antwerp refinery and petrochemical plant was completed. Two key projects were completed: new refinery capacity for the conversion of heavy fuel oil into low sulphur light products and increasing steam cracker flexibility to maximize the processing of low cost advantaged feedstock.
- In 2002, patent fuel plants used fuel oil to increase the calorific value of patent fuel.

### Consumption

- The decrease of fuel oil in industry consumption since 1993 is due to the introduction of an excise tax as well as increased use of natural gas.

### Natural gas

#### Supply

- Since 2009 gas trade in Belgium includes imported LNG which is regasified and subsequently exported to other countries.
- In the 2019 edition, the LNG consumption data in international marine bunkers are confidential.

#### Transformation

- The Belgian administration is in the process of revising 2010 and 2011 transformation sector data. As such, an unusually high quantity of natural gas is reported under not elsewhere specified (transformation).
- Between 2008 and 2009, there is a break in efficiency of **natural gas** autoproducer CHP plants due to a change in methodology regarding the reporting of unsold heat.

#### Consumption

- Consumption in the transport equipment sector decreased in 2015 due to the closure of a large industry of this sector in December 2014.
- In 2003, the large decrease in *non-specified industry* consumption is due to improvements in data collection.
- Since 2000, natural gas began to replace blast furnace gas in the iron and steel industry.

### Biofuels and waste

#### General notes

- Renewable **municipal waste** includes a share of renewable **industrial waste**.
- Data for **biodiesels** and **biogasoline** are available starting in 2009.

#### Supply

- Data on pure **biogasoline** and **biodiesels** trade are not available for 2009 and 2010.

#### Transformation

- In 2015, part of the law regulating the blending of biodiesel with diesel was temporarily suspended but in 2016, this law was reinstated.

### Consumption

- Consumption of **bioethanol** increased in 2017 due to legislation coming into effect on 1 January 2017, which increased the blending obligation for gasoline products.
- **Industrial waste** consumption in the chemical sector started in 2011.
- **Other liquid biofuels** consumed in power plants reported before 2011 can include **biodiesel**.
- New data on consumption cause breaks in time series for **primary solid biofuels** between 2011 and 2012.

### Electricity and heat

#### Supply

- The electricity production under **other sources** represents mainly production at a gas expansion station with heat recovery and at a hydraulic turbine in a waste water treatment plant.
- From 2013 onwards, reported **heat** distribution losses decreased due to a more precise estimation method.
- The production of electricity from **wind** is available from 1987.

#### Transformation

- Langerlo, Belgium's last **coal**-fired main activity electricity producer closed permanently in March 2016.
- **Heat** production from chemical processes used for electricity production is available from 2005.
- In 2012, **heat** production from chemical sources has been estimated by the IEA Secretariat.
- 2009 was the first year of **offshore wind** production in Belgium. 2010 is the first year data are available.
- Prior to 2009 some unsold **heat** was reported in **natural gas** autoproducer CHP plants, together with the associated natural gas input. This causes the drop in efficiency in 2009.
- In 2007 data, no information was available on heat production in main activity CHP plants for **industrial waste**.
- In 2003, combustion of **municipal waste** for electricity and heat generation purposes increased significantly. However, because a large portion of the heat produced is not used (sold), plant efficiencies dropped significantly between 2002 and 2003.
- In 2000, most autoproducer electricity plants using **combustible fuels** were reclassified as auto-

producer CHP plants; the heat production from these plants was used for internal industrial processes and not sold to third parties until 2005.

- For 1998 and 1999, **electricity** production at main activity producer CHP plants with annual heat output below 0.5 TJ is reported with main activity producer electricity only plants.
- Prior to 1982, **electricity** production in main activity producer CHP plants is included in production from electricity plants. Also, inputs of fuels for electricity generation in main activity producer electricity plants include inputs for heat production in CHP plants.

### Consumption

- In the 2019 edition, revisions were implemented for the direct use of **solar thermal** in other sectors back to 2010 due to improved data availability.
- For 2012, **electricity** consumption in the mining and quarrying sector has been estimated by the IEA Secretariat.
- For 2012, oil refineries **electricity** consumption has been estimated by the IEA Secretariat based on refinery activity data. Part of the estimated amount has been removed from consumption in the chemical and petrochemical sector.
- Breaks in time series may exist between 2007 and 2008 due to revisions of the Classification of the Economic Activities in the European Community (NACE) classifications.
- There is no **heat** consumption starting in 2007 in the iron and steel industry because the installation concerned became an autoproducer in July 2006 and the heat is no longer sold.

## Canada

### Source

Natural Resources Canada, Ottawa.

### General notes

- In the 2018 edition, data for Canada were revised back to 2005 following a ten year revision of the Report on Energy Supply and Demand (RES-D), the main set of Canadian annual data. The revision standardizes the methodology used for the IEA data submission and has mainly affected the demand side. Additional details are given under each fuel.
- From the 2014 edition, the Canadian administration revised time series back to 2005, using additional

data from the Annual Industrial Consumption of Energy, the Annual Survey of Secondary Distributors, the Report on Energy Supply and Demand and the Natural Resources Canada Office of Energy Efficiency. Breaks in time series also between appear 1989 and 1990, due to changes in methodology, incorporated in 2002.

## Coal

### General notes

- Due to the extensive revisions of the Report on Energy Supply and Demand (RES-D), significant statistical differences can be observed for several coal products for the period 2005-2015. This issue is under investigation and further improvements are expected in future editions.
- In the 2016 and 2017 edition, extensive revisions for the period 2005 to 2015 were received as more data became available due to improvements in data collection.
- In the 2014 and 2015 editions, some revisions to the 2004 to 2006 data were received in addition to some time series and products for 2007 to 2011.
- Due to a Canadian confidentiality law, it is not possible for the Canadian administration to submit disaggregated time series for all of the **coal** types. Between 2002 and 2006, the IEA Secretariat has estimated some of the missing time series. The data for 2007 onwards are given directly as reported, however data may be present in non-representative products, and additionally these ad hoc reclassification methodologies contribute significantly to larger than normal statistical differences across products.
- At this point in time, **oil shale and oil sands** data are not submitted, and this energy source is deemed to enter the supply stream as shale oil (**other hydrocarbons**).

### Supply

- Due to confidentiality constraints, from 2014 the breakdown of production by type of coal is estimated by the Canadian administration, while stock changes and statistical differences are estimated since 2001.

### Transformation

- Injection of pulverized coal into blast furnaces (**PCI**) occurs, but is not available for confidentiality reasons. Coals consumed in this

manner are reported in the iron and steel industry along with other consumption.

- Before 1978, **lignite** inputs to main activity producer heat plants are included in final consumption. Starting in 1979, these inputs are included in main activity producer electricity plants.

### *Consumption*

- Since 2001, consumption of **anthracite** in non-energy use is estimated by the Canadian administration. Statistical differences include consumption in iron and steel.
- Due to the unavailability of data, non-energy use of **coke oven coke** and **hard coal** is included with final consumption sectors prior to 1978 and 1980, respectively.

## Oil

### *General notes*

- The 2018 edition includes numerous time series revisions for the years 2005-2016. This is due to the 10 year revision of the Report on Energy Supply and Demand, which is the main set of Canadian annual data. The majority of these revisions were applied to the demand side.
- In the 2016 edition, the Canadian administration was able to reconcile some historical inconsistencies by reporting inputs and outputs to upgraders. In the supply side, these quantities are reported under **Other Hydrocarbons**. In the demand side, they are reported under the respective output products (**Refinery Gas, Road Diesel, and Petroleum Coke**).
- Time series for **other non-specified oil products** may fluctuate as they have been computed as residuals.
- Receipts from non-reporting companies are currently represented in the statistical difference flow, work is ongoing with the Canadian administration to address gaps in the coverage that lead to increasing statistical differences.

### *Supply*

- In the 2018 edition the domestic supply of crude oil was revised due overall revisions to the Report on Energy Supply and Demand and the inclusion of additional data sources in the reporting.
- From 2014 data the Canadian administration started using customs based trade data to report crude oil imports. In the 2017 edition, **crude oil** imports data have been revised back to 2005 following

this methodology. Some revisions to imports of secondary products have already been made and further revisions are expected.

- Condensates and pentanes plus are included in **crude oil** from 2005, in **NGL** 1990 to 2004 and in **LPG** prior to 1990. Historical revisions are pending.
- From 2005 primary oil products include direct imports of condensates by crude oil producers.
- Production of **other hydrocarbons** represents synthetic crude oil produced from tar sands.
- From 2005, **other hydrocarbons** from other sources natural gas corresponds to natural gas used for the upgrading of synthetic crude oil (reported under GTL transformation in the natural gas consumption data) and natural gas used to upgrade petroleum products (reported under non-specified transformation in the natural gas consumption data). Revisions to this flow were introduced in the 2019 edition. From 1990 to 2005, these quantities are reported in indigenous production of **other hydrocarbons**. Prior to 1990, they are included in the natural gas supply.
- Imports of **other hydrocarbons** from 1994 to 2000 correspond to orimulsion imports from Venezuela.
- Refinery output from **gas/diesel oil** and **petroleum coke** includes output from oil sands and upgraders.
- The Canadian administration is currently unable to provide a figure for the domestic production of additives, but is working on solutions which will make this possible. Meanwhile, significant statistical differences can be observed for several secondary oil products.

### *Consumption*

- Due to confidentiality issues, consumption data for selected products and flows, such as fuel oil and gas/diesel consumption in iron and steel from 2009, are not available. For the same reason, selected products may include estimates provided by the Canadian administration, such as Fuel Oil and Bitumen data for 2014.
- In the 2019 edition the data series for consumption in oil and gas extraction was revised back to 2005 by the Canadian administration as new data sources meant a more accurate distribution between this sector and mining is now possible.
- International marine bunkers are included with inland waterways prior to 1978.

## Natural gas

### General notes

- In the 2019 edition, the Canadian administration proceeded to data revisions from 2005 onwards based on the revised source statistics from Statistics Canada and with the aim of achieving greater consistency with the Energy Efficiency Indicators data submission to IEA.

### Supply

- *Indigenous production* is measured by the Canadian administration by upscaling the marketable production by approximately 11% to account for own-use in the extraction process.
- *Associated gas* has been estimated by the Canadian administration for 2016 and 2017.
- *Non-associated gas* production data include *colliery gas* as well as associated gas produced in Alberta.

### Transformation

- For 2000, the increase in *main activity producer electricity* is due to new generation plants in Alberta and Ontario.
- Due to confidentiality reasons, the Canadian administration estimated **natural gas** consumption in *oil refineries* for the 2014-2017.
- *Gas-to-liquids (transformation)* represents quantities of **natural gas** consumed in the production of synthetic crude oil.
- *Non-specified transformation* represents quantities of **natural gas** used for the upgrading of refined oil products.

### Consumption

- In the 2019 edition, the *oil and gas extraction* consumption was revised back to 2005 in order to more accurately separate it from other mining/extractive activities.
- In the 2019 edition, an improved methodology was applied to *industry sector* for 2005 onwards resulting in a share of the *not elsewhere specified (industry)* being allocated to various industrial sub-sectors and creating breaks between 2004 and 2005.
- Starting with 2014 data, **natural gas distribution losses** will no longer be reported by Canada as this flow was historically computed as a balancing variable.
- Due to confidentiality reasons, the Canadian administration estimated **natural gas** consumption

in the following sectors for 2014-2017: *iron and steel, non-ferrous metal, transport equipment and machinery*.

- For 2011, the increase consumption by *non-metallic mineral* production is due to switching from **coal** to **natural gas** in cement manufacturing.
- Prior to 1990 data for consumption of **natural gas** for *construction* are not available.
- Prior to 1978, consumption in *non-specified industry* includes gas used as fuel in *oil refineries*.
- Prior to 1978, agriculture is included in industry, and no detailed industry sub-sector data are available.

## Biofuels and waste

### General notes

- The split of **municipal waste** reported assumes 65% renewable and 35% non-renewable.
- The IEA Secretariat has estimated the data for **biogases, industrial and municipal waste** from 1990 to 2004, **biogasoline** (ethanol) from 1998 to 2004 based on information supplied by Natural Resources Canada.

### Supply

- Canadian **biodiesel** production increased significantly in 2014 because a large producer came online at the end of 2013. In 2016 again, there was a big increase in production of **biodiesel** due to a large plant coming online in Alberta. This is also the reason for the increase in export, as Canada exports most of its **biodiesel** to the US.
- There were no exports of **biogasoline** since 2013.

### Consumption

- The **solid biofuels** consumption data for the residential sector in 2015 - 2017 are equal to 2014 data because firewood data are delayed.

## Electricity and heat

### General notes

- The Canadian administration has undertaken revisions of many parts of the electricity time series back to 2005, based on the results of the Report on Energy Supply and Demand in Canada (RES-D). In particular, revisions were made on the inputs and outputs of power plants fuelled by combustible fuels and on the breakdown of final electricity con-

sumption, resulting in possible breaks in time series.

### Supply

- For the 2019 edition, gross electricity output from **wind** in 2017 shows a 6% decline over 2016. However, downward revisions to historical data are pending, which would alter this trend.
- Autoproducer solar PV electricity generation is available from 2016. Prior to 2016, data are included in main activity producers. As a result, a break in series occurs for main activity producer solar generation between 2015 and 2016.
- In the 2018 edition, revisions were made to electricity production from **wind** back to 2013.
- Starting in 2009, a new source has been used for electricity production from **solar**, **wind**, and **tide**. This new source covers production from **solar** and **wind** only from plants with capacity higher than 500 kW.
- **Heat** production includes **heat** produced by **nuclear** power stations for distribution to other consumers up to 1997.
- Discrepancies occur between respective reported figures for electricity trade between the US and Canada for 2016.

### Transformation

- For the 2019 edition, breaks in series appear for **solid biofuel** inputs to autoproducer electricity plants because of the availability of improved data. Historical revisions are pending.
- In the 2016 edition of this publication, there was a reclassification from autoproducer to main activity producer for plants fuelled by **biogases** and **municipal waste**.
- For autoproducers generating electricity with process steam produced from biofuels and waste, the energy required to produce the initial steam is not taken into account by the Canadian administration and as a result the efficiencies are overstated.
- The breakdown of electricity and heat generation between natural gas and oil products in main activity producer CHP plants has been estimated by the Canadian administration starting in 1990. This may cause breaks in the time series between 1989 and 1990.
- Net electricity production by autoproducers prior to 1990 includes production from combustible fuel sources only.

- Inputs of fuels to heat plants are not available for 1979 to 1987.

### Consumption

- In 2017, the decrease in **electricity** consumption in the chemicals sector is partially due to a large consumer having been rotated out of the source sample survey used to compile the data.
- *Non-specified (Other sectors)* is being partly treated as a residual under the new methodology introduced in the 2018 Edition. Data submitted by Canada for 2015 were for negative -19,998 GWh, which is not possible, so this has been revised to zero by the IEA Secretariat, with the increased consumption being removed from *Statistical differences*.
- **Electricity** transmission and distribution losses could include statistical difference for certain years.
- Consumption of **electricity** in oil and gas extraction is not available prior to 1987.
- Consumption of **electricity** in coal mines is not available between 1982 and 1986.
- Breaks in the time series occur between 1973 and 1974 in agriculture, and between 1987 and 1988 in the industry sector.

## Chile

### Source

Energía Abierta, Comisión Nacional de Energía, Ministerio de Energía, Santiago.

### General notes

- Data are available starting in 1971.
- In the 2017 edition, data for 2014 and 2015 were revised to replace figures previously estimated by the Secretariat.
- From 1990, consumption in paper and pulp includes forestry and consumption in agriculture is included in *non-specified industry*. In general, a new methodology has been applied for data since 1990, leading to other breaks in time series between 1989 and 1990.

## Coal

### General notes

- **Other bituminous coal** data includes **sub-bituminous coal** for all years, if present.\

### Consumption

- Since 1990, consumption in paper and pulp includes forestry and consumption in agriculture is included in non-specified industry.

## Oil

### General notes

- There are breaks in time series between 2008 and 2009 due to a change in methodology by the Chilean administration.

### Supply

- Receipts from other sources of other hydrocarbons correspond to natural gas used in refineries. These quantities are the results of *not-elsewhere specified transformation* in the Balances format.

### Consumption

- Starting with 2017 reference year data the administration can now identify consumption in construction and agriculture. Prior to these quantities were reported under not elsewhere specified.

## Natural gas

### General notes

- The 2017 values for *not elsewhere specified transformation* and *oil refineries* have been estimated by the IEA secretariat.

### Supply

- Chile started reporting *exports* of **natural gas** with 2016 data.
- Data representing **LPG** injected into the **natural gas** distribution network are available starting in 2009. They are reported in *from other sources - oil*.

## Transformation

- For 2009 and 2010, inputs of **natural gas** to *auto-producer CHP* plants were estimated by the Chilean administration. For other years, these inputs are included in *autoproducer electricity* consumption.
- *Not elsewhere specified transformation* represents **natural gas** that is blended with **refinery gas**.

## Consumption

- **Natural gas** used for *oil and gas extraction* is included in gas consumption for energy use in *oil refineries*.
- *Non-specified transport* corresponds to marine transport.

## Biofuels and waste

### Supply

- Production of **landfill gas** ceased from 2001 - 2014 as landfill sites stopped producing adequate gas to continue collection.

## Transformation

- A new survey on primary **solid biofuels** causes breaks in production and input to autoproducer CHP between 2011 and 2012.

## Consumption

- **Charcoal** production and consumption have been estimated by the IEA Secretariat until 2013. From 2014 data, only **solid biofuels** input to **charcoal** production plant is estimated.
- The Chilean administration applied a new revised methodology for *final consumption* of **primary solid biofuels**. This may lead to data breaks in time series between 2013 and 2014.

## Electricity and heat

### Supply

- Electricity production from **geothermal** started at Cerro Pabellón in 2017.
- In 2014, the Chilean administration applied a new methodology in the reporting of electricity generation from **solar PV** and **wind**, resulting in breaks in time series between 2013 and 2014. Revisions for previous years are pending.

- The majority of electricity generation *from other sources* is from a conveyor belt transporting crushed rock from high altitude to lower altitude in a mine. A small amount from waste heat is also included.
- **Solar thermal heat** production has been estimated by the IEA Secretariat using data published by Chilean ministry of energy.
- Heat production from **solid biofuels** and **biogas** use in Main CHP plants is not available.
- Electricity production from autoproduction **hydro** is self-declared, and as such, subject to variation.

### Transformation

- In 2014, data inputs to transformation processes were taken from the published energy balance, and the output was estimated based on the efficiency reported in previous years.
- Electricity production from **other bituminous coal** includes sub-bituminous coal.
- Production of **chemical heat** used for electricity generation started in 2013. Besides chemical heat, data for heat production in CHP and heat plants are not available.
- Increases in electricity from **natural gas** in 2010 are due to the openings of new LNG terminals.
- The split of electricity generation by main activity and autoproducer by fuel was estimated by the Chilean administration for the period 1990 to 2003.

### Consumption

- Consumption in *agriculture/forestry, and construction* are available from 2017. For prior years, data are reported under *Industry (non-specified)*.
- Increases in **electricity** consumption in the *road transport* sector from 2014 onwards are the result of a new estimation methodology, while electric vehicles used for the transportation of ores are reported as consumption within the mining and quarrying industry.
- **Solar thermal** consumption data are not available so all consumption data are allocated to the *non-specified other* sector.
- Prior to 2009, most statistical differences are included in distribution losses.

## Czech Republic

### Sources

Czech Statistical Office, Prague.

Ministry of Industry and Trade, Prague.

### General notes

- Due to ongoing review of energy data for 2010-2014, revisions have been made in the 2017 edition. Full details are given under each fuel.
- Data are available starting in 1971.

### Coal

#### General notes

- **Other bituminous coal** data include **sub-bituminous coal** for all years, if present.
- In the 2018 edition, data for the Czech Republic were revised back to 2010 based on administrative data causing breaks in time series between 2009 and 2010. These revisions impacted mainly industrial consumption for **lignite, BKB and other recovered gases**.
- In the 2017 edition, coal consumption in the residential sector has been revised back to 2010 due to a new survey in households made by Czech Statistical Office, creating breaks in time series between 2009 and 2010.
- Increased production and consumption of other recovered gases in 2014 is due to improved tracking of by-products from various transformation processes. Tail gases from the production of carbon black from coal tar are reported here, as are off gases from the manufacture and cleaning of syngas from lignite for an IGCC plant.
- Coal which had been previously classified as **sub-bituminous coal** until the 2008 edition is now reported under **lignite** for all years.
- Revisions by the Czech administration have resulted in some breaks in time series between 2001 and 2002.
- Data for 1990 to 1995 were estimated based on the Czech publication Energy Economy Year Book.
- In 1995, town gas production (included in **gas works gas**) ceased.
- Since 2010 **BKB** includes multipurpose brown coal dust for both supply and consumption.

### Supply

- **Other recovered gases** are combustible gases obtained during the production of **gas works gas** and as a result of chemical processes.
- Production *from other sources* of **other bituminous coal** is from coal slurries.
- A portion of **other bituminous coal** reported under *from other sources* for the period 2010-2015 correspond to reclassified **coking coal**.
- Statistical differences for **coking coal** for the period 2010-2015 are partly due to the reclassification of coking coal to **other bituminous coal**.

### Consumption

- In the 2019 edition, **coke oven gas** in energy own-use consumed by electricity, CHP and heat plants was revised for 2016 resulting in a break in the series.
- In the 2015 edition, improved reporting enabled revisions to be made for certain primary **coal** consumption flows between 2010 and 2012.
- In the 2014 edition, residential consumption for the period 1990 through 2011 was revised for **other bituminous coal, lignite, coke oven coke** and **BKB**, as more accurate consumption data became available.
- Due to economic restructuring in consumption in the late 1990s (big state enterprises subdividing and/or privatising and the utilisation of new technologies by businesses), there may be breaks in time series in these sectors.

## Oil

### General notes

- Data prior to 1994 are estimated by the IEA Secretariat.
- In 2017, the units previously affected by accidents were upgraded and operations resumed.
- In 2016 both Czech refineries were affected by accidents which resulted in decreased refinery throughput, increased refinery losses and a large decrease in imports of crude oil offset by increased imports of finished products. The second accident affected the ethylene production unit and led to decreased activity in the petrochemical sector.

### Transformation

- From 2002 data onwards, some amounts of **fuel oil** have been reclassified under **other products**.

This change mainly affects the transformation sector.

### Consumption

- Between 1998 and 1999, breaks in **gas/diesel** final consumption time series are due to a new data management system implemented by the Czech administration.

## Natural gas

### General notes

- Between 1993 and 1994 there are some breaks in time series due to a change in the energy balance methodology between former Czechoslovakia and the Czech Republic. Since 1993, data have been officially submitted by the Czech Statistical Office.

### Supply

- From 2013 all *non-associated gas* production was reclassified as *colliery gas* production.

### Transformation

- In 1996 **natural gas** inputs into *gas works (transformation)* ended.

### Consumption

- Prior to 1994 data in *transport sector* are for former Czechoslovakia.
- There is a break in time series in the *industry and transformation sectors* between 2009 and 2010 due to new available data from distribution companies.
- Starting with 2008 data, hydrogen production is reported in *chemical and petrochemical* feedstocks as non-energy use. Up to 2007, *chemical and petrochemical* consumption includes both energy and non-energy use.

## Biofuels and waste

### General notes

- The restructuring of the Czech electricity market leads to breaks in the time series in all sectors between 1998 and 1999.
- Data for **municipal waste** and **solid biofuels** are not available prior to 1990 and **liquid biofuels** data are not available prior to 1992.

### Transformation

- For 2016 data, an increased excise duty was imposed on **biofuels**, causing a decline in consumption.
- In 2016, a main activity producer CHP incineration plant fired by **municipal waste** was in test operation at Chotikov.

### Consumption

- In the 2017 edition, due to a new survey in households made by the Czech Statistical Office in 2015 (ENERGO 2015), **solid biofuels** consumption in residential sector has been considerably revised upwards since 1990.
- Hospital waste previously reported as **municipal waste** is reported under **industrial waste** since 2008.
- New survey systems cause breaks in final consumption in 1999 and in 2002. Breaks in both supply and consumption of biofuels and waste occur again in 2003.

## Electricity and heat

### General notes

- In the 2017 edition, data for the Czech Republic were revised back to 2010 due to the acquisition of new administrative data, allowing access to more accurate and detailed data sources. As a result, there are breaks in several time series between 2009 and 2010.
- Data from 1990 onwards have been officially submitted by the Czech administration. This may lead to breaks in time series between 1989 and 1990.
- Electricity statistics from 1971 to 1989 have been estimated by the IEA Secretariat except for final consumption and trade which were submitted by the Czech administration.
- For 2017, apparent declines in autoproducer **heat** production by the *chemical (incl. petroleum)* sector, and in consumption by *petroleum refineries*, occur due to the incorporation of an oil refinery into a neighbouring petrochemical enterprise.

### Supply

- The amount of heat reported under **other sources** is primarily waste heat from the glass industry until 2009.
- From 1999 onwards, small amounts of **heat** have been exported to Slovak Republic.

### Transformation

- For 2017, **heat** production from electric boilers and heat pumps is based on new survey data, whereas, data for prior years have been estimated by the Czech administration. As a result, some breaks in series may occur. Historic revisions are pending.
- Electricity generated from **waste heat** in CHP plants is included with the total production from **combustible fuels**.
- In the 2017 edition, a revision of the methodology for reporting the production of autoproducer plants running on **combustible fuels** causes multiple breaks in time series between 2009 and 2010 for CHP and electricity only plants.
- Data on **heat** own use and **heat** imports start in 2010 and 2009 respectively, following extensive revisions by the Czech administration in the 2017 edition due to the acquisition of new administrative data. Prior to this period, data are not available due to lack of sources.
- The production of electricity reported in the category **other fuel sources** refers to electricity produced from turbines driven by the mixture of air, ammonia and other non-coal gases derived from the petrochemical industry.
- From 2014, some autoproducer **heat** plants production figures became too small to appear in data collected.
- From 2012 data, new autoproducer **heat** plants were added to the data collection, causing a break in time series.
- In 2012, a main activity producer electricity plant using **solid biofuels** started to produce also heat and was reclassified as main activity CHP plant.
- A different reporting methodology used by the Czech administration for **biofuels and waste** causes some breaks in time series between 2002 and 2003.
- In 1999 and 2000, various big enterprises have been divided, sold and merged. This causes breaks in the time series of all types of plants.
- **Industrial waste** use in main activity producer electricity plants is included with **solid biofuels** from 1996.
- Data on **biogases** and waste used in main activity producer CHP and autoproducer heat plants start in 1993.
- Prior to 1990, electricity production in main activity producer CHP and autoproducer CHP plants is

included in main activity producer electricity plants.

- Prior to 1990, heat production excludes heat sold by industry. In addition, heat production prior to 1990 is reported under main activity heat plants because the breakdown by producer and plant type is not available before then.
- The breakdown of net **electricity** production by source is not available prior to 1990.
- Data on **heat** production, and the corresponding fuel inputs, have been estimated from 1980 to 1989 based on consumption in residential and commercial/public services. Prior to that, inputs are included in industry.

### Consumption

- Data on **electricity** consumption by cable cars (reported under *non-specified transport*) are available from 2017.
- Data for direct use of **solar energy** are available from 2003.
- Prior to 2000, the split of *rail transport* and *non-specified transport* is not available.

## Denmark

### Source

Danish Energy Agency, Copenhagen.

### General notes

- In the 2004 edition, major revisions were made by the Danish administration for the 1990 to 2001 data, which may cause breaks in time series between 1989 and 1990.

### Coal

#### Supply

- A large increase of **steam coal** imports in 2003 was related to a drought in Scandinavia. Thermal power plants were operated more intensively to replace hydro-generated electricity that was consumed in the country. Additionally, more coal-generated electricity was exported to other countries in the region. Significant fluctuations in demand are also evident for other years for similar reasons, including 2006 and 2013, but exist to a lesser extent.
- Declines in stocks of **steam coal** stem from extensive deployment of renewable generation tech-

nologies and policy to further reduce Denmark's utilisation of coal-fired power and implement co-firing with renewable fuels as a part of their *Energy Strategy 2050*.

### Oil

#### General notes

- Starting with 2013 data the Danish administration reports products transferred to refinery feedstocks. In previous years refinery output is reported net of product transfers.
- From 2012, due to confidentiality issues, all liquid biofuels are reported under **biodiesel**
- Between 1995 and 2004, **other hydrocarbon** imports and inputs to main activity producer CHP plants represent orimulsion.
- From 1990 onwards, Greenland and the Danish Faroes are not included in the oil data.
- Information on waste oil recycling and final consumption begins in 1989 and is reported in other oil products.
- In 1988, consumption of **gasoline type jet fuel** ceased.
- As of 1987, separate data for **paraffin waxes** are no longer available.
- Prior to 1975, **refinery gas** is reported net of consumption in refineries.

#### Transformation

- Due to improved survey methods, inputs to electricity and heat generation have been reclassified, causing a break in time series between 1993 and 1994. The oil inputs used in industrial sub-sectors for producing surplus heat, which is delivered to district heating networks, are allocated to these industrial sub-sectors.
- In 1994, the marked increase in inputs to CHP production is due to increased electricity exports to Norway.
- From 1974 to 1979, consumption of fuel oil for the CHP production by autoproducers has been estimated.

#### Consumption

- Consumption data are based on a detailed survey sent to companies in Denmark every other year. For non-survey years, the consumption figures are estimated by the Danish Energy Agency
- **White spirit** and **lubricants** deliveries are estimated by Denmark.

- For 1994 and 1995, industry detail is based on a new survey.
- Prior to 1990, **gas/diesel oil** and **fuel oil** consumption for fishing are included in domestic navigation

## Natural gas

### Consumption

- The consumption of LNG for marine transport and *international marine bunkers* is not reported due to confidentiality.
- The breakdown for industrial consumption for the latest year is estimated by the Danish administration using the previous year's *industry sector* sub-sectoral shares and updated the following year.
- *Gas Works (Transformation)* represents **natural gas** blended and distributed as "town gas". Revisions to this flow are expected for the 2020 edition.

## Biofuels and waste

### Supply

#### Transformation

- From 2012, **biogasoline** trade designated to be blended with motor gasoline is included under biodiesels, for confidentiality reasons.
- From 2012, **biodiesel** production was confidential and gathered with imports.

### Consumption

- In the 2016 edition, the Danish administration revised energy consumption in industry sectors causing some breaks in **solid biofuels** consumption between 2010 and 2011.
- The data on the consumption of **municipal waste** in the industry sector are delayed by one year and the Danish administration duplicates the previous year's data until the data become available.
- The Danish administration estimates the growth in consumption of **solid biofuels** in the industry sector for the most recent year based on the growth in the transformation sector.

## Electricity and heat

### General notes

- **Heat** data are not available prior to 1976.

### Supply

- In 2017, the declines in **electricity** and **heat** output from **other bituminous coal** and the corresponding increases in output from **solid biofuels** are attributable to fuel switching in co-fired plants.
- The amount of **heat** reported under *other sources* is heat recovered from industrial processes and sold for district heating.
- **Heat** produced for sale by heat pumps starts in 1994.
- **Geothermal** and **solar heat** production for sale is available from 1989.
- From 1984 onwards, small amounts of **heat** have been imported from Germany.
- The production of electricity from **wind** is available from 1978.

### Transformation

- Fish oil used in main activity producer heat plants is included with **solid biofuels**.
- Due to the high number of heating companies burning wood chips that are equipped with boilers with flue-gas condensation, the **solid biofuels** heat plants show a high efficiency. The efficiency decline evident in 2016 was due to two less efficient plants switching to biofuels.
- For some years, heat plants fired by **natural gas**, **municipal waste**, **biogases**, and **other oil products** show efficiencies greater than 100%, on a net calorific value basis, due to the use of condensing boilers and other flue gas condensation technologies that recover the latent heat of vaporisation.
- **Biodiesels** and **biogasoline** consumption for electricity and heat production are reported under **other liquid biofuels**, for confidentiality reasons.
- Data for **other liquid biofuels** main activity heat plants are available back to 1994.

### Consumption

- In the 2016 edition, the Danish administration revised **electricity** and **heat** consumption in the industry sector from 1990.
- For 2015 and 2016 data, the breakdown of **electricity** and **heat** total final consumption is

estimated by the Danish administration based on 2014 data and will be revised in the following reporting cycle once their new industry survey results are released.

- The direct use of **solar thermal** energy is available from 1978.
- **Electricity** consumption in *non-specified industry* includes consumption in district heating plants and for the distribution of electricity.

## Estonia

### Source

Statistics Estonia, Tallinn.

### General notes

- Data for Estonia are available starting in 1990. Prior to that, they are included in Former Soviet.

### Coal

#### General notes

- Fuels reported as **coke oven coke** and **gas works gas** are the solid and gaseous by-products of oil shale liquefaction. Inputs of **oil shale** to “gas works”, “coke ovens” and for coal liquefaction plants, while reported separately, combined, are the inputs for retorting in liquefaction plants.
- In the 2013 edition, data for **oil shale** production for the period 1991 to 1997 were revised to match Estonian GHG National Inventory values. Consumption data remained unchanged.

#### Supply

- Indigenous production of **peat products** stopped in 2017.

### Oil

#### General notes

- In 2012 data, breaks in time series occur for trade figures, now including re-exports, and for international bunkers.
- For 1990 to 2007, oil data are based on direct communication with Statistics Estonia and UNECE.

### Natural gas

#### Consumption

- Consumption reported under *not elsewhere specified (Energy)* represents consumption of different activities of companies in the energy sector (NACE 35) for own uses without transformation.
- There are inconsistencies in the time series for *residential* consumption as this sector is computed as a residual.
- In 2014 Estonia’s main company in the *chemical and petrochemical* sector ceased activity, resulting in no non-energy use of natural gas.
- In 2009 Estonia’s main producer of fertilisers ceased activity, resulting in a sharp decrease in the non-energy use of **natural gas**. The plant reopened in 2012.

### Biofuels and waste

#### General notes

- Data for **biogases** include **landfill gas** starting in 2005.

### Electricity and heat

#### Transformation

- Fuels reported as **coke oven coke** and **gas works gas** are the solid and gaseous by-products of **oil shale** liquefaction, and main activity heat and electricity generation from these fuels is tightly associated with liquefaction plants.
- Inputs of **fuel oil** and **gas works gas** to transformation processes include **shale oil**.
- In the 2018 edition, the surge in main activity heat from **solid biofuels** was related to reclassification from autoproducer heat plants, where previously autoproducer own use heat and associated fuel inputs are not reported, and the fuel consumption appears in the main economic activity of the autoproducer.
- From 1990 to 1999, some of the **electricity** and **heat** production are reported under **other oil products** while the inputs are reported under the individual fuels.

#### Consumption

- **Electricity** consumption in the non-specified energy sector includes consumption in the Classification of the Economic Activities in the European Community (NACE) 3512 and 3513 categories.

## Finland

### Source

Statistics Finland, Helsinki.

### General notes

- In 2014, a new survey system and a reclassification of the data lead to breaks in the time series between 1999 and 2000 for most products and sectors. The new survey system is more detailed and has better product coverage, especially in electricity, CHP and heat production, as well as in industry.

### Coal

#### General notes

- **Coal tar** used for non-energy purposes or exported is not reported in either production or consumption.
- In the 2015 edition, revisions were received for some consumption flows of **other bituminous coal** and **coke oven coke**, while **other recovered gases** (from ferrochromium manufacture) were reported separately for the first time, with revisions back to 2000. Prior to 2000, off-gases from ferrochromium manufacture are included in blast furnace gas, and inputs of **coke oven coke** for ferrochromium manufacture in inputs to blast furnaces instead of *non-specified transformation*.
- Prior to 2008, **peat products** are included with peat data.
- A large increase of steam coal imports in 2003 is related to a drought in Scandinavia. Thermal power plants were operated more intensively to replace hydro-generated electricity that is consumed in the country. Additionally, more coal-generated electricity was exported to other countries in the region.
- The increase of **other bituminous coal** inputs into main activity producer electricity plants from 1993 to 1994 was due to coal replacing imported electricity and hydro power.
- Production of **gas works gas** ceased in April 1994.
- Hard coal data prior to 1978 may include sub-bituminous coal.

#### Transformation

- In 2017, the consumption of coal in main activity producer electricity plants decreased considerably

following the move of a large plant to the national capacity reserve.

- In the 2017 edition, fuel inputs and heat production from **peat** main activity heat plants have been revised from 2000 as a result of new data access for smaller peat heat plant units.
- The significant increases and decreases of **other bituminous coal** inputs into main activity producer electricity plants from year to year are due to coal replacing imported electricity and hydro power.
- Likewise, **peat** production is highly dependent upon favourable weather conditions and the pricing of other fuels. The decrease in **peat** and **other bituminous coal** usage in main activity electricity plants in 2008 was due to record electricity generation from hydro plants. A similar circumstance occurred in 2012.
- The first coking plant started operation in 1987, hence imports of **coking coal** and production of **coke oven coke** and **coke oven gas** started in that year.

### Oil

#### General notes

- The 2018 edition includes revisions to data for several products from 1999 onwards.
- Several revisions to petrochemical data were introduced, including a reclassification of quantities between energy and non-energy use. Further revisions are pending.
- In spring 2015, the Porvoo refinery had the largest shut down in its history for maintenance works. This is the reason for the large decrease in refinery throughput in 2015.
- In 2014, the Finnish administration revised the time series for **refinery gas** from 2000 and included flaring of petrochemical gases under *distribution losses*.
- Prior to 2002, **petroleum coke** used as *refinery fuel* was included with refinery gas.
- In 1995, there is a break in time series for **oil products** trade due to the aligning of the National Board of Customs trade data collection system with the European Union's Intrastat system.
- **Other hydrocarbons** reported under *from other sources natural gas* correspond to hydrogen used in refineries, also represented as the output of *non-specified transformation* in the balances format.

### Consumption

- Data on non-energy transformation of naphtha in the petrochemical sector is now available from 1990 onwards.
- Due to a new calculation model, there is a break in **fuel oil other consumption** between 1998 and 1999.

### Natural gas

#### General notes

- Finland imports LNG since September 2016. As there is only one company operating in this market, LNG supply data is confidential and have been excluded from the supply side flows.
- Between 1999 and 2000 there are some breaks in the time series due to a new survey system and a reclassification of the data.

#### Supply

- Data for *international marine bunkers* consumption started being reported in 2017.
- The opening and closing stock levels data are confidential and stock changes data for 2017 are estimates by the Finnish administration. Transformation
- *Non-specified transformation* data represent **natural gas** used for hydrogen manufacture. This hydrogen is used for hydrodesulphurization and hydrocracking in oil refineries

#### Consumption

- *Distribution losses* for 2017 include the quantities of boil-off **natural gas** originating from the natural evaporation of LNG in tanks.
- *Not elsewhere specified (transport)* includes LNG consumption for domestic navigation.
- Since 1995 data, the breakdown between *residential* and *commercial/public services* is available due to a new system of data collection.
- Prior to 1989, **natural gas** consumption in *residential* and *agriculture/forestry* had been estimated by the Finnish administration.

### Biofuels and waste

#### General notes

- Prior to 2004, **industrial waste** also included other energy forms such as hydrogen, heat from chemical processes, natural gas and blast furnace gas.

- Data for **biogases** and **industrial waste** are available from 1996.

#### Supply

- Due to confidentiality, the **biodiesel** production includes trade figures and stock changes starting with 2015 data. **Biogasoline** import for the same time period covers production, exports and stock changes.

#### Transformation

- The amount of **biodiesel** used for blending with diesel fell greatly in 2016 after record levels for the past two years. Annual variation in the consumption of biofuels is possible and caused by Finland's biofuel legislation, which gives distributors the possibility to fulfil the bio obligation flexibly in advance.

### Electricity and heat

#### Supply

- **Electricity** production in Finland is affected by the connection to the Nord Pool. In period of high waterfalls, importing electricity from other Nordic countries is more economic than producing it. This can cause breaks in the time series.
- **Other sources** include hydrogen, purchased steam, and heat recovered from flue gas scrubbers. For 2017, the increase in heat production from other sources is due to the reporting of heat recovered from flue gas scrubbers for the first time.
- The increasing **heat** production from heat pumps in 2007 and 2008 is from the new Katri Vala district heating and cooling plant.
- **Heat from chemical processes** and associated electricity generation are available from 2000.

#### Transformation

- Electricity plants data may include some CHP plants operating in electricity only mode. Likewise, heat plants data may include some CHP plants operating in heat only mode.
- In the 2017 edition, fuel inputs and heat production from **peat** main activity heat plants have been revised since 2000 as new data became available for small peat heat plant units.
- In the 2016 edition, the allocation of **solar photovoltaic** between main activity and autoproducer plants was revised.

- From 2014 data, an autoproducer in the field of iron and steel industry running on **coke oven gases** and **blast furnace gases** was sold and is now reported as main-activity producer.
- The increase in heat production from **municipal waste** in 2014 is due to the opening of a new plant.
- In 2014, the new consumption of **other liquid biofuels** in main activity electricity plant corresponds to biopyrolysis oil made from wood chips.
- Data on **peat products** electricity and heat generation are available since 2008. Prior to that, they are included in **peat**.
- **Heat** output from autoproducer CHP plants is available starting in 1996 and from autoproducer heat plants starting in 2000; corresponding inputs may be under-reported.
- Before 1999, all electricity production from autoproducers running on **fuelwood** is allocated to CHP plants.
- Electricity and heat production from **biogases** are available from 1996.
- Prior to 1992, outputs from the use of **combustible renewables and waste** to generate electricity and/or heat were included in peat. Therefore, the IEA Secretariat estimated the breakdown of outputs from **municipal waste** and **solid biofuels** based on reported inputs.
- Inputs of **liquid fuels** and **natural gas** to CHP plants are included with the inputs of these fuels to main activity producer electricity only and heat only plants prior to 1978.
- Electricity production from **biofuels and waste** is not available between 1974 and 1976.

### Consumption

- For 2016 data, the production of **heat** from oil refineries in autoproducer plants ceased, following the change of ownership of these plants and their reclassification to main activity producers. This result in the consumption of (sold) heat under the oil refineries sector to jump as most heat formerly produced by oil and gas autoproducers are now purchased.
- In the 2017 edition and following, an extended review of NACE sector encoding by the Finnish administration resulted in the revision of the sectoral **heat** consumption time series back to 2007, leading to breaks in time series between 2006 and 2007 in some heat consumption sectors.

- A new survey of the agriculture and forestry sector leads to breaks in the **electricity** consumption between 2007 and 2008.
- The split of **heat** consumption in the different industry sectors is available starting from 2007. Prior to that, it is aggregated in *non-specified industry*.
- Prior to 2000, consumption of **heat** in *residential* includes consumption in *agriculture/forestry* and *commercial/public services*.
- Consumption of **electricity** in the industry sub-sector *machinery* includes consumption in transport equipment prior to 1995.

## France

### Source

*Ministère de la Transition Écologique et Solidaire, Paris.*

### General notes

- In the 2018 edition, data for France were revised back to 2011 following changes in methodology and procedures used by the energy statistics sub-department (SDSE) within the Ministry for the ecological and inclusive transition. As a result, the revisions, to bring the reporting more in line with the international standards, impacted all fuels. Additional details are given under each fuel.
- From 2012, the energy consumption is more detailed due to a more precise national survey.
- From 2011 data onwards, France now includes Monaco, and the following overseas departments (Guadeloupe; French Guiana; Martinique; Mayotte; and Réunion); and excludes the overseas collectivities (New Caledonia; French Polynesia; Saint Barthélemy; Saint Martin; Saint Pierre and Miquelon; and Wallis and Futuna).

### Coal

#### General notes

- In 2018 edition, the calorific value of coking coal has been revised in agreement with Eurostat and the IEA. The revision was made for the period 1990 to 2016.
- In the 2017 edition, the French administration undertook comprehensive revisions on sectoral coal consumption back to 2011. Starting this edi-

tion, new information became available for **anthracite, BKB and other recovered gases**.

- From 2012, the energy consumption is more detailed due to a more precise national survey.
- Prior to 2011, **other manufactured gases** (oxygen steel furnace gas) are included in **blast furnace gas**.
- For 1989 to 1998, the IEA Secretariat has estimated industry consumption based on *Consommations d'Énergie dans l'Industrie*, SESSI.
- Prior to 1985, consumption of colliery gas is included with the use of **coke oven gas** by autoproducers.
- Hard coal data prior to 1978 may include **sub-bituminous coal**.

### Transformation

- In 2017 the use of **other bituminous coal** into transformation for electricity increased by more than 20% to compensate lower generation from nuclear and hydro plants.
- In 2016 the company that consumed **blast furnace gas** for electricity and heat generation ceased its activity.

### Consumption

- In the 2018 edition, the split of energy consumption between the residential sector and the commerce and public services sector has been revised back to 1990 by the French administration for **other bituminous coal, lignite, coke oven coke, BKB and patent fuel**.
- **Blast furnace gas** and **coke oven gas** used for energy purposes in blast furnaces are no longer reported under the iron and steel industry. As of the 2018 edition these quantities are reported under the energy sector.
- Final consumption in industry is estimated by the Secretariat from 1986 to 2001 for some products.

## Oil

### General notes

- Statistical differences observed for motor gasoline and naphtha are partly due to the absence of a specific naphtha category in the customs classification.
- Statistical differences appear for other products as a result of different definitions used for this residual category between the customs, refineries, power plants and petrochemical industry.
- From 2013, information is available for imports of condensates used by the petrochemical sector. These are reported under imports of NGL, inter-

product transfers of NGL to other oil products, and consumption of other products.

- From 1991, **additives and oxygenates** data are available.

### Supply

- From 2009, transfers of **kerosene type jet fuel to white spirit** correspond to kerosene used as a base for making white spirit.
- From 2008 data, refinery intake of **refinery feedstock** and refinery output of **refinery gas** output figures exclude natural gas used in the steam reformer of the Gonfreville refinery.
- From 2008 data, **ethane** refinery output is reported
- From 2002 data onwards, ethylene produced in Lacq is not included in NGL.
- From 1998 data, a different treatment of transfers was adopted. Imported oil products needing further refinery processing are no longer reported as **refinery feedstock** imports but as oil product imports and products transferred. **Fuel oil** includes part of the amounts previously reported in **other oil products** from 1999 and various other products from 2001.

### Transformation

- Starting in 2012, separate data on main activity heat plants inputs are available.

### Consumption

- The breakdown between international and domestic marine bunkers is estimated by the French administration.
- Between 2005 and 2006, a break is visible in **LPG** time series, as consumption from one chemical company was re-classified from energy use to non-energy use. Breaks in **LPG** time series also appear in 2001 due to improved data collection.
- From 2000 data, **petroleum coke** consumption in the non-ferrous metals industry is no longer available separately. Prior to 1982, no breakdown between energy and non-energy use is available for this product.
- From 1998 data, military consumption of **kerosene type jet fuel** is reported separately from domestic aviation.
- Prior to 1988, **LPG** includes ethane consumption.
- Prior to 1985, the residential sector consumption of **gas/diesel oil** is reported under the commerce/public services sector, as no separate data were available.

## Natural gas

### General notes

- Starting from the 2018 edition, the French administration revised the methodology used in the 2018 edition to bring it more in line with the international standards. More specifically, (i) Supply figures were revised for the period 2007-2016, (ii) *transformation sector* consumption for 2007-2016, (iii) *energy sector* consumption for 2011-2016, (iv) transport and *commercial/public services* for 2000-2016, (v) *industry sector* for 2011-2016 and (vi) *imports and exports* for 2011-2016.
- In the 2019 edition, the French administration revised the demand side from 2011 onwards by improving the methodology with the consolidation of data from SDSE surveys and additional official sources.
- Until 2007, some statistical differences reported by the French utilities were included in *distribution losses*. Since 2008, these amounts are included under *statistical differences*.
- Between 1999 and 2000, there are some breaks in time series due to a new methodology for preparing the **natural gas** balances.
- The data include the French overseas departments, however **natural gas** is neither produced, nor consumed in these departments.

### Supply

- The total *imports* and *exports* data include transit amounts.
- From 1990 to 1998, *statistical difference* includes gas consumption which is not broken down by sector.

### Consumption

- The increase in **natural gas** consumption in the electricity sector for 2016 and 2017 has been mainly driven by the decrease in nuclear generation due to maintenance operations, which was compensated by gas-fired power plants.
- Gas for pipelines is included in *distribution losses*.
- Between 2005 and 2006, there is a break in the time series of the industry sub-sectors.

## Biofuels and waste

### General notes

- In the 2018 edition, following an analysis of **biogases** in the energy sector by the French administration, there are revisions in **biogas** indigenous production, inputs to the transformation sector, heat production and final consumption back to 2005. Electricity production from **biogases** is revised back to 2011. This causes breaks in time series between 2004 and 2005 as well as 2010 and 2011.
- Indigenous production, transformation and final consumption of **industrial waste** are reported from 2013. In the 2018 edition, indigenous production and transformation of **industrial waste** were added from 2007 - 2012. It follows that there is a break in time series between 2012 and 2013.
- In the 2018 edition, **solid biofuels'** indigenous production and inputs to main activity and autoproducer heat plants have been revised back to 2007. Electricity production has been revised back to 2013. This causes breaks in time series between 2006 and 2007 as well as 2012 and 2013.
- In the 2018 edition, indigenous production and inputs to main activity heat plants have been revised back to 2007 for **municipal waste**. Electricity production has been revised back to 2011. This causes breaks in time series between 2006 and 2007 as well as 2010 and 2011.
- Prior to 2007, production and consumption of **industrial waste** were included in municipal waste.

### Transformation

- Plants using **municipal waste** were reclassified as autoproducer CHP plants from 1995, which leads to a break in time series.
- Breaks in time series in 2005 for **municipal waste** and **solid biofuels** are caused by sectoral reclassifications.

### Consumption

- A revision of the **solid biofuels** and **biogases** time series created breaks in the direct use time series between 2004 and 2005.
- The breakdown of the final energy consumption of **biogases** was estimated by the French administration from 1970 to 2003.

## Electricity and heat

### Supply

- In the 2019 edition, **heat** supply and consumption data were revised due to improved information on heat production from renewables.
- All **solar photovoltaic** plants with capacity above 1 MWp are considered as main activity producers, while all plants with capacity below that value are considered autoproducers.
- Electricity production from *other sources* is available starting in 2007, representing production of electricity from purchased steam. The input is shown under *non-specified transformation*.
- Data on electricity production from **wind** are available from 1990. For 2013, the split between electricity generation from main activity and autoproducer **wind** plants has been estimated, pending receipt of revised data.

### Transformation

- For 2014 onwards, the implied efficiencies of heat pumps are much lower than expected. This is under investigation by the French Administration, and revisions are expected in future editions.
- The methodology for reporting inputs to CHP plants is under currently under review by the French administration and historical revisions are expected.
- For the 2018 edition, revisions for **heat** production in all plant types were received and accepted for many fuels from 2007 onwards, with the exception of **natural gas**, where the planned revisions for 2007 and 2008 are still pending implementation by the Secretariat.
- In the 2018 edition, electricity production from **hydro** was revised back to the year 2000, in some cases only amounting to plant reclassification.
- Electricity production from the *Bouillante geothermal* main electricity plant in Guadeloupe is included from 2011 onwards, when data coverage for France is extended to include the overseas departments. Electricity production from autoproducer **geothermal** started in 2011 and stopped in 2012 due to the maintenance of the only plant. This production restarted in 2016.
- The amount of **heat** not sold in autoproducer plants is included in total heat production up to 2007.

- In 2005, autoproducer CHP efficiencies for **bio-gases** drop due to the opening of a larger, less efficient plant.
- From 2000 several plants have been reclassified from electricity only to CHP plants. This causes breaks in the time series between 1999 and 2000.
- Prior to 2000, inputs and outputs of **oil products** are not available separately and are reported together under **other oil products**. From 2000 to 2008, there are further classification problems for inputs and outputs of electricity and heat from oil products. The French administration is working to reconcile their data collection methods for the inputs and the outputs for electricity generation.
- A new method of survey and a reclassification between main activity producer electricity plants and autoproducer electricity plants may cause breaks in the time series for **other bituminous coal** between 1998 and 1999.
- There was re-classification on autoproducer plants using **municipal waste** in 1995, which leads to a break in the time series.
- Net electricity production by autoproducer CHP plants is available from 1989.
- Net **electricity** production by autoproducers prior to 1983 includes production from combustible fuel sources only.

### Consumption

- In the 2019 edition, revisions for 2011 onwards were received for all **electricity** consumption flows, based on a correction to a survey. This has introduced a wider statistical difference than previously published, and is under review.
- In the 2018 edition, revisions for 2011 onwards were received for all **electricity** consumption flows, based on an improved survey. This has led to breaks in time series between 2010 and 2011. Similarly, **heat** consumption from 2007 onwards was revised to account for autoproducer own use heat generation in its correct economic activity.
- In the 2017 edition, the French administration undertook comprehensive revisions on sectoral **electricity** consumption time series, for some sectors revising back to 1990. Electricity consumption at railway and bus stations, shipping piers and airports is no longer included in the transport sector but in the commercial and public services sector. Road electricity consumption has also been revised back to 1990, following an extended review of NACE sector encoding by the administration. These revisions created breaks in

time series for several sectors, which the administration anticipates to address in subsequent reporting cycles.

- For the 2014 edition of this publication, the French administration revised **electricity** consumption data in the agriculture sector back to 2004, resulting in breaks in time series.
- Consumption of **electricity** in uranium treatment plants is confidential for the period 2003 through 2010, and unavailable prior to 1980.
- Data on **heat** distribution losses are available only starting from 2007. Prior to that, they were included in final consumption.
- Prior to 2005, all the **geothermal** heat consumption was reported as direct use. From 2005 data, some quantities are reported as output of heat plants, resulting in breaks in time series for production, transformation and consumption.
- Consumption of **electricity** for oil and gas extraction includes that used in oil refineries from 1988 to 2000.
- *Non-specified other* consumption includes exports to Monaco prior to 1992 and defence-related activities, among others.
- The industry classifications used by the French administration were changed in 1986.
- There are major breaks in the time series in 1965 when more detailed breakdown of data on **electricity** consumption became available.

## Germany

### Source

Federal Ministry for Economic Affairs and Energy, Berlin.

### General notes

- Data starts in 1960. German data include the new federal states of Germany from 1970 onwards.

### Coal

#### *General notes*

- Comprehensive official data are only collected for the aggregate of hard coal. Due to the unavailability of detailed data, the split into **anthracite**, **coking coal** and **other bituminous coal** is partly estimated by the national administration.
- In the 2014 edition, significant revisions were submitted for all primary coal types, derived products

and manufactured gases for the period 2003 to 2011 as previous estimations were updated with more accurate information. Revisions primarily affected consumption, including industry and other sectors; but also supply, statistical differences and weighted calorific values.

- Up to 2002, **other bituminous coal** includes **anthracite**.
- Between 1998 and 2005, breaks in time series may occur for **coke oven gas** and **blast furnace gas**.
- Between 1990 and 1992, breaks in time series may occur due to earlier reclassification of several sectors by the German administration; this particularly affects **BKB**, **lignite** and **coke oven coke**.

#### *Transformation*

- Breaks in time series between 2014 and 2015 for **coke oven gas** and **blast furnace gas** are due to a reclassification of main activity producers and autoproducers.
- In 1997, **BKB** inputs to gas works plants stopped.

#### *Consumption*

- Consumption of **non-renewable municipal waste** and **other solid biofuels** as a reductant occurs in German blast furnaces, but is not currently quantified. Likewise, **coal tar** is a by-product of coke ovens, but not currently reported.

### Oil

#### *General notes*

- In 2017, the German administration included additional firms in the chemical sector to their data collection system. As a result, for 2017 provisional data there is an increase in deliveries of oil products to the petrochemical sector.
- In 2016 the German administration reclassified the consumption of a chemical company from **fuel oil** to **other oil products**. This leads to a decrease in the supply and consumption of fuel oil with a corresponding increase for other oil products. Due to the assumptions made by the German administration about the energy consumption of the respective products, this also creates a break in time series in the split between energy and non-energy consumption for the chemical sector.
- In 2016 there are breaks in time series for **white spirit** due to an increase in data coverage. Historical revisions are expected in the next edition.

- From 2000 data, part of the product *Andere Rückstände* (other residues) is included with fuel oil instead of other oil products.
- Starting from 1994 data, there has been a reclassification of jet gasoline to kerosene type jet fuel.
- Prior to 1979 data, **other products** include **paraffin waxes, bitumen, white spirit & SBP** and **lubricants** for eastern Germany.
- The methodology to determine net calorific values has been changed for 2015 data. The values for crude oil and refinery feedstocks were revised back to 2003.

### Consumption

- The data for the sectors of construction, agriculture/forestry and fishing is subsumed within the commercial and public services sector.
- Between 2002 and 2003, breaks in time series in consumption data are due to structural changes in energy statistics following the newly introduced Energy Statistics Act.
- In 1995 data, a break in **gas/diesel oil** consumption occurs as a result of an alignment with the Classification of the Economic Activities in the European Community (NACE).
- Beginning in 1994, final consumption by individual sector has been improved due to new survey methods instituted by the *Minerölwirtschaftsverband*.
- In 1989, end-use consumption of **gas/diesel** oil decreased due to an exceptionally warm winter and a lowering of consumer stocks.
- Prior to 1980 data, consumption of **fuel oil** in blast furnaces was included in the iron and steel sector
- Prior to 1970 data, consumption of **refinery gas** in the chemical industry is included with refineries' own consumption.

## Natural gas

### General notes

- Between 2009 and 2010, there is a break in time series due to a new, more comprehensive legal framework that resulted in methodological changes for production and new calorific values for **natural gas**.

## Supply

- *Imports* include all the gas purchased by German companies, whether it is finally consumed in Germany or not.
- *Exports* include all the gas sold by German companies (these are mainly re-exports).

### Transformation

- In 2003, there is a break in time series for input to electricity and CHP plants (both autoproducers and main activity producers).
- Prior to 1995, inputs of **natural gas** for *main activity producer heat* plants are included with *main activity producer CHP* plants.

### Consumption

- Since 2003, there are no official data for the *construction* sector.
- Since 2003, consumption in *agriculture* and *non-specified other*, which were previously estimated, are no longer shown, and losses data have been included in *statistical differences*.
- Since 2003, gas consumption in *coke ovens (transformation)* was negligible.
- Between 2002 and 2003, there are breaks in time series for some sectors due to modifications in reporting methodology.
- Between 1994 and 1995, there are some breaks in time series due to the fact that the industry sub-sector breakdown is based on the 1995 NACE classification.
- Also, prior to 1995, end-use consumption data are based on *Arbeitsgemeinschaft Energiebilanzen*.
- Before 1970 there is no detailed breakdown available for the *industry* sector with the exception of *iron and steel* and *chemical and petrochemical* industries.

## Biofuels and waste

### General notes

- In 2011, numerous changes to methodology and classifications have caused many breaks in time series.
- Starting in 2008, **municipal waste** and **industrial waste** data were collected separately. This leads to breaks in the time series between 2007 and 2008.
- Between 1996 and 1997, a new survey for renewables causes breaks in the time series.

### Supply

- Trade data for **biogasoline** are available from 2004 and for **biodiesels** from 2003.

### Consumption

- For **solid biofuels** consumption in the commercial and public services sector, new data were derived in cooperation with the Federal Research Institute for Rural Areas, Forestry and Fisheries by applying a different calculation approach based on the total demand for material and energy use of the resource wood in Germany. This had resulted in break in time series between 2013 and 2014.

## Electricity and heat

### General notes

- In the 2014 edition, the German administration performed some major revisions back to 2003. This led to breaks in the time series between 2002 and 2003.
- The German administration has changed the methodology for reporting **heat** over time:
- Starting in 2007, more information is available on main activity heat plants and additional inputs started to be reported for this category. This causes breaks in time series between 2006 and 2007.
- Between 2003 and 2006, autoproducer **heat** output was provided, but no inputs.
- Between 2002 and 2003 and between 2003 and 2004, breaks in time series occur, due to the implementation of the Energy Statistics Act, collection concerning **heat** produced in heat plants and district heating plants became more efficient and more complete.
- Prior to 1970, **heat** production and consumption have been estimated by the Secretariat based on Energie-bilanz der Bundesrepublik für das Jahr 1990 provided by the German Institute for Economic Research.

### Supply

- In some instances, **electricity** generation from **nuclear, hydro, solar, wind** and **biogases** in autoproducer electricity plants is confidential or not available and therefore is included in main activity producer electricity plants.
- For 2017 onwards, own-use consumption of **electricity** by **wind** plants is assumed to be 2% at onshore and 1.5% for off-shore wind farms. For prior years, own-use only included electricity

drawn from the grid while the turbines were not in operation.

- Since 2011, due to a reclassification of **wind** energy and **solar photovoltaic** in the official data of the German Federal Statistical Office, the production is now only reported under main activity producer plants.
- **Electricity** production *from other sources* is available starting in 2003. This refers to the production of electricity from turbines which are located at pressure drops in fluid transport and from purchased waste heat.
- Prior to 1991, **electricity** trade data includes only trade of the Former Federal Republic of Germany.
- Data on electricity production from **wind** and **solar** are available from 1986 and 1990, respectively.
- Starting in 1984, small amounts of **heat** have been exported to Denmark.

### Transformation

- **Electricity** inputs to both mixed **hydro** and pure pumped storage pumping plants are reported under inputs to pure pumped storage. Disaggregated data will be available starting with 2018.
- Detailed data by fuel are not available for total **heat** production. The non-allocated part is reported as heat production from **non-specified combustible fuels**.
- Weather conditions were not favourable for **wind** and **solar** generation in 2016.
- In 2015, a reclassification of some main activity producer electricity and CHP plants to autoproducer **CHP plants** powered by **coke oven gas** results in a break in time series for this period. Similarly, a reclassification of **blast furnace gas** main activity **electricity plants** into autoproducer plants results in a break in time series for the same period.
- From 2003 onwards, all **heat** production in autoproducers is considered as non-sold (i.e. for self-use) and, therefore, not reported. Inputs for this heat production are no longer reported in the transformation sector.
- For 2002 and 2003, the German administration did not submit the breakdown of electricity and heat production from **combustible fuels**. The data were estimated as follows: renewables and waste were taken from the Renewables and Waste Questionnaire and the other combustible fuels were estimated pro rata based on 2001 estimates.

- Prior to 2003, **electricity** production in electricity plants includes production from CHP plants and heat production in CHP plants includes production from heat plants.
- Due to the implementation of the Energy Statistics Act, collection concerning heat produced in **heat** plants and district heating plants became more efficient and more complete. This leads to breaks in time series between 2002 and 2003 and between 2003 and 2004.
- A new survey for the renewable products can cause breaks in the time series between 1998 and 1999.
- Prior to 1993, all heat production from **BKB/peat briquettes** is included in main activity producer CHP plants.

### Consumption

- Breaks in time series appear between 2015 and 2016 in the *road transport* sector **electricity** consumption following the introduction of a new model for this consumption sector. The German administration plans to revise the historical series in subsequent cycles.
- Increases in 2016 **electricity** generation by auto-producers within the *transport equipment* manufacture industrial sector are due to reclassification from main activity generation, rather than development of new plant.
- More information on district heat became available, causing breaks in the time series between 2006 and 2007.
- Data on **geothermal heat** production and direct consumption are only available starting in 2003.
- From 2002, **electricity** consumption in the commercial and public sector includes the construction sector, and the fishing, agriculture and forestry sectors for the whole time series.
- In 2000, revisions from the German administration to the **electricity** consumption data may cause breaks in the time series.
- In 1995, the German Federal Statistics Office reclassified some industrial branches which may cause a break in time series in industry sub-sectors.
- Between 1971 and 1980 **electricity** consumption in coal mines includes consumption in coke ovens and BKB plants.

## Greece

### Source

Ministry for Environment and Energy, Athens.

## Oil

### General notes

- In the 2016 edition, the Greek administration reclassified gasoline-type jet fuel as aviation gasoline starting from 2009 data.
- Between 2012 and 2013, breaks time in time series for biodiesel, lubricants and stocks appear due to the introduction of a new reporting system.

### Supply

- **Crude oil** production stopped on 30 November 1998 and started again in December 1999.
- From 1986 data onwards, information on **refinery feedstocks** is available

### Transformation

- From 1990 onwards, there has been an increased use of **refinery gas** in electricity generation, replacing **fuel oil**.

### Consumption

- In 2013 data, the drop of **gas/diesel oil** residential consumption is linked with changes in the taxation of heating oil.
- From 1993 data onwards, more information is available on the allocation of **fuel oil** to specific industrial sub-sectors. Fuel oil consumption in the agriculture and residential sectors has been replaced by **gas/diesel oil** starting in 1993.
- Prior to 1987 data, consumption in the commerce/public services sector is included with residential. Peaks in residential sector consumption in 1978 and 1982 are due to unusually cold winters.

## Natural gas

### General notes

- **Natural gas** produced in Greece has a higher than average gross calorific value due to a high content of C<sub>2</sub>/C<sub>4</sub> hydrocarbons.

### Supply

- In November 1998 the *indigenous production* of **natural gas** stopped in and started again in December 1999.
- In 1997, Greece started importing natural gas as a result of a new operational pipeline between Russia and Greece.

### Consumption

- In 2011 there is a break in time series for the *non-ferrous metals* due to a new methodology for measuring gas consumption in this sub-sector.
- Since 2017, **natural gas** has started to be consumed in the *construction* sub-sector as well.
- For 1998 data, consumption in the *residential* sector is included with *commercial/public services*.

### Biofuels and waste

#### General notes

- New information on **solid biofuels** is available from 1996 and leads to breaks between 1995 and 1996.
- Data for **biogases** are available from 1990 and data for **industrial waste** from 1992.

#### Supply

- Indigenous production of **solid biofuels** is estimated by the IEA Secretariat for 2015 based on consumption.

#### Transformation

- The big increase in delivery of **industrial waste** to autoproducer CHP plant in 2010 is mainly due to the opening of a new plant.
- Inputs of **solid biofuels** to **charcoal** production are estimated for 2007 to 2010 by the IEA Secretariat assuming an efficiency of 40%.
- **Industrial waste** used in autoproducer CHP plants decreased substantially in 2006 because a plant closed.

#### Consumption

- **Solid biofuels** consumption in commercial/public services is included in residential until 2011.
- The consumption of **solid biofuels** in the paper, pulp and printing industry is not available from 2003 to 2012.

### Electricity and heat

#### Supply

- For 2016, **gross electricity** generation from **combustible fuels** in main activity electricity and autoproducer CHP units was estimated by the IEA Secretariat, based upon the gross to net ratio for combustible fuels for these plant types in 2015. This increase in production was assigned to lignite-fired and natural gas-fired plant.

- No production of **solar heat** is reported.

#### Transformation

- In 2008 a new plant using refinery gas started operating in an experimental phase, causing a low efficiency.
- Production and consumption of distributed heat (heat sold) that is produced from lignite is available from 1997.
- Data for **biofuels and waste** input and output to transformation are available from 1992.

#### Consumption

- Transmission and distribution losses of electricity increased between 2013 and 2016 due to growth in non-technical losses. Data reported for 2017 show a noticeable decline in losses. However, this is under review.
- Electricity consumption in road is available from 2013.
- A break in time series exists between 1991 and 1992 for electricity consumption in transport.
- Direct use of **geothermal** heat in residential is available starting in 2004.
- Electricity consumption in iron and steel and in the non-ferrous metals industry prior to 1971 has been estimated by the Secretariat.

## Hungary

### Source

Hungarian Energy and Public Utility Regulatory Authority, Budapest.

### General notes

- Data are available starting in 1965.
- The Hungarian administration submitted questionnaires to the IEA Secretariat for the first time with 1993 data.

### Coal

#### General notes

- From 1992, the production of **sub-bituminous** coal has been included with **lignite** due to the low quality of the coal. From 1990 to 1999, the use of this domestic coal in main activity producer electricity and CHP plants has also been reclassified to **lignite**. Since 2017, imports, transformation

and consumption of **sub-bituminous coal** was reclassified as **lignite** by the Hungarian administration to align with foreign trade statistics.

### Transformation

- In 2017, a main activity CHP plant using **other bituminous coal** was merged with an industrial unit of the pulp, paper and print sector and was since reclassified as an autoproducer.
- Autoproducer heat and power plants using **coke oven gas** and **blast furnace gas** were reclassified in 1998 as main activity power plants.

## Oil

### General notes

- From 2010, *from other sources - natural gas* of **other hydrocarbons** correspond to hydrogen used in refineries for hydrodesulphurization, also represented as the output of *non-specified transformation* in the balances format.
- Starting from 1998, data for additives and aviation gasoline are available.
- From 1994 onwards, other products include aromatics and other products that were previously included mainly under white spirit. Prior to 1993, **white spirit** is included in motor gasoline. Data for **refinery gas**, **paraffin waxes** and **lubricants** are partly estimated by the Secretariat.

### Consumption

- In the 2016 and 2017 editions, revisions to consumption data back to 2010 were provided by the Hungarian administration following a survey introduced in 2014. This results in breaks in time series between 2009 and 2010.

## Natural gas

### General notes

- Between 2012 and 2013 there are some breaks in time series for the *energy, transport and industry sectors* consumption due to a new methodology. Historical revisions are pending.
- Between 1996 and 1997 some breaks in time series exist due to a new methodology applied by the Hungarian administration.

### Supply

- *Imports* and *Exports* data are reported according to the TSO's data, which include transit volumes.

### Transformation

- Since 2010, data reported for *non-specified transformation* represent **natural gas** used for hydrogen manufacture used in refineries for hydrodesulphurization. Prior to this year, these quantities are reported under *oil refineries*.
- Since 1997 two *autoproducer heat* plants have been reclassified to *main activity producer heat* plants.

### Consumption

- Beginning in 2016, electricity consumption under the *non-specified other* sector includes military usage, following recent clearance to disseminate these data.
- Prior to 2004 *iron and steel* consumption includes transformation of **natural gas** in *blast furnaces (transformation)*.

## Biofuels and waste

### General notes

- Data for **biogases** are available from 2000; for **industrial waste** from 2003; for **biodiesel** production from 2007.

### Supply

- A 2012 change in **biogasoline** reporting methodology results in break in time series between 2011 and 2012.

### Consumption

- In the 2018 edition, the Hungarian administration has revised **solid biofuels** consumption in other sectors back to 2005 based on the new survey from Hungarian Central Statistical Office (HCSO). This resulted in break in time series between 2004 and 2005.
- A new reporting methodology for the direct use of **geothermal** energy was applied from 2014 resulting in break in time series between 2013 and 2014.

## Electricity and heat

### Supply

- For 2017 onwards, inputs and outputs from power plants are reported at a unit level, while for prior years, data are reported at a plant level. As a result, breaks in series are observed between 2016 and 2017. In particular, for electricity output from main activity producer CHP and main activity producer **nuclear** power plants, and for heat output from **industrial waste** at autoproducer CHP and autoproducer heat plants.
- In 2017, a main activity producer CHP plant was reclassified as an autoproducer. As a result, declines are observed in **heat production from other bituminous coal** and **industrial waste**, as heat reported as previously sold may now be considered as used onsite.
- *Other sources* electricity and heat production is available from 2013 and represents generation from residual tail gases from the manufacturing of soot as well as from hydrogen.
- **Geothermal** heat production from main activity producer heat plants is available from 1995.
- **Nuclear** electricity production in main activity producer electricity plants is available from 1983.

### Transformation

- For 2017, the decline in heat production from **industrial waste** is partly due to the reclassification of a main activity producer as an autoproducer.
- **Heat** and **electricity** consumption by military services is reported under *Other sectors - non-specified* for the first time in 2015. The change is due to the recent authorization to disseminate these data. Previously they were included under *Commercial and public services*.
- From 2014 data onwards, more data suppliers were involved in submitting energy data to the national administration, causing new autoproducer time series to appear for **geothermal** and **industrial waste** plants.
- In 2014 data, some CHP plants running on **solid biofuels** produced only heat and were reclassified to heat plants.
- The Hungarian administration reclassified some of their plants between 1996 and 2000, which may lead to breaks in the time series.
- Prior to 2000, electricity output from **sub-bituminous coal** is included with **lignite**.

- Data on electricity and heat production from **solid biofuels** in autoproducer CHP plants are available from 1995.
- Autoproducer electricity, CHP, and heat plants using **coke oven gas** and **blast furnace gas** were reclassified as main activity power plants in 1998.

### Consumption

- Data for direct use of **solar thermal** heat are available from 2001 and from 1990 for **geothermal** heat.

## Iceland

### Source

National Energy Authority, Reykjavik.

### General notes

- Prior to 1970, final consumption includes inputs and outputs to heat production.
- The industrial classifications used by the Icelandic administration were changed in 1987.

### Coal

#### General notes

- Hard coal data prior to 1978 may include sub-bituminous coal.

#### Consumption:

- Final consumption increased in 2000 as a new iron and steel plant came on-line.

### Oil

#### General notes

- In 2014, the Icelandic administration revised petroleum coke data from 1990 to exclude imports of anodes for the aluminium industry.
- Oil supply and consumption data for 2008 and 2009 are estimated by the IEA Secretariat.

### Biofuels and waste

#### General notes

- 2013 is the first year of data availability for the supply and consumption of **solid biofuels**.

### Consumption

- **Biodiesel** consumption data for 2014 are estimated by the Icelandic administration based on 2013.
- **Biogases** used for transport purposes were reported for the first time in 2007.

### Electricity and heat

#### Supply

- The increase in **hydro** and **geothermal** electricity production from 2007 is due to the expansion of the aluminium industry.

#### Transformation

- For 2016, access to improved data revealed considerably better heat plant efficiencies than previously inferred, with increases in heat production seen during this period. The Icelandic administration plans to revise previous years' figures in succeeding editions.
- From 2013 data, the Hellisheidi **geothermal** power plant, previously reported under main activity electricity plant, was categorised as main activity CHP plant.
- Heat production from **municipal waste** is available from 1993 and stops in 2010.
- In 1998, 60 MW of generating capacity was installed in the **geothermal** CHP plant at Nesjavellir. Since the plant was inoperable for four months, production of **geothermal** heat decreased compared to 1997. The extra electricity capacity caused electricity production from **geothermal** to almost double over the same period.
- Electricity production from **geothermal** sources in main activity producer CHP plants is available from 1992.

#### Consumption

- For 2017, the split between **electricity** consumption in the *iron and steel*, and *non-metallic minerals* sectors has been estimated by the IEA secretariat.
- The significant increase in electricity consumption in the *commercial and public services* sector from 2015 onwards is due to the growth of cryptocurrency mining.
- In the 2015 edition, the **heat** consumption breakdown by sector for the years 1990 onwards has become available following reviews by the Icelandic administration. In addition, heat consumption was revised significantly upwards as more information

became available. This has caused large breaks in time series across the heat balance between 1989 and 1990.

- Direct use of **geothermal** in the industrial sector is reported under *non-specified industry*, as the Icelandic administration decided not to estimate the allocation amongst the sub-sectors of industry.
- Revisions in direct use of **geothermal heat** starting in 2013 create breaks in time series between 2012 and 2013.
- **Electricity** consumption in *non-specified transport* includes consumption for ferries and cruise lines.
- Non-specified consumption of **electricity** within the energy sector refers mainly to the use of electricity by the **geothermal** industry to pump hot water from underground sources, and from 1991, also includes electricity used for the transport by pipeline of hot water from Nesjavellir to Reykjavik.
- The increase of **electricity** consumption in the construction sector from 2004 to 2007 is due to the drilling of tunnels for the Kárahnjúkar power plant.
- The consumption of **electricity** reported in *non-specified other* corresponds to a NATO base at Keflavik airport which closed in 2005.
- Prior to 1990, all **heat** for space heating was reported in residential.
- The residential sector includes agriculture prior to 1983.
- Prior to 1970, total final consumption includes inputs to and outputs from **heat** production and non-energy use. After 1970, data on inputs and outputs in CHP plants and in main activity producer heat plants (district heat plants) and for non-energy use are separately specified.

## Ireland

### Sources

Department of Communications, Energy and Natural Resources, Dublin.

Sustainable Energy Authority of Ireland, Cork.

### Coal

#### General notes

- Due to confidentiality reasons, inputs of **anthracite**, **other bituminous coal** and **peat briquettes** for patent fuel transformation are reported with

residential consumption, while production and consumption of **patent fuel** is not reported.

- Prior to 1990, any imports of **BKB** were included with imports of **peat products**, as is the case for consumption.

### *Supply*

- Rainfall in 2012 led to the lowest **peat** harvest since IEA records began in 1960, requiring large stock drawdown and increased use of **biofuels** for electricity generation. In 2013, production targets were met before the end of the year however production continued in order to further build stocks to alleviate the potential impacts of future weather events.
- Low production of **peat** in 1985 was due to a poor “harvest”, due to an unusually wet summer.
- Production data for **peat products** (briquettes) are available from 1975.

### *Transformation*

- A reclassification caused a break in the time series for peat consumption in the energy industry own use in BKB/peat product plants from 1989 to 1990.
- The production of gas works gas ceased in 1987 due to fuel switching to natural gas.
- Other bituminous coal inputs to main activity producer electricity plants increased from 1986 due to three new generating units at Moneypoint coming on-line.

## **Oil**

### *General notes*

- In the 2018 edition the Irish administration revised the methodology for reporting final consumption of oil products. This leads to some breaks in series between 2015 and 2016. Revisions to historical data are expected in the next edition.
- *From other sources - natural gas* of **other hydrocarbons** correspond to natural gas blended with refinery gas.
- For confidentiality reasons, inputs of **petroleum coke** into patent fuel transformation are reported with residential consumption.

### *Consumption*

- In 2014, the drop of fuel oil consumption in non-metallic minerals sector is linked with the replacement of HFO boilers by natural gas boilers as the primary source of steam for alumina production.
- In 2013 and 2014, bitumen consumption data are not available and calculated as residual.
- Between 2008 and 2009, there is a break in time series for **gas/diesel oil**, **LPG**, **kerosene-type jet fuel** and **petroleum coke** due to a new methodology being applied to sectoral demand by Sustainable Energy Ireland (SEI). This change also explains breaks between 2006 and 2007 for **bitumen**, **lubricants**, **white spirit**, and **paraffin waxes**.
- Between 1989 and 1990, breaks in time series appear for consumption of **gas/diesel oil**, **LPG**, **other kerosene** and **fuel oil** as a result of a detailed consumption survey done for 1993. Data for historical years back to 1990 were revised by the national administration based on the results of this survey.
- From 1986, **gas/diesel oil** consumption in the agricultural sector is available.
- From 1970 to 1977, the split between commercial and public services and agricultural use of **other kerosene** has been estimated by the Secretariat. Consumption in commercial/public services includes quantities used by state-owned agricultural companies.

## **Natural gas**

### *General notes*

Since April 2017 there is no gas storage facility in Ireland.

### *Supply*

- **Natural gas** production has been increasing since 2015, as the Corrib Gas field began production at the end of that year.
- Since 1996, the increase in imports is due to the depletion of the Kinsale gas field and the availability of a new pipeline system to the United Kingdom.

### *Transformation*

- Since 2006, a different methodology for allocating unsold steam from *autoproducer CHP* is used.
- *Non specified transformation* corresponds to **natural gas** blended with **refinery gas**.

### Consumption

- In the 2019 edition, the Irish administration revised the *distribution losses* based on new data coming from the Emissions Trading Scheme (ETS), which had a knock-on effect in the final consumption data, primarily for the *industry sector*.
- In 2011 the increase in *non-ferrous metals* consumption is due to a fuel switch to **natural gas**.
- Since 2009, the disaggregation of consumption into all the industry sub sectors excluding *non-ferrous metals* is done according to data from the Census of Industrial Production (CIP). The last energy consumption data available from the CIP are from 2009 and therefore the 2009-2015 sub-sector breakdown is the same every year.
- In 2007 the increase in *machinery* consumption is due to changes in industry sub-sector structure and fuel usage.
- In 2004, there is a break in the time series in *food, beverages and tobacco* consumption due to a change in methodology.
- In 2003, feedstock use in the *chemical and petrochemical* industry stopped due to the shutdown of a fertiliser plant.
- In 2001, **natural gas** consumption in the *iron and steel* industry stopped due to the shutdown of Ireland's main steel plant.
- Prior to 1986, detailed consumption figures for the use of **natural gas** in *industry* and *other sectors* are not available.

### Biofuels and waste

#### General notes

- Data for **municipal waste** are available from 2009.
- Data for **solid biofuels** and **biogases** are available from 1990.

#### Supply

- Due to increased demand from a second waste to energy electricity plant which began operation in 2017, production of **municipal waste** increased sharply.
- Prior to 2011, production and trade of **biogasoline** and **biodiesels** cannot be distinguished due to confidentiality issues.

### Transformation

- Starting in 2016, the increase of electricity production of **solid biofuels** is a result of a decarbonisation programme and comes from a plant which is co-firing peat and biomass.
- In 2012 and 2013, the renewable fraction of tyre-derived fuel (12%) used by a cement plant was reported by the administration under **renewable municipal waste**; the non-renewable fraction (88%) was reported under **industrial waste**.

#### Consumption

- The Biofuels Obligation Scheme places an obligation on suppliers of mineral oil to ensure that 8.695% (by volume) of the **gas/diesel oil** they place on the market in Ireland is produced from renewable sources, e.g. **bioethanol** and **biodiesel**. The obligation was increased from the 1st January, 2017, from the previous level of 6.383%.
- Despite the Biofuels Obligation Scheme, **bioethanol** consumption decreased in 2017 because there was a reduction in overall motor gasoline use and of fuel tourism.
- Increases in **biodiesel** consumption in 2017 are related to the Biofuels Obligation Scheme and to increases in road freight, which is heavily dependent on **diesel oil**.
- The consumption of pure **biodiesel** in the industry sector and in road transport refers to one site, which is no longer in operation since 2014.

### Electricity and heat

#### Supply

- In the 2019 edition, revisions were made by the Irish administration for the indigenous production of **solar thermal** for the years 2011 – 2016.
- Electricity production from **wind** begins in 1992 and from **biogases** in 1996.

#### Transformation

- In 2017, a new **municipal waste**-fired main activity producer electricity plant (Dublin waste-to-energy) began operations.
- In the 2016 edition, revisions were introduced in the **electricity** generation by fuel from 2010 due to improved data available from the transmission system operator.
- In 2015, a new combined cycle gas turbine plant began commercial operations at Great Island

power station, replacing the existing heavy fuel oil power plant.

- In 2012, a new **municipal waste**-fired main activity producer electricity plant (Meath waste-to-energy) began operations.
- In 2011, very little electricity was produced from **pumped hydro** following Turlough Hill, Ireland's pumped storage station, being taken offline in late 2010 up until February 2012. The 2011 values appear as zero due to rounding.
- From 1984 to 1989, inputs of **hard coal** in auto-producer CHP plants have been estimated by the Secretariat.

### Consumption

- In 2004, the increase of **electricity** consumption is due to the new light rail transit system in Dublin.
- The decrease of **electricity** consumption in the iron and steel industry from 2001 onwards is due to Ireland's main steel plant ceasing production.
- Prior to 1990, **electricity** consumption in agriculture is included with residential.
- **Electricity** consumption in the iron and steel industry includes consumption in the non-ferrous metals industry prior to 1990.
- Data for direct use of **geothermal heat** and **solar thermal heat** are available from 1989 and 1990, respectively.

## Israel

### Source

Israel Central Bureau of Statistics, Jerusalem.

### General notes

- Data are available starting in 1971.
- The statistical data for Israel are supplied by and under the responsibility of the relevant Israeli administration. The use of such data by the OECD and/or the IEA is without prejudice to the status of the Golan Heights, East Jerusalem and Israeli settlements in the West Bank under the terms of international law.
- Due to the unavailability of data for certain fuels, IEA estimations are also present in Israel data. In particular this is valid for oil data in 2014 and 2015, **natural gas** data from 2012 onwards, **renewables and waste** data in 2013.

## Coal

### Supply

- Due to confidentiality constraints, imports of **other bituminous coal** have been estimated by the IEA Secretariat for 2017.

## Oil

### General notes

- Supply data for 2013 to 2017 has been provided by the Israel Central Bureau of Statistics. Demand data for 2013 to 2017 was revised estimated based on Israel's national energy balance and the partial data made available by the Israel Central Bureau of Statistics. As a result, breaks in time series may appear between 2012 and 2013. Israel's national energy balance aggregates bitumen, petroleum coke and other oil products.
- The split of these products was estimated by the IEA secretariat for all flows. The split of refinery output between jet kerosene and other kerosene was also estimated by the IEA Secretariat, as was the sectoral breakdown of consumption of liquefied petroleum gases.
- Supply and consumption of kerosene type jet fuel for 2011 and 2012 have been estimated by the IEA Secretariat.
- From 2007 to 2009, oil data are estimated by the IEA Secretariat based on information from the Ministry of National Infrastructures.

### Supply

- Quantities of other hydrocarbons represent natural gas used in refineries.
- From 2010 onwards, white spirit is included in other products.

### Transformation

- In 2017 Bazan refinery underwent maintenance to upgrade its continuous catalytic reformer, isomerization units and the naphtha catalytic hydrotreating unit.

### Consumption

- From 2013, consumption data are based on a new and detailed classification system and on estimations made by the Israeli administration.

## Natural gas

### General notes

- From 2012, all natural gas data, except inputs to electricity production, have been estimated by the IEA Secretariat.
- For the 2018 edition, gas data have been revised back to 2013 based on a publication by the Israeli Natural Gas Authority. As a result, breaks in time series appear between 2012 and 2013. More specifically, this revision impacted *oil refineries*, the *industry sector* and *other sectors*. Finally, all *industry* is categorised as *non-specified industry* and all *other sectors* as *non-specified other*, because no disaggregation is available.
- The 2019 edition includes 2017 data and revisions in consumption for 2016 based on the Energy Balances published by the Israeli Central Bureau of Statistics (CBS).

### Supply

- Imports of **natural gas** began in 2008.

### Transformation

- In the 2017 edition, the Israeli administration revised *transformation sector* data back to 2013, introducing breaks in the series between 2012 and 2013.
- In the 2019 edition, the *not elsewhere specified (transformation)* since 2013 refers to quantities of **natural gas** used for the generation of hydrogen, which is subsequently used for hydrodesulphurization in oil refineries. In the previous editions, these figures were reported as energy consumption of gas in *oil refineries*.
- In the 2019 edition the 2016 and 2017 data for inputs to electricity production were estimated by the IEA Secretariat.

## Biofuels and waste

### General notes

- Data on imports and consumption of **charcoal** are estimated since 1992 using data from the Forestry Production and Trade database from the Food and Agriculture Organization of the United Nations.

## Electricity and heat

### Supply

- Electricity production from **wind** begins in 2001.

- Autoproducer electricity generation from chemical heat (production of sulfuric acid) occurs, but is not reported separately or included elsewhere in national totals, with the exception of 2017.

### Transformation

- For 2017 data, due to confidentiality reasons, electricity production reported under auto producer **wind** includes generation from main activity **wind**, total **hydro**, and autoproducer **biogases**. Similarly, for 2016 data, reported auto producer solar PV generation includes total generation from **hydro** and **wind**.
- For 2013 and 2014, **other oil products** inputs to autoproducer electricity plants were estimated by the IEA Secretariat.

### Consumption

- Since the 2017 edition, **solar thermal** production and direct consumption were revised, and are now estimated by the IEA Secretariat from 2012 onwards, using data published in the IEA-Solar Heating and Cooling Programme Annual Report. These estimations may create breaks in time series between 2011 and 2012.
- For 2013 onwards, for reasons of confidentiality, electricity consumption in *non-ferrous metals* is included under *mining and quarrying*, and consumption in *chemical (including petrochemical)* and *construction* is included under *not elsewhere specified (industry)*.
- For 2013, and 2015 onwards, the split of **electricity** consumption in industry has been estimated by the IEA Secretariat. In addition, electricity consumption in agriculture/forestry for 2015 onwards has also been estimated by the IEA Secretariat.
- **Electricity** own use, as well as transmission and distribution losses were estimated by the IEA Secretariat from 2010 to 2012.

## Italy

### Sources

Ministry of Economic Development, Rome.

Terna, Rome.

## General note

- A change in methodology lead to breaks in time series for industry and transformation between 2003 and 2004.

## Coal

### General notes

- The increase in production of **coke oven gas** in 2012 was the consequence of improvements in scope of reporting. As such, coke oven gas data in prior years should be viewed as under-representing production and consumption, and coke oven efficiencies will likewise appear lower than actual.
- Due to a change in the survey system, breaks in time series may occur between 1997 and 1998 for final consumption.
- From 1986 onwards, figures from **lignite** are given using the same methodology as in the *Bilancio Energetico Nazionale*.

### Supply

- In the 2018 edition, production of **coke oven coke, coke oven gas, coal tar and other recovered gases** was revised back to 2014 due to new available information. The revisions increased efficiencies of coke ovens and blast furnaces and led to breaks between 2013 and 2014.
- **Other bituminous coal** production ceased in 2016 due to the closure of the one coal mine in 2015.

### Transformation

- Breaks in the time series between 2014 and 2015 for **coke oven gas, blast furnace gas and other recovered gases** are due to a reclassification of main activity producers and autoproducers.
- Prior to 2009, sub-bituminous coal used in main activity electricity plants was included with other bituminous coal consumption.
- For data since 2001, calorific values for imports of **other bituminous coal** and **sub-bituminous coal** are derived from inputs to main activity electricity generation.

### Consumption

- In 1991, all industrial activities were reclassified on the basis of ISTAT/NACE 91. This has implied some transfers of activities which may result in some anomalies between 1991 and earlier years.

## Oil

### General notes

- For **crude oil**, statistical difference may arise as trade corresponding to stock held for Austria and Germany in the Port of Trieste are not included.
- Inputs to electricity and heat generation have been estimated by the IEA Secretariat for the years 1984 to 1997 based on submissions of the Electricity and heat Questionnaire. All other data for the years 1992 to 1997 and the detailed consumption breakdown for other years have been estimated by the IEA Secretariat based on *Bilancio Energetico Nazionale*.

### Supply

- In 2016 and 2017, the closure of the Val d'Agri oil centre lasting several months led to a decrease in production of **crude oil**.
- From 2009 onwards, transfers of **lubricants** could not be disaggregated from refinery output data.
- From 2004 onwards, increased production of **non-specified oil** products is due to methodological changes.
- A new survey to determine the split between international marine bunkers and domestic navigation caused a break in time series for **gas/diesel oil** in 1999 and **fuel oil** in 1996.

### Consumption

- For **gas/diesel oil**, non-specified use is included in commercial/public services.
- Between 1998 and 1999, due to new surveys, breaks appear in the consumption time series.

## Natural gas

### Transformation

- Prior to 2008, inputs of **natural gas** to all heat production in *industry* were reported in final consumption.
- Between 2003 and 2004 there are breaks in time series in *industry* and *transformation* due to a new data reporting methodology
- From 2000 to 2002, for confidentiality reasons, autoproducers are included in main activity producer plants.
- In 1996 the production of **gas works gas** from **natural gas** in *gas works (transformation)* ceased.

### Consumption

- Since 2007, a more detailed breakdown of consumption for *energy industry own use* is available.

### Biofuels and waste

#### Supply

- **Biogasoline** includes **bio-ETBE**.
- From 2014, a distinction between trade and production became available for **other liquid biofuels**.

#### Transformation

- 2017 is the first year that **biogas** is blended with natural gas.
- In 2008, data for **biofuels and waste** were reclassified, which results in several breaks in the time series for transformation.

#### Consumption

- The final consumption of **biogas** has been constant from 2013 to 2015, as these figures are the result of a survey which is not carried out annually. Figures are expected to be revised after the next survey.
- In the 2016 edition, the methodology used to calculate **solid biofuels** consumption in the residential sector for 2002 to 2014 was updated and this created a break in time series between 2001 and 2002. This also affects the indigenous production of **solid biofuels**. The revisions were limited backwards to 2002 because of reliability issues.

### Electricity and heat

#### Supply

- For 2017, more information became available on **fossil fuel** use in heat plants allowing additional inputs to be reported for this category. This causes breaks in time series between 2016 and 2017.
- The production of electricity reported in the category *other fuel sources* refers to electricity produced from turbines which are located at pressure drops in fluid transport.
- The methodology of data collection for **photovoltaic** electricity production changed in 2009 and the distinction between main activity and auto-producer plants could not be determined, causing a break in the time series.

- **Electricity** trade with Malta commenced in 2015, following the opening of the Malta-Sicily interconnector submarine power cable in the same year.

#### Transformation

- Prior to 2000, **electricity used for pumped storage (mixed plants)** is included under *used for pumped storage (pure hydro pumping plants)*.
- In 2016, the decline in auto-producer **electricity** generation and sold **heat** production by oil refineries is partly due to the activities of these units being split off and reclassified as main activity enterprises.
- The methodology of data collection for the **geothermal** sector changed in 2010, causing a break in time series between 2009 and 2010.
- Prior to 2009, **sub-bituminous** coal used in main activity electricity plants was included under other bituminous coal.
- With the introduction of a new survey in 2008, amounts of **naphtha** and **other kerosene** that were previously included in *other oil products* have been reported separately in auto-producer CHP plants.
- Prior to 2004, **electricity** production from **orimulsion** is confidential and is included with **fuel oil**.
- **Heat** production is reported starting in 2004 and includes self-generation in industry.
- From 2000 onwards, the Italian administration defines **electricity** and **heat** production from auto-producers as generation from producers that consume more than 70% of their own electricity production. However, for the 2000 to 2002 period, all electricity production from auto-producers is reported with main activity producers.
- The breakdown of **renewables** and **waste** inputs into electricity, heat and CHP plants is available from 1989 only. Prior to that year, the total of the different fuels involved is reported as non-specified renewables.
- Prior to 1984, net electricity production by auto-producers includes production from combustible fuel sources only.

#### Consumption

- *Non specified energy industry own use* includes **electricity** consumption for blast furnaces. From 2000, it also includes consumption for the distribution of gas and prior to 1989 consumption for uranium extraction.

- The breakdown of **heat** consumption by sector is estimated by the Italian administration.
- Revisions of the final consumption of **heat** by the Italian administration led to breaks between 2010 and 2011.
- From 1981, consumption of **electricity** in transport includes electricity used for pumping in oil pipelines.

## Japan

### Source

The Institute of Energy Economics Japan, Tokyo.

### General notes

- In the 2019 edition, data for Japan were revised back to 1990 based on new methodology. Additional details are given under each fuel.
- From 1990, data are reported on a fiscal year basis (e.g. April 2015 to March 2016 for 2015).
- Consumption data for commercial/public services may include consumption in small and medium-sized industries. The Japanese administration expects that this shortcoming will be corrected in the near future.

### Coal

#### General notes

- **Other bituminous coal** includes sub-bituminous coal.
- The net calorific values for **coal** and **coal products** have been recalculated by the IEA Secretariat based upon gross values submitted by Japan.
- In the 2019 edition, imports of **other bituminous coal** and **coking coal** –by partner country - have been estimated by the IEA Secretariat for data from 1990 to 2017, based on customs data and total imports by coal type.
- **Hard coal** data prior to 1978 may include sub-bituminous coal.

#### Supply

- Statistical differences for **hard coal** include stock changes since 2001. Large positive differences for several years since 2004 are partly due to stock build by final consumers.

### Transformation

- The inputs of **coke oven coke** to blast furnaces as well as the final consumption of **coke oven coke** in the iron and steel industry have been estimated by the IEA Secretariat since 1990.
- From 1998, inputs of **coke oven gas**, **blast furnace gas** and **other recovered gases** into auto-producer electricity plants include the amount used to produce electricity with TRT technology (Top pressure Recovery Turbines) which was previously included in industry.
- Inputs of manufactured gases (**coke oven gas**, **blast furnace gas** and **other recovered gases**) to main activity electricity and heat plants are calculated based on outputs and using efficiencies of main activity producers from other fuels. For autoproducers, the specific inputs are known, however the specific electricity production by each gas is estimated based on a pro-rata of the total electricity generation from all gas types.
- Coal injected in blast furnaces (PCI) is classified as **coking coal** in order to be consistent with Japanese trade statistics.
- In 2016 the liberation of the power market resulted in electricity autoproducers becoming main activity producers.

### Consumption

- In the 2019 edition coal tar consumption in the Chemical and Petrochemical Industry was estimated by the IEA since 1990.

### Oil

#### General notes

- In the 2019 edition, data for Japan were revised back to 1990 by the Japanese administration based on new methodology for the Energy Balance Table.
- In the 2016 edition, the Japanese administration revised several NCVs of both primary and secondary **oil products** back to 1990. The Japanese administration reviews calorific values every five years, with the other most recent revisions occurring in 2005 and in 2013.

#### Supply

- The high statistical difference for **crude oil** in 2013 and 2014 is explained by large amount of

stocks held on board incoming vessels in port or at mooring in March 2014 (end of Japan's 2013 financial year). These amounts are included in the stock change but not in the imports in 2013 annual data.

- Orimulsion was imported for electricity generation between 1991 and 2006.

### Transformation

- Other hydrocarbons in *non-specified transformation* represents orimulsion burnt for power generation. Historical revisions are pending.
- In 2016 the liberalisation of the power market resulted in electricity autoproducers becoming main activity producers.

### Consumption

- Road consumption, is based on the "Automobile fuel consumption survey" from the Ministry of Land, Infrastructure, Transport and Tourism (MLIT).
- **Lubricants** consumption is estimated by the Japanese administration since 2000.

## Natural gas

### General notes

- The 2019 edition contains major revisions to time series which go back to 1990. These reflect the revisions in the Energy Balance Table from the Ministry of Economy, Trade and Industry, which is the data source.
- Since 1990 most of the **gas works gas** production and consumption has been included with **natural gas**.

### Supply

- In the 2019 edition, *indigenous production, receipts from other sources*, import data, *stock changes* and stock levels were revised back to 1990.

### Transformation

- In the 2019 edition, *main activity* and *autoproducer electricity* plants were revised back to 1990. Similarly, flows of the *energy sector* were revised back up to 1990.

### Consumption

- In the 2019 edition, own consumption in *electricity, CHP and heat* plants was subject to a major revision since 1990.
- In the 2019 edition, all the *transport sector, industry sector* and *other sectors* flows were revised back to 1990.

## Biofuels and waste

### General notes

- In the 2019 edition, data for Japan were revised back to 1990 based on new methodology.
- There was a large revision in **municipal waste** data in the 2016 edition of this publication. This revision has removed data for **municipal waste** for the entire time series up to 2010.
- For **municipal waste** data, the breakdown between renewable and non-renewable **municipal waste** is estimated by the IEA Secretariat, assuming a 50% split in transformation and supply.

### Transformation

- Input data of **solid biofuels** to charcoal production are estimated by the IEA Secretariat assuming an efficiency of 40%.
- The **industrial waste** consumption in the *non-specified transformation* sector surged in 2013, because of the increase in use of waste plastics for coke production.

## Electricity and heat

### Supply

- In the 2019 edition, **electricity** data were revised back to 1990 to include additional autoproducer production previously excluded.
- Due to the liberalisation of the **electricity** market in April 2016 some generation previously reported under autoproducer plants is reported as main activity producer from 2016 onwards. As a result, breaks in series occur between 2015 and 2016. In particular, for **solar PV** and **wind**.
- In the 2019 edition, the methodology used to estimate **heat** production from other sources was revised.
- Generation of electricity and heat from combustible fuels is calculated by removing electricity and heat generation from other sources,

such as wind, solar and nuclear, making it a residual item. Splits between combustible fuel types and consumption flows are also calculated.

- Due to the events related to the March 2011 tsunami, the Japanese administration decided to scale back the level of their **nuclear** programme. As a consequence, there was no nuclear electricity generation in 2014. The nuclear electricity generation started again at a greatly reduced scale in 2015, while a significant increase was observed in 2017, with generation resuming at four facilities (Takahama 3 and 4, Ooi 3, and Genkai 3).
- Other sources electricity represents electricity generated with purchased steam. Other sources heat represents heat derived from waste heat.
- Net and Gross electricity generation from autoproducers equal, as no information is collected concerning autoproducer own use.
- Total **heat** output from heat plants is available, but the breakdown by fuel is not. From 1990 onwards, where possible, heat outputs have been allocated on the basis of the share of inputs. However, due to data issues, such as the lack of disaggregated data on inputs and outputs to heat pumps, this methodology can lead to implausible efficiencies. For this reason, from 2010 onwards, the efficiencies of heat output from **natural gas**, **fuel oil**, and **other kerosene**-fired main activity heat plants, and electric boilers have been capped at 100%, and the excess output allocated to statistical differences.
- The Japanese administration estimate the electricity input of electric boilers based on 100% efficiency.
- Autoproducer **solar photovoltaic** capacity is derived from data from the Japanese administration as well as the IEA Photovoltaic Power Systems Programme (IEA-PVPS) report, "Trends in Photovoltaic Applications" published in 2017.
- Data on electricity production from **wind** began in 1992.
- Heat produced for sale in main activity producer heat plants from **waste heat** and from **electric boilers** is available from 1977 and 1983, respectively.

### Transformation

- Data on **heat** produced for sale by autoproducer heat plants are not available.
- Fuels used and corresponding electricity and heat produced in CHP plants are not included in the CHP data time series, but instead are reported as

separate **electricity** or **heat** components, leading to some plant efficiency figures not to be accurately calculated.

- Inputs of **biofuels and waste** for electricity production and related outputs are available from 1982.
- Net electricity production by autoproducers prior to 1982 includes production from **combustible fuel** sources only.
- Between 1972 and 1976, the use of **combustible fuels** in main activity producer heat plants is included in non-specified.

### Consumption

- Consumption of **electricity** in *non-specified industry* includes wood and wood products and construction prior to 1982.

## Korea

### Sources

Korea Energy Economics Institute, Ulsan.

Korea National Oil Corporation, Ulsan.

### General notes

- Data are available starting in 1971.
- Data for 2002 onwards have been reported on a different basis, causing breaks in time series between 2001 and 2002, especially for inputs and outputs to electricity generation and consumption in the iron and steel industry. The Korean administration is planning to revise the historical time series as time and resources allow.

### Coal

#### General notes

- Data for **coal** and **coal products** from 1971 to 2001 are based on information provided by the Korean administration, as well as information from the *Yearbook of Energy Statistics 2002*, the *Yearbook of Coal Statistics 2001* (both from the Ministry of Commerce, Industry and Energy), and *Statistics of Electric Power in Korea 2001* (from the Korea Electric Power Corporation). During this period, import data by coal type were estimated by the IEA Secretariat, based on statistics of the exporting countries.

- **Hard coal** data prior to 1978 may include **sub-bituminous coal**.

### *Transformation*

- Statistical differences for **manufactured gases** for 2012 are partly the result of classification issues. The Korean administration is working to improve reporting of coal-derived gases production and consumption.

### *Consumption*

- Data on **blast furnace gas** used for energy purposes in blast furnaces prior to 2007 are reported in the iron and steel industry.
- Consumption of imported **coke oven coke** starting in 2002 is reported under *non-specified industry*.
- Consumption of **manufactured gases** in the iron and steel industry starting in 2002 includes the consumption in blast furnaces, oxygen steel furnaces and other iron and steel processing plants.

## Oil

### *Supply*

- The production of heavy distillates has been declining due to the expansion of heavy oil upgrading facilities.
- In 2017, due to constraints to imports of condensate, Korean refineries used naphtha into the refinery process.
- The Korean refinery balance shows increasing refinery losses, the problem is under investigation by the Korean administration and is likely related to the density used to convert refinery inputs from volumetric to mass units.
- From 1997, stock levels include vessel stocks.

### *Transformation*

- Inputs of **fuel oil** to autoproducer electricity and autoproducer CHP are included with final consumption.

### *Consumption*

- From 1990 to 1995, **kerosene type jet fuel** split between international civil aviation and domestic air transport has been estimated.

## Natural gas

### *Supply*

- Korea reports production of **natural gas** since 2005. The production is decreasing and the reservoir is expected to be depleted by the end of 2018.
- The *receipts from other sources* from 2006 to 2012 represent the amount of **LPG** that are either blended with **natural gas** or are directly used in city gas distribution networks.

### *Consumption*

- Energy industry own use in liquefaction plants includes losses and measuring errors.
- Prior to 2007, consumption of **natural gas** in *machinery* was included with *transport equipment*.
- From 1987 to 1991, the breakdown of final consumption has been estimated by the IEA Secretariat, as well as the *residential* subsector for 1992.

## Biofuels and waste

### *General notes*

- Due to the change of reporting methodology, breaks in time series may occur between 2013-2014 and 2014-2015.
- Heat data are available starting in 1993.

### *Transformation*

- Inputs to *autoproducer* heat plants have been estimated by the IEA Secretariat because of efficiency issues for municipal waste prior to 2011 and in 2012 and for biogas in 2008, 2011 and 2012.
- New plants were included in the Korean survey creating breaks in time series in 2011.
- In 2007, some main activity heat plants and autoproducers in the commercial/public services sector were reclassified as main activity CHP plants, resulting in a break in the time series between 2006 and 2007 for **biogases**.

## Electricity and heat

### *General notes*

- Electricity statistics from 1971 to 1993 have been estimated by the IEA Secretariat based on the Korean National Statistics. Data from 1994 have been submitted by the Korean administration. This

leads to breaks in time series between 1993 and 1994.

### Supply

- The own use of **heat** in heat plants is very irregular due to a lack of data.
- Electricity generation reported under *other sources* is from fuel cells.
- Production of **tidal** electricity began in 2013.
- Data for **heat from chemical processes** that is sold is available from 2008.
- Data for electricity production using **heat from chemical processes** in copper and zinc plants are available from 2005. The corresponding heat inputs were estimated until 2013 data. In 2014, the company concerned switched to diesel oil for electricity generation.

### Transformation

- For 2017, the decrease in electricity production from **residual fuel oil** is due to the closure of two main activity producer plants.
- Some data discrepancies currently exist for **residual fuel oil**, between the oil databases and the electricity and heat databases. The Korean administration envisages remedying this situation in a coming cycle.
- Prior to 2009, autoproducer **heat** production includes amounts of unsold heat.
- Data for electricity and heat production by autoproducers using **natural gas** and **liquid fuels** are available from 2000.
- In 2000, the Korean administration started to report **heat** statistics for some heat plants which were not reported before.
- Between 1993 and 1999, the breakdown of **heat** output by type of fuel was estimated by the IEA Secretariat.
- Before 1994, **electricity** production from main activity producer CHP plants is included with main activity producer electricity-only plants.

### Consumption

- Data for direct use of **geothermal heat** are available from 2002. **Geothermal** direct use data are overstated as it refers to heat production by geothermal heat pumps, which include inputs of electricity and/or gas in the transformation process.
- **Heat** consumption by subsector was reclassified in 2010 due to new information available on heat sales from autoproducers to end-users by sector.

- Prior to 2008, sales of **electricity** by Korea's main electricity distributor, KEPCO, to the non-ferrous metals sector are included in iron and steel consumption.
- Data on production and consumption of **electricity** and **heat** in oil refineries and LNG liquefaction/regasification plants are included in the industry sector. From 2007, oil refinery **electricity** and **heat** production and consumption started to be reported under the correct energy sector.
- Data for **heat** consumption by sector are available from 2000.
- Data for **electricity** consumption in the transport equipment sector are included in machinery from 1994 to 1999.

## Latvia

### Source

Central Statistical Bureau, Riga.

### General notes

- Data for Latvia are available starting in 1990. Prior to that, they are included in Former Soviet Union in the publication *World Energy Statistics*.
- Breaks in the time series appear for inputs to and outputs from electricity generation between 2016 and 2017 due to a change in methodology. This is most notable for main activity producer CHP and Heat plants. Data for 2017 onwards are reported on a unit basis, whereas data for previous years are reported on a plant basis.

### Coal

#### Supply

- The increase of distribution losses for **peat** in 2003 is due to a fire in one of the warehouses.

#### Consumption

- The drop in the iron and steel industry in 2014 is due to the bankruptcy of the major company in the market.

### Oil

#### Supply

- **Other hydrocarbons** data represent shale oil.

## Natural gas

### Consumption

- The consumption in the *iron and steel industry* decreased in 2014 due to the bankruptcy of the major company in the market.

### Transformation

- In 2017 there was a steep decrease/break reported in *main activity producer CHP* consumption and a respective increase/break in *main activity producer heat* consumption due to the classification of **natural gas** inputs according to the individual units of the plants instead of the plants as a whole that was previously used.

## Biofuels and waste

### Supply

- In 2017, a **biodiesel** producer exported amounts produced in 2017 and also some amounts from stocks.

### Transformation

- Due to a reclassification in 2004, there was break in time series of electricity production from auto-producer electricity plant fuelled by biogas between 2003 and 2004.

### Consumption

- The increase in supply for **solid biofuels** from 2016 to 2017 is due to increased usage in the industry sector.
- From 2014, **biodiesel** consumption has been decreasing due to policies which support the sale of arctic diesel fuel without renewable additives.

## Electricity and heat

### Supply

- For 2017, higher rainfall resulted in a significant increase in electricity output from **hydro** and a decrease in output from **combustible fuels**.
- **Heat** production from *other sources* represents waste heat recovered from industry, and heat produced by condensing economisers.

### Transformation

- From 2012 onwards, the increase in electricity production from **solid biofuels** is due to the de-

ployment of six new main activity producer CHP plants running on wood chips.

### Consumption

- For 2012, the increase in electricity consumption in the iron and steel sector is due to switching from open earth furnace to electricity furnace of a factory.

## Lithuania

### Source

Statistics Lithuania, Vilnius.

### General notes

- Data for Lithuania are available starting in 1990. Prior to that, they are included in Former Soviet Union in the publication *World Energy Statistics*.

## Natural gas

### Supply

- The export quantities since 2014 represent imported LNG which is regasified and subsequently exported to other countries.

### Transformation

- *Not elsewhere specified (transformation)* data represent **natural gas** used for methanol manufacture, which is used as input in oil refineries.

### Consumption

- There is a break between 2010 and 2011 in the *not elsewhere specified (energy)* timeseries due to **natural gas** being consumed for heat that was used to destroy radioactive waste after the decommissioning of the only Lithuanian nuclear plant at the end of 2009.

## Biofuels and waste

### Supply

- The production of **charcoal** has been over-estimated prior to 2017 due to the fact that it was not possible to report data less than 1 kt.
- Starting from 2016, some **industrial waste (renewable)** was collected via sorting. These wastes consist of non-recyclable paper, textiles and wood

wastes and their production is included in **solid biofuels**.

### Transformation

- The *Fortum Klaipėda* CHP plant produces electricity and heat from **industrial waste (non-renewable)**, **municipal waste** and **solid biofuels** since the end of 2013. Since its inception, structural optimisation has been sought. Additionally, before 2016, calorific values of the fuels were calculated by taking samples of fuels and after this period, calculations were made from steam. For these reasons, there are fluctuations in fuel inputs, energy production and fuel ratios between **industrial waste (non-renewable)**, **municipal waste** and **solid biofuels** since 2013.
- In 2013, an incinerator combusting **industrial waste (non-renewable)** and **municipal waste** began operations.

## Electricity and heat

### Transformation

- In 2009, the Ignalina **nuclear** power plant, the only nuclear plant in Lithuania, closed down.

## Luxembourg

### Source

STATEC, Institut national de la statistique et des études économiques du Grand-Duché du Luxembourg, Luxembourg.

## Coal

### General notes

- For the 2011 edition, the Luxembourgian administration revised the time series from 2000 for most **coal** and coal products. Time series for **BKB** consumption were revised from 1990.
- Prior to 1978, some **sub-bituminous coal** may be included in **hard coal**.
- Steel production from blast furnaces ceased at the end of 1997.

## Oil

### Consumption

- In the late 1970s, the reduction in consumption of **fuel oil** in the iron and steel industry was due to substitution by coal.

## Natural gas

### General notes

- In 1982 there is a break in the time series in transformation and industry due to a change in methodology.

### Transformation

- In the 2017 edition a *main activity producer CHP* plant was reclassified as one *main activity electricity producer* plant and one *main activity producer heat* plant. Data were revised back to 2014.
- Since 2002, the increase in the transformation sector is due to a new 350-MW combined cycle power plant.
- The last *main activity producer electricity* gas-consuming plant closed in 2016.

### Consumption

- In 2015, Luxembourg integrated supplementary data from ETS companies and industrial consumption was revised back to the year 2000.
- The breakdown of total final consumption for the latest year is preliminary and will be finalised in the next edition of the book.
- Since 2012, the methodology to determine final consumption was changed in order to integrate basic data from National Accounts.
- Since 2000, a more detailed breakdown of final consumption data is available due to a change in methodology.
- Since 2000, consumption in the *non-ferrous metals* sub-sector is included in iron and steel for reasons of confidentiality.
- Since 2000 consumption in *not elsewhere specified (Industry)* includes activity of companies reclassified to preserve the confidentiality.
- Prior to 2000, *residential* consumption includes consumption in *commercial/public services* and *agriculture/forestry*.

## Biofuels and waste

### General notes

- The Luxembourgian administration started including trade figure of wood chips in trade figure of **solid biofuels** from 2015 data. This creates breaks in time series between 2014 and 2015.
- Data on **solid biofuels** are available from 1992.

### Transformation

- In 2011, the blending of **biogases** with **natural gas** started.

## Electricity and heat

### General notes

- Data for **solar thermal** are available starting in 2001 and for **solar PV** starting in 2000.
- A revision in the classification of power plants by type and the production and consumption data for both **electricity** and **heat** back to 2000 causes breaks in the time series.

### Supply

- Most of the **hydro** production shown for Luxembourg is from the Vianden pumped storage plant and is exported directly to Germany.
- Starting in 2005, data for **electricity** transmission and distribution losses were obtained from the network operator. Prior to that, they were estimated by the Luxembourgian administration.
- In the 2017 edition, following plant reclassification, **heat** production by main activity plants were revised from 2011 onwards.

### Transformation

- A **natural gas**-fired, main activity electricity plant (TGV Twinerg) closed in 2016.
- The production of electricity from **solid biofuels** from 2013 corresponds to the opening of a new plant burning wood wastes.
- Data on electricity production from biogases are available from 1998 and heat production from 2010.
- In 2002, the increase in electricity production is due to a new **natural gas** combined cycle power plant.
- At the end of 1997, the iron and steel industry stopped production of **electricity**.

- Electricity data for **natural gas** autoproducer CHP plants are available starting in 1995, and for main activity CHP plants starting in 1996.
- Prior to 1990, **net electricity** production by autoproducers includes production from combustible fuel sources only.

### Consumption

- **Heat** consumption in industry is estimated based on National Accounts. When not available, heat consumption figures for the most recent year reported are estimated based on data for the preceding year.
- In 2015, the observed declines in the **heat** used in the textiles and leather sector and the chemical and petrochemical sector lead to the closure of two industrial main CHP plants. The heating needs of these sectors were met through direct purchase of natural gas, due in part to attractive pricing during this period.
- In 2015, following the procurement of new information, data for **heat** distribution losses and **heat** consumption in industry and energy sectors were revised from 2000 onwards.
- A change in the data source caused some breaks in the industry **electricity** consumption time series between 2010 and 2011.
- The breakdown of **electricity** consumption in industry is not available from 1990 to 1999.

## Mexico

### Source

Secretaría de Energía, Mexico City.

### General notes

- Data are available starting in 1971.
- The Mexican administration submitted data directly by questionnaire for the first time with 1992 data. As a result, some breaks in time series may occur between 1991 and 1992. For prior years, data are partly estimated based on the publication *Balance Nacional - Energía*.
- In the 2016 edition, the Mexican administration completed a major work on revisions of the time series back to 1990. More revisions to historical data are pending.

## Coal

### General notes

- The Mexican administration is currently undertaking major work on revisions of the time series back to 1990. For several products, revisions back to 2003 were provided in the 2016 edition. Further revisions to historical data are pending.
- The time series for **blast furnace gas** and inputs of **coke oven coke** to blast furnaces start in 1991.
- **Hard coal** data prior to 1978 may include **sub-bituminous coal**.

### Consumption

- Use of pulverised coal injection in blast furnaces occurs in Mexico, but is not currently reported.
- Oxygen steel furnace gas production and production of other **other recovered gases** occur as by-products of heavy industry, but are not reported.

### IEA estimations

- Imports by country of origin for other **bituminous coal** and **coking coal** for 2016 have been estimated by the IEA Secretariat, based on partner data.
- For **coking coal**, amounts reported for consumption in main activity electricity generation and associated imports for the years 2003 to 2016 have been reallocated to **other bituminous coal** by the IEA Secretariat.
- **Blast furnace gas** production and consumption have been estimated by the IEA for 1990 to 2017 based on inputs of **coke oven coke** to blast furnaces.
- **Coke oven coke** production was estimated by the IEA for some years between 1999 and 2012 based off historical and commodities data, as were inputs of **coking coal** to coke ovens between 1990 and 2012.
- The methodology currently used by Mexico to estimate production of **coal tar** and **coke oven gas** for recent years uses **coke oven coke** production as a guide. This was extended to the time series from 1990 to 2001, and to the years where **coke oven coke** production was estimated by the IEA.

## Oil

### General notes

- In the 2016 edition, major revisions were carried by the Ministry of Energy on the time series back to 1990 based on updated information available from PEMEX, the Mexican Institute of Petroleum and the Federal Electricity Commission (CFE). Revisions include notably crude production, refinery output, gas separation plant production, autoproducer generation and road consumption.
- New data reported as **additives** from 1990 correspond to methyl tertiary butyl ether.
- From 1993, data for production *from other sources (natural gas)* of **other hydrocarbons** correspond to hydrogen used at the Minatitlan refinery, also represented as the output of *non-specified transformation* in the balances format.
- The split between domestic and international aviation consumption of **kerosene-type jet fuel** is not available. By default, all **kerosene-type jet fuel** consumption is reported under international aviation.

### Supply

- Refinery intake of **crude oil** was estimated by the IEA Secretariat for the years 2016 and 2017 based on growth rates from SENER and PEMEX published data.
- In 2017, production of **crude oil** and **NGL** was impacted by heavy maintenance at the Ku-Maloob-Zaap field and decline at the Cantarell field in the Gulf Mexico which was affected by several force majeure events.
- For 2017 import data of **LPG**, **naphtha**, **road diesel** and **fuel oil**, the received data was supplemented with estimates by the IEA Secretariat based on published data from SENER.
- 2017 imports of **petroleum coke** were estimated by the IEA Secretariat based on information from the U.S. Energy Information Agency.
- From 2016 onwards trade information is based on daily customs data now available to the Ministry of Energy. Historical revisions are pending.
- The large refinery losses from 2005 onwards are the result of the downward revisions to refinery output of **gas/diesel oil** carried out in 2017.
- **NGL** production reported in the IEA publications may be different from what is reported in the Mexican energy publications as the IEA includes

in its oil data liquids produced in conjunction with natural gas.

- In the 2016 edition, main revisions were carried to **NGL, LPG, naphtha, ethane** supply. New data became available on input of NGL to refineries prior to 2011. Data on ethane production from gas separation plants (positive transfers from NGL) was revised upwards for 1990 to 1998. LPG gas separation plant production was revised down. Naphtha refinery output was revised upwards from 1990.

### *Transformation*

- For several months in 2017, the Salina Cruz refinery was under extensive maintenance following operational problems and structural damage as a result of the September 2017 earthquake.
- The Madero refinery closed for maintenance in August 2017 and remained close through the start of 2018.
- 2017 refinery gross output of **gas/diesel oil, bitumen, lubricants and paraffin waxes** was estimated by the IEA Secretariat based on SENER and PEMEX published data.
- In the 2016 edition, data for crude oil refinery input and refinery output of **gas/diesel, naphtha, refinery gas, bitumen, paraffin wax and other products** were revised back to 1990 (see general notes).
- Data for **fuel oil** and **gas/diesel** inputs to auto-producer CHP generation are available from 1999.
- In 2003, a new facility was added to a refinery to produce **petroleum coke**.

### *Consumption*

- 2017 consumption of **naphtha** for feedstock purposes in the chemical and petrochemical sector was estimated by the IEA Secretariat based on ethylene production figures.
- Consumption of **motor gasoline** and **road diesel** was impacted by changes to fuel subsidies introduced on January 1, 2017.
- Consumption of **lubricants** and **bitumen** for 2017 was estimated by the IEA Secretariat based on sales data from SENER.
- In the 2016 edition, **naphtha** non-energy use consumption in the chemical/industry was revised significantly revised down from 1990 to 2008 based on PEMEX information.

- In the 2016 edition, **gas/diesel** and **motor gasoline** road consumption data were revised back to 1990 based on updated information from the Mexican Institute of Petroleum and PEMEX.
- Consumption of **lubricants, bitumen** and **paraffin waxes** are available from 1990 and **petroleum coke** from 1993.
- Prior to 1987, the split of **LPG** consumption between residential and commercial/public services has been estimated by the IEA Secretariat.

## **Natural gas**

### *General notes*

- **Natural gas** reported in the IEA publications may be different from what is reported in the Mexican energy publications, as IEA includes only dry gas and excludes natural gas liquids, which are considered as part of oil.

### *Transformation*

- The split of **natural gas** used for hydrogen manufacture and used in refineries is not currently available and it will be provided in the 2020 edition of this publication.

### *Consumption*

- Losses and *pipeline transport* have been included in *oil and gas extraction*.
- From 1993 to 1999, part of energy industry own use and *non-specified industry* data were estimated.
- Since 1993, the breakdown of the *energy sector* and of other sectors is available.

## **Biofuels and waste**

### *Supply*

- Prior to 2017 data, some **bagasse** production has been attributed to **other vegetal materials and residues**. This causes a break in series between 2016 and 2017. Revisions prior to 2017 are expected in the future.
- Data for **bagasse** production are available from 2008.

### *Consumption*

- Increased consumption in the industry and transformation sectors for **solid biofuels** in 2017 is attributed to **bagasse**.

- Data for **solid biofuels** used in autoproducer electricity plants from 1991 to 2005 have been estimated by the Mexican administration.
- Data on **biogases** consumption are available from 1997.

## Electricity and heat

### General notes

- The Mexican administration is currently undertaking revisions of the **electricity** time series back to 1996. Revisions include changes on inputs and outputs on power plants fuelled mainly by **combustible fuels** and the reclassification of main electricity plants previously reporting **sub-bituminous coal** as fuel to **other bituminous coal** for the period 2003-2015.

### Supply

- The decrease in electricity produced from **wind** in 2017 data is due to an earthquake which damaged infrastructure in the south of the country.
- Production of main activity producer electricity plants from **wind** is available from 1994.
- Electricity production from **wind** and **solar photovoltaic** is available from 1990.
- Discrepancies occur between respective reported figures for electricity trade between the US and Mexico from 2013 onwards.

### Transformation

- New autoproducer electricity plants fuelled with **coke oven gases** were put on-line in 1999.
- Electricity production from **solid biofuels** and **biogases** data are available respectively from 1991 and 1997.

### Consumption

- Some electricity consumption in energy industry is included in the industry sub-sector where it was generated (e.g. the chemical industry, as well as in *non-specified industry*).
- Direct use of **solar thermal** heat is available from 1990.

## Netherlands

### Source

The Netherlands Central Bureau of Statistics, The Hague.

### General notes

- The Netherlands Central Bureau of Statistics has conducted reviews and revisions of their energy balance three times; in 2005, 2011 and 2015. The 2005 revisions were to improve basic energy statistics, particularly with respect to carbon and CO<sub>2</sub> reporting, while the 2011 revisions were part of a harmonization program with international energy statistics. The 2015 revisions were the result of increased data collection, availability of new source information, and further alignment with international energy definitions. More details are available here: [www.cbs.nl](http://www.cbs.nl).

## Coal

### General notes

- International trade into and through the hub ports of Amsterdam and Rotterdam is complicated by the capacity to purchase coal directly at these points. The majority of coal passing through these ports is intended for consumption in European countries other than the Netherlands, which is neither the country of origin or destination, therefore these data have been removed where possible. In the 2019 edition, the Central Bureau of Statistics proceeded to major revisions of trade and stock changes for anthracite, coking coal, other bituminous coal and lignite since 1990. Imports now should only relate to coal for inland consumption according to Eurostat's statistical regulation, thus eliminating transits to other countries and stock changes of trading companies.
- Following revisions made in the previous edition to data for 1995 onwards, this edition includes further revisions made by the Dutch administration for the period 1990 to 1994. These revisions are the result of increased data collection, availability of new source information, and further alignment with international energy standards.

### Supply

- From 2013 onwards, trade reported by the Central Bureau of Statistics includes **coal** in transit, to align more closely with gross trade data.
- In the 2013 edition, non-specified exports for 2011 were estimated by the Central Bureau of Statistics due to a lack of information from key market players.
- For data prior to 2011, stock changes for primary coal types were estimated by the Dutch administration based on trade and consumption data.
- For 1984 to 1986, production *from other sources* of **other bituminous coal** represents a stock of “smalls” washed for re-use.

### Transformation

- At the end of 2015 three low-efficiency plants running on bituminous coal input closed down. These closures were part of the so-called Agreement on Energy for Sustainable Growth in the Netherlands agreed upon by the Social and Economic Council of the Netherlands (SER) and more than forty representative organisations and stakeholders.

### Consumption

- Prior to 1989, non-energy use is included with industry consumption.

## Oil

### General notes

- In 2017, large amounts of **fuel oil** were reclassified as other products due to their chemical properties.
- Data for gas/diesel road consumption become more difficult to collect in 2013, as the distinction in taxation between road diesel and gasoil was abolished.
- Following revisions made in the previous edition to data for 1995 onwards, this edition includes further revisions made by the Dutch administration for the period 1990 to 1994. These revisions are the result of increased data collection, availability of new source information, and further alignment with international energy definitions
- Motor gasoline includes other light oils until 1990.
- Some breaks in time series occur in 1990 when the Dutch administration started to report the petrochemical industry according to IEA methodology.

- From 1990 onwards, naphtha includes aromatics, naphtha and other light oils.

### Supply

- Data for deliveries of fuel oil to international marine bunkers were revised downwards in the 2019 edition back to 2015. This was due to an improvement in the underlying data and figures available to CBS Statistics Netherlands.
- In 2017 the main plant producing **lubricants** closed as a result there is no more refinery gross output of this product.

### Consumption

- In the 2019 edition several revisions were introduced to flows relating to the chemical and petrochemical industry. Energy consumption in the chemical industry has been revised upwards back to 2012, following an internal audit of the data that revealed gaps in coverage. Non-energy consumption in the chemical industry has been revised downwards back to 1990 following a review of the data submitted by one of the main companies.
- Refinery gas includes chemical gas and is included in chemical industry consumption.

## Natural gas

### General notes

- In the 2018 edition, the Dutch administration revised the supply side data for 1990-2016 in order to (i) better account for flows from underground storages which used to be incorporated in the *indigenous production* data, and also (ii) handle inflows/outflows of **natural gas** stored in Germany as imports/exports.
- In the 2019 edition, the Dutch administration revised the *opening and closing stock levels* based on a dedicated questionnaire used. Additionally, industrial consumption was revised since 2012 based on inputs coming from the Emissions Trading Scheme (ETS) data
- Between 1981 and 1982, and between 1983 and 1984 there are breaks in time series due to the introduction of more comprehensive surveys on end-use consumption.

### Supply

- A production cap of **natural gas** was set by the government in 2015, which has been extended and gradually tightened for 2016 and 2017.
- Dutch trade figures include transit volumes.
- In the past, the amounts reported under *indigenous production* also included quantities coming from *stock changes*. The reason was that the Dutch administration could not distinguish between quantities of **natural gas** falling under marketable production and amounts being moved from offshore fields to onshore fields without undergoing any purification and/or other necessary production processes. From 2015, the data reported distinguish between amounts to be reported as production and amounts that should be classified as stock changes.
- *International marine bunkers* were reported for the first time in the 2019 edition.

### Transformation

- Data for *non-specified (energy own-use)* represent **natural gas** combusted by the distribution operator for the purpose of operating the gas distribution grid.
- The 2009 increase in input to *main activity electricity producer* consumption is due to the opening of a new plant in the second half of 2008.

### Consumption

- In the 2018 edition, the Dutch administration provided data for the *non specified (other) non-energy use* flow for the years 2007-2014, which represent the volume of gas injected as *cushion gas* in a new underground storage.

## Biofuels and waste

### Supply

- Increases in **biodiesel** production for 2017 are related to increased capacity of existing plants and increased demand.
- From 2009 to 2012, and again from 2014 the production and trade of pure **biogasoline** were confidential; net imports were estimated by the Dutch administration based on consumption.

### Transformation

- In 2017, the increase in heat production from **solid biofuels** in main activity CHP plants is because

there were two additional companies reporting data.

- Trade data for **municipal waste** are available from 2011.

### Consumption

- From 2014, a better allocation of heat own-use was available for **biogas** digester prewarming, and in **municipal waste** burning plants for flue gas cleaning.
- The final consumption of **solid biofuels** in the residential and agriculture sector increased in 2014 and again in 2016 due to the results of new surveys and parameters.

## Electricity and heat

### General notes

- In the 2017 edition, following an extended review of old national publications, data for the Netherlands were revised for the years 1990-1994 to follow on the revisions entered in the previous edition, covering period 1995-2013. This revision endeavours to maintain data comparability throughout the entire time series. As part of these revisions, most of the time series for the consumption sectors in both **electricity** and **heat** were revised using newly obtained data from grid operators' client files by the Dutch administration.

### Supply

- Data on **heat** production from chemical sources are available from 2017.
- The decrease in electricity production from **nuclear** plants in 2017, 2013, and 1997 is due to the Netherlands' only nuclear power plant undergoing a shutdown for maintenance.
- Electricity **from other sources** represents generation from expansion gases and chemical waste gases (the latter up to 2007).
- The large increase in **electricity** trade in 1999 is due to the liberalisation of the Dutch electricity market. Until 2003, trade data are based on contracted quantities instead of physical flows.
- The increase of **heat** produced in main heat plants in 1995 is due to a change in ownership of one large installation, resulting in its reclassification from being an autoproducer to a main activity plant.
- Electricity production from **solar photovoltaic** is available from 1990.

### Transformation

- The efficiency of **blast furnace gas**-fired autoproducer CHP plants increases between 2015 and 2016 due to improved methods for allocating inputs between sold and unsold heat.
- Heat used for electricity production represents waste heat bought from other industries that was generated from **combustible fuels**. The corresponding electricity output is included with that of **natural gas**.
- Autoproducer heat plants using **refinery gases** are included with autoproducer CHP plants because data are considered confidential for 1990.
- **Heat** production in commercial and public services includes production in agriculture.
- All **municipal waste** autoproducer electricity and heat only plants have been reclassified by Statistics Netherlands as autoproducer CHP from 2012, causing breaks in the time series.
- Prior to 2008, a few small autoproducer electricity plants using **solid biofuels** were included with main activity plants for reasons of confidentiality.
- In 2006, some **municipal waste** plants changed ownership and were reclassified from electricity only to CHP plants as they started heat projects.
- A new main activity producer CHP plant fuelled by **refinery gas** started up in 1999 and there was a fuel reclassification in 2000.
- For **natural gas**, all electricity production prior to 1998 is included in CHP plants.
- For **biofuels and waste**, all electricity and heat produced prior to 1995 is included in CHP plants.
- Data for heat produced from **biofuels and waste** are available from 1990.
- Prior to 1990, all electricity and heat produced from **coal** is included in CHP plants.
- Inputs of **hard coal** for electricity production from 1981 to 1989 in terajoules (TJ) are estimated by the Secretariat based on data submitted in kilotonnes (kt) by the Dutch administration.
- Net electricity production by autoproducers prior to 1988 includes production from **combustible fuel** sources only.
- Data for **heat** production by fuel in heat plants prior to 1987 are estimated by the Secretariat based on fuel inputs submitted by the Dutch administration.
- Data for **heat** production from main activity producer CHP plants and heat plants are available from 1982.
- Prior to 1982, **electricity** production from and inputs to main activity producer CHP plants are in-

cluded with main activity producer electricity plants.

- For 1970 to 1973, **electricity** output from autoproducer CHP plants has been included with main activity producer CHP plants.

### Consumption

- For data from 2015 onwards, there is improved data availability for **heat**. This causes breaks in series for transmission and distribution losses, and heat consumption in the non-ferrous metals sectors,
- Increasing **electricity** consumption in agriculture/forestry is due to expansion of greenhouse farming.
- Direct use of **geothermal heat** in agriculture/forestry starting in 2008 is due to a new project extracting deep **geothermal** heat.
- Prior to 1979, **electricity** consumption in agriculture is included in commercial and public services.

## New Zealand

### Source

Ministry of Business, Innovation and Employment, Wellington.

### General notes

- Prior to 1994, data refer to fiscal year (April 1993 to March 1994 for 1993). From 1994, data refer to calendar year.

### Coal

#### General notes

- **Peat**, although produced in New Zealand, is not used as a fuel, and is used for agricultural purposes only.
- In the 2014 edition, the definition of **hard coal** was aligned with the International Recommendations for Energy Statistics. Prior to this, **hard coal** for New Zealand from 1960 to 1977 had contained **sub-bituminous coal**. The portion of **sub-bituminous coal** production and residential consumption has been estimated by the IEA Secretariat for this period and moved to **brown coal**.
- In the 2011 edition, the New Zealand administration has revised some of the **coal**, natural gas, oil, renewable and electricity time series back to 1990.

### Supply

- In 2017 the underground mine producing coking coal switched to opencast operation.
- Breakdown of exports of **coking coal** by country of destination since 2016 has been estimated by the IEA Secretariat, based on partner data.
- The decrease of **other bituminous coal** production in 2015 is due to a temporary shutdown in one of the coal mines at the beginning of 2015 and another one at the end of 2015.
- A detailed breakdown of exports of **coking coal** by country of destination between 2001 and 2011 is estimated by the IEA, based on secondary sources and partner data.

### Transformation

- **Sub-bituminous coal** inputs into coke ovens refers to coal that is merged with iron sands and limestone to form the inputs for the multi-hearth-furnaces, kilns and melters that produce direct reduced iron (Glenbrook Steel Site), with off-gases and supplemental and natural gas driving CHP plants. This method, while not the typical iron and steel process, produces similar by-products. The **sub-bituminous coal** inputs are reported under coke oven coke transformation and the resulting off-gases are reported as production of **coke oven gas** and **blast furnace gas**.
- **Blast furnace gas** production and distribution losses prior to 1998 are IEA Secretariat estimates. Portions of this gas will have been used for energy purposes in the multi-hearth furnaces or elsewhere in the plant. Some transformation efficiencies will appear higher than normal due to non-reporting of certain inputs, including some confidential data.

### Consumption

- In final consumption, some industry data are reported in *non-specified industry* for confidentiality reasons.
- In 2014, the increase in consumption of **sub-bituminous coal** in mines included the combustion of some unsold coal fines for safety reasons.
- Prior to 2010, the construction sector is included with commercial/public services.
- Prior to 2009, mining and quarrying is included in agriculture.

## Oil

### General notes

- For 2016, the following data were estimated by the IEA Secretariat: consumption of **lubricants**; imports of **bitumen**; and refinery output, and inter-product transfers of **other oil products**.
- For 2015, the following data were estimated by the IEA Secretariat: stock changes and consumption of **lubricants**; consumption of **bitumen**, and all figures for petroleum coke and **other oil products**.
- From 1998, **gas/diesel oil** includes light fuel oil. Until 1997, light fuel oil is under fuel oil.
- Until 1997, other hydrocarbons from natural gas sources correspond to synthetic gasoline production (ceased in February 1997).
- For reasons of confidentiality, beginning in 1994, the New Zealand administration no longer reports data on the production of methanol.

### Supply

- Between 2013 and 2014, the jump in imports of **kerosene-type jet fuel** can be explained by an anticipated strike at the refineries.

### Consumption

- Between 2009 and 2010, a break in time series appears for demand of **gas/diesel** as the administration changed its methodology for commercial/public services
- For 1960 to 1973, Consumption data have been estimated by the Secretariat.

## Natural gas

### Supply

- There are neither imports nor exports of **natural gas** for New Zealand.

### Transformation

- The large 1998 increase in input to *autoproducer CHP* plants is due to two new autoproducer CHP plants.
- In February 1997, production of synthetic **gasoline** from **natural gas** ended.

### Consumption

- Between 2012 and 2013 there are breaks in time series for the final consumption breakdown due to the introduction of a new survey.
- In 2005, the decline in *chemical and petrochemical* industry consumption was due to the closure of the Motunui methanol production plant, which was then reopened in late 2008.
- Prior to 2003, gas consumed in industry includes some gas for *energy industry* own-use. Since 1990, detailed consumption breakdown for industry is available. From 1977 to 1979 and from 1986 to 1989, losses are included in *statistical differences*.

### Biofuels and waste

#### General notes

- Due to improved wood data collection starting with 2016 data, increases in **solid biofuels** in transformation, supply and consumption may not be a true increase but more representative of increased data survey respondents. This results in a break in time series between 2015 and 2016.

#### Transformation

- In the 2019 edition, data on electricity production from **biogases** were significantly revised by the New Zealand administration following an internal review of systems and methodologies.

### Electricity and heat

#### General notes

- For the 2019 edition, the New Zealand administration submitted extensive revisions back to 1990 following an internal review of their systems and methodologies.
- There are several breaks in the time series between 1987 and 1988 due to a reorganisation of government departments during 1987.

#### Supply

- **Heat** outputs from main activity and autoproducer CHP plants are not available.

#### Transformation

- In late 2015, two **natural gas**-fired power stations used for baseload demand closed. As the remain-

ing natural gas-fired plants are used more for peak demand, there is a reduction in generation efficiency between 2015 and 2016.

- **Electricity** and **heat** production from **other sources** represents waste heat recovered and used for electricity production. This includes **heat** from recovered from chemical processes at acid plants in the fertiliser industry, where sulphur is the main input.
- In 1999, a reclassification of autoproducer plants causes some breaks in the time series.
- Data for **geothermal** electricity production by autoproducers are available from 1990.
- The New Zealand administration has updated efficiencies for **electricity** production from **geothermal heat** from 10% to 15% from 1990 onwards; this causes a break in the time series between 1989 and 1990.
- In the 2018 edition, revisions in electricity production in **hydro** plants back to 2002 are related to a change in methodology. This results in a break in time series between 2001 and 2002.
- **Electricity** production by autoproducers from natural gas and from oil has been estimated by the Secretariat from 1970 to 1973.

### Consumption

- A new survey starting with the 2013 data can cause breaks in data for final consumption of **electricity**.
- The consumption of **electricity** by the transport sector is collected under the Australian and New Zealand Standard Industrial Classification (ANZSIC) 2006 system's "Transport, Postal and Warehousing" category. As this covers commercial services as well as transport, MBIE estimates the amount of this that can be allocated to transport. At present this data does not allow for the disaggregation by transport sub-sector.
- Beginning in 2013, the falling **electricity** consumption in the pulp, paper and printing sector follows with the permanent closure of a paper machine in one of New Zealand's larger energy users, following decreased demand for newsprint.
- Data on direct use of **geothermal heat** are available from 1990 and direct use of **solar thermal heat** from 2002.
- From 1974 to 1993 distribution losses include the statistical differences.
- The classifications used by the administration of New Zealand were changed in 1991.

- **Electricity** consumption in paper, pulp and printing is included in wood and wood products prior to 1990.

## Norway

### Source

Statistics Norway, Oslo.

### General Notes

- In the 2018 edition, data for Norway were revised back to 2010, following the introduction of a new system for energy balances and energy accounts. Breaks in series may appear between 2009 and 2010 as a result. For more detailed information regarding the methodological changes, please refer to the documentation of statistics production since statistics year 2010 on the Statistics Norway website. At the time of writing, the document was available in Norwegian as “Dokumentasjon av statistikkproduksjonen fra statistikkår 2010 og fremover”.

### Coal

#### General notes

- Other bituminous coal includes lignite.
- Production of **coking coal**, **coke oven coke** and **coke oven gas** ceased in the late 1980s.

#### Supply

- The decrease of **other bituminous coal** production in 2017 is due to economic problems faced by Norway’s mines.
- The decrease of **other bituminous coal** production in 2015 is due to a temporary shutdown in one of the coal mines.
- The decrease of **other bituminous coal** production in 2005 is due to a fire in one of the coal mines; this entailed a break in the production for a large part of the year.

### Oil

#### General notes

- In the 2018 edition, the Norwegian administration made widespread revisions to their data back to 2010, following the introduction of a new system for

energy balances and energy accounts. Breaks in series may appear between 2009 and 2010 as a result.

- A major project is being carried by Statistics Norway in order to reduce the statistical differences observed between calculated supply and demand of oil. Starting with 2014 data, new methodologies have been introduced for reporting **crude oil**, **NGL** and **naphtha** (see details below). Balances for **motor gasoline**, **gas/diesel oil**, **kerosene-type jet fuel** and **fuel oil** are also under investigation. Further improvements are expected in future editions.
- The IEA Secretariat estimates the net calorific value for Norwegian **crude oil** based on the oil product outputs of the oil refineries.
- Prior to 1990, **ethane** is included with **LPG**.

#### Supply

- **Crude oil** production includes condensates.
- Starting with 2014 data, Statistics Norway has changed the source for annual **crude oil** exports to include shipping information collected by the National Petroleum Directorate.
- Starting from 2014 data, there is a break in **naphtha** supply time series due to a change in reporting methodology adopted by Statistics Norway.
- Prior to 2002 data, a part of **LPG** exports was reported as **NGL** exports.
- Since 1986, imports of **refinery feedstocks** are reported under the relevant oil product imports.

#### Transformation

- In 2016 the Slagen refinery underwent maintenance which led to a decrease in refinery throughput for that year.
- In 2014, the strong decrease in **crude oil** refinery intake is linked to heavy maintenance work carried in the refineries in fall 2014.
- Starting with 1990 data, **gas/diesel oil** used for autoproduced electricity on oil and gas platforms are reported under energy industry own use.
- From 1970 to 1975, **gas/diesel oil** for electricity generation has been estimated by the Secretariat.

#### Consumption

- Data on **naphtha** consumption in Norway are currently unavailable.
- Consumption of lubricants is reported within industry, as no further breakdown is available.

- In 2005 data, breaks in **petroleum coke** consumption time series appear due to reallocation in the industry sector. Refinery fuel is reported from 2001 data.
- In 2003 and 1993 data, breaks in time series appear for consumption in the chemical/petrochemical industry due to newly available information.
- Prior to 2000, **gas/diesel oil** used in fishing is included in agriculture/forestry.

## Natural gas

### General notes

- For Norway, the supply of **natural gas** is the residual of two very large and opposite amounts: *indigenous production* and *exports*. As a result, large *statistical differences* in some years may lead to discrepancies in the growth rates of supply and demand of natural gas.

### Supply

- Since 2008 data on *opening and closing stock levels* are available.

### Transformation

- Since 2007, **natural gas** inputs to all electricity and CHP plants are included in *autoproducer electricity plants* for confidentiality reasons.
- The last *main activity electricity producer* closed down in 2016.

### Consumption

- Prior to 2008, **natural gas** amounts used in gas extraction by offshore platforms were not included in production data.
- Since 2002 domestic navigation is included under *non-specified transport*.
- The 2007 increase in *non-specified transport* is due to the wider use of gas-powered sea vessels.
- Before 2000, energy use in *oil and gas extraction* also included some final consumption amounts.
- In 1992 the increase in *oil and gas extraction* is due to the start-up of new fields.
- Consumption for *pipeline transport* is included in energy industry own use.

## Biofuels and waste

### General notes

- Some of the data reported under **solid biofuels excluding charcoal** includes **charcoal**. Efforts

are being made by the Norwegian administration to separate this data in the future.

- Prior to 2007, equal shares of renewable and non-renewable **municipal waste** were estimated because the actual split was not known.
- Data for **industrial waste** and **biogases** are available from 1991.

### Supply

- The data for the indigenous production of **biogases** is based on consumption data.
- In 2014, the **biodiesel** production facility closed.
- Data for **liquid biofuels** imports are available starting in 2006.

### Consumption

- Distribution losses for **biogases** are included in commercial/public services prior to 2003.

## Electricity and heat

### Supply

- No data on electricity production from **solar** energy are submitted to the IEA by the Norwegian administration.
- The electricity generated from **other sources** represents electricity from waste heat.
- Until the 2018 edition, distribution losses included statistical differences. Statistical differences now exist for 2010 onwards.
- **Heat** produced by autoproducer heat plants from chemical processes and from *other sources* and used for electricity production has been estimated by the IEA Secretariat for the period 1990 to 2006.
- Electricity production from **wind** is available from 1993.
- Data for **heat** production from heat pumps and electric boilers (including the electricity used for this production) are available from 1989.
- Data for **heat** production are not available prior to 1983.

### Transformation

- In the 2016 edition, Norway corrected the **industrial waste** consumption in heat plants, and reclassified some the corresponding heat output under other sources.
- Starting in 2007, data for **natural gas** electricity and CHP plants are aggregated in autoproducer electricity plants for confidentiality reasons. The

revisions received for the 2018 edition partially altered these data for the period 2010 to 2016, but no explanations were given.

- Breaks in the time series between 1996 and 1997 and between 2001 and 2002 and now 2009 and 2010 are due to a reclassification of main activity producers and autoproducers. This includes the apparent cessation of autoproducer **pumped hydro** and **hydro** electricity generation since 2010, where this generation has been reclassified as main activity.
- Data for heat production from **biogases** are available from 1995.
- Prior to 1991, net **electricity** production by autoproducers by industry sub-sector was estimated by the Secretariat based on data submitted by the Norwegian administration.
- Data on inputs and outputs in **heat** plants are not available prior to 1983 for main activity heat plants and prior to 1988 for autoproducer heat plants.

### Consumption

- For the 2019 edition, **heat** consumption in the *chemical (incl. petrochemical)* and *commercial and public services* sectors was revised back to 2007. Historical revisions for other sectors are pending. As a result, breaks in series occur for heat consumption in some sectors between 2016 and 2017.
- Consumption of **electricity** for pipeline transport is included in oil and gas extraction.
- The breakdown of **heat** consumption by industry sub-sector was expanded in 1992, reclassified in 1994 and collected by a new reporting system in 1997.

## Poland

### Source

Central Statistical Office, Warsaw.

### Coal

#### General notes

- **Other recovered gases** which appear in the balances as output from blast furnaces also include off-gases from zinc and copper smelting, ceramics kilns and steel production, thus artificially in-

creasing the overall efficiency of blast furnaces when calculated.

- Prior to 2016 data, **other bituminous coal** includes **anthracite**.

### Transformation

- In the past two editions, the Central Statistical Office has revised their methodology which accounts for sold heat produced from autoproducer heat plants using **coking coal** and **other bituminous coal**, resulting in lower, but more accurate data for 2007 onwards.

### Consumption

- Consumption in agriculture/forestry for **BKB**, and own use in power stations for **lignite** are residual flows, so may contain statistical differences and other consumption not reported elsewhere. As a consequence, changes in these time series may not be wholly representative of the activities shown.
- Prior to 2010, own use in coal mines included workers' take home allowance, which should be included in residential consumption.

## Oil

### General notes

- From 1997, production from *other sources (natural gas)* of **other hydrocarbons** corresponds to hydrogen used in refineries, also represented as the output of *non-specified transformation* in the balances format.

### Supply

- In 2018 new legislation introduced a biofuel blending obligation for liquid fuels. The effects of this policy can be seen throughout 2017 as companies prepared for the implementation of the new directive.

### Transformation

- In 2017 lower refinery activity is linked to maintenance activities at several refinery installations across the country.
- Prior to 1998, inputs of **gas/diesel oil** and heavy **fuel oil** to autoproducer CHP in petroleum refineries have been included in the transformation.

### Consumption

- In 2016 regulatory changes affecting the customs and tax authorities meant that consumption of fuel in the informal economy decreased.
- In 2015, a new flue-gas desulphurisation unit was installed. As this unit facilitates high sulphur fuel oil burning in place of natural gas, this explains the increase in **fuel oil** consumption in oil refineries.

### Natural gas

#### Supply

- *Exports* include all the **natural gas** sold by companies operating in Poland (these are mainly re-exports).
- **Natural gas** reported in *associated production* contains some heavier hydrocarbons. This results in a high gross calorific value for production.

#### Transformation

- *Non-specified transformation* data represent **natural gas** used for hydrogen manufacture. This hydrogen is used for hydrodesulphurization in oil refineries.
- In 2013 and 2014 some CHP plants were used as backup reserve plants, resulting in a decrease in consumption under main activity producers CHP plants.
- In 2004 and 2005 small amounts of **natural gas** were used to start up main activity electricity plants.
- In the 2017 data, local small-CHP & heat plants were reclassified from the *commercial/public services* to the *transformation sector* and the *residential* sub-sector.

#### Consumption

- Distribution losses may include some statistical differences.
- *Non-specified energy* includes gas used for heating and pumping operations in the distribution network.

### Biofuels and waste

- General notes
- Several breaks in the **industrial waste** time series are caused by difficulties in the classification of wastes.

- In the 2018 edition, **solid biofuels** were corrected for 2015 data.
- There is a break in time series between 2015 and 2016 for **biogases** due to reclassification from autoproducer to main activity plants.
- The increases in **municipal wastes** starting in 2016 are related to two new plants.
- Data on **biodiesels** are available from 2005; **bio-gasoline** data from 2003; and **other liquid bio-fuels** data from 2009.
- In 2008, a new questionnaire was launched which increased the coverage of renewable and waste data.

#### Supply

- Under current Polish law, only producers and importers of **biodiesel** are obliged to fulfil the National Indicative Target of share of biofuels in the total usage of transportation fuels. Since the regulation is currently not applied to retail distributors they, for economic reason, rather export the **biodiesel** than sell it domestically. This results in low domestic consumption and increase of exports in 2016.
- Production of **other liquid biofuels** increased in 2015 because new companies started to report their biofuels production to the Polish administration.

#### Transformation

- In 2017, heat production from autoproducer CHP and heat plants burning **municipal wastes** increased due to two new plants.
- Before 2000, industrial waste was used interchangeably with light fuel oil in some plants, which might result in breaks in the time series. Consumption
- The decrease in the consumption of **biodiesel** in the road sector in 2017 is related to an unfavourable pricing scheme on the domestic market, causing consumers to choose **diesel** and producers to export or blend the **biodiesel** they produced.
- The consumption of **solid biofuels** in non-metallic minerals decreased in 2017 because modern clinker ovens have been replacing **solid biofuels** with **municipal wastes**.
- Increases in consumption of **biodiesel** in 2016 are related to a policy change in the middle of the year.

- Data for **biogases** refer only to the gas from fermentation of biomass.
- Until 1998, data for **industrial waste** include **other recovered gases** which have to be reported in Coal questionnaire, causing a break between 1997 and 1998.
- Between 1992 and 1993, due to data availability, there is a large increase in **solid biofuels** for residential, commercial/public services and agriculture/forestry.

## Electricity and heat

### General notes

- Prior to 2010, **heat** supply and consumption can include autoproducers unsold heat. Previous attempts to address such issue may have caused breaks for heat production and fuel in autoproducer heat plants (1993) and in autoproducer CHP plants, and for heat consumption in industry sub-sectors.

### Supply

- Electricity and heat from **chemical heat** and other sources are available from 2011. Prior to that, these amounts could be included under different categories.
- **Heat** distribution losses are available from 2010 and prior to that they are included in consumption.
- **Heat** production from heat pumps is available from 2009.

### Transformation

- Starting with 2017 edition and following, the Polish administration revised electricity production data from power plants run by combustible fuels, reclassifying those that were previously reported as main activity CHP as main activity electricity plants. These revisions mainly affected **coal**-fired power plants and created breaks in time series from 2004 onwards.
- State support for biomass co-firing was reduced in 2016, resulting in electricity production from **solid biofuels** falling during this period.
- Due to a reclassification of plant types, there is a break in time series in 2015 for the generation of heat in autoproducer CHP plants in the iron and steel sector.

- In 2008 and 2014, a number of CHP plants were reclassified from autoproducer to main activity producer due to an industry re-organisation.
- Data for **electricity** production in autoproducer electricity plants are available from 1986.
- Prior to 2013, electricity used for pumped storage (mixed plants) is included under used for pumped storage (pure hydro pumping plants). Consumption
- **Heat** consumption in energy industry own use includes process heat not sold before 1995.
- Data for direct use of **geothermal heat** are available from 2000 and direct use of **solar thermal heat** in commercial/public services from 2002 and in residential from 2009.
- In the 2017 edition, the Polish administration reclassified some amounts of electricity consumption from the chemical and petrochemical sector to oil refineries, following access to improved survey methods.

## Portugal

### Source

Direcção-Geral de Energia e Geologia, Lisbon.

### Coal

#### General notes

- **Hard coal** data prior to 1978 may include **sub-bituminous coal**.

#### Consumption

- Between 1997 and 2001 **gas works gas** was gradually replaced by **natural gas** in the commercial/public service and residential sectors.
- The production of pig iron ceased in the first quarter of 2001, leading to decreases in supply and consumption of **coking coal**, **coke oven coke**, **coke oven gas** and **blast furnace gas** in 2001.

### Oil

#### General notes

- The increase in refinery throughput in 2015 is a result of increased refinery capacity linked to the expansion of the Sines refinery.
- A new hydrocracking unit started operations in Sines Refinery in April 2013. This explains the

2013 increase in **refinery feedstock** imports, as well as middle distillate production.

### Supply

- Production from other sources (natural gas) of **other hydrocarbons** corresponds to hydrogen used in refineries, also represented as the output of *non-specified transformation* in the balances format.

### Consumption

- Consumption of **gas/diesel oil** in industry and commercial/public services represents diesel use in mobile fleets.

## Natural gas

### Supply

- In February 1997, Portugal started to import **natural gas**.
- The surge in 2017 *imports* is attributed to the consumption of gas-fired power plants that filled in the gap of decreased hydro-generation due to a drought.

### Transformation

- Since 2012, data reported for *non-specified transformation* represent **natural gas** used for hydrogen manufacture. Prior to this year, these quantities are reported under *oil refineries*.
- The 2002 decrease in **natural gas** used for *gas works (transformation)* is due to the closing of the Lisbon gas works plant in May 2001.

## Biofuels and waste

### General notes

- Data for **solid biofuels** were revised in a previous publication by the National administration from 1990 to 2001, which may result in breaks in time series between 1989 and 1990.
- Data are available from 1994 for **biogases**, from 1999 for **municipal waste** and from 2003 for **industrial waste**.

### Consumption

- The use of **biogasoline** for blending decreased in 2017 because it is no longer compulsory to use biofuels in gasoline.

- Data for **solid biofuels** were further revised based on a new survey on industry, resulting in breaks in sub-sectoral consumption for 2012.
- Between 2009 and 2010 a new survey on energy consumption in households creates a break in time series in the **solid biofuels** consumption in residential time series.

## Electricity and heat

### Supply

- Data for production of electricity from **solar photovoltaic** and **wind** are available from 1989.
- The large decrease in electricity output from **hydro** for 2017 is due to decreased rainfall.

### Transformation

- For 2016 data onwards, **heat** and **electricity** production from chemical sources have been reclassified as autoproducer CHP production from **industrial waste**, causing cessation of the heat and electricity generated from heat from chemical processes time series, and causing breaks in the industrial waste time series between 2015 and 2016.
- Electricity production from **other oil products** refers to methanol.
- In the 2017 edition, the data for production of **electricity** by autoproducer **hydro** plants were revised between 1990 and 1999, according to a new national methodology.
- In 2007, some power plants that were previously reported as main activity CHP have been reclassified as autoproducer CHP.
- In 2007, the power station that burns **industrial waste** started to work as a CHP plant, whereas previously it was only producing electricity.
- New plants fuelled by **solid biofuels** and by **municipal waste** started in 1999.
- Prior to 1992, data for net electricity production by autoproducers include production from combustible fuel sources only.
- Data for production of **electricity** in main activity producer CHP plants and the associated fuel inputs are not available prior to 1980.

### Consumption

- In the 2017 edition, the Portuguese administration reclassified some amounts of heat consumption

from the residential to the commercial and public services sector for the period 1998 to 2014 following a new national methodology.

- Data for direct use of **solar thermal heat** is available from 1989 and direct use of **geothermal heat** from 1994.

## Slovak Republic

### Source

Statistical Office of the Slovak Republic, Bratislava.

### General notes

- Data are available starting in 1971.
- The Slovak Republic became a separate state in 1993 and harmonised its statistics to EU standards in 2000. These two facts lead to several breaks in time series between 1992 and 1993, and between 2000 and 2001.

### Coal

#### General notes

- Data for **anthracite**, **patent fuel** and **coal tar** all begin in 2005. Prior to this, **anthracite** was included with other hard coals, and **patent fuel** and **coal tar** data were not reported.
- Since 2005, data for **coal tar** and **patent fuel** are based solely on trade receipts. Production of **coal tar** which is consumed within the national boundary is not reported. Consumption of **patent fuel** adopts the residual methodology for statistical differences described above.
- Breaks in time series may exist between 2000 and 2001 as the result of the implementation of a new survey system.
- Commercial/public services also includes statistical differences for **other bituminous coal**, **lignite**, **patent fuel** and **coke oven coke** from 1980 onwards and **BKB** from 1989 onwards.

### Oil

#### General notes

- Starting with 2016 data **ethane** is included with **refinery gas**.
- From 2001 onwards, **kerosene type jet fuel** includes small amounts of **other kerosene**.

### Transformation

- Between 2008 and 2009, one of the companies changed its status from autoproducer CHP plant to main activity producer CHP plant, resulting in a decrease in **fuel oil** consumption for autoproducer CHP.

### Consumption

- For **gas/diesel** oil, road data include rail use.
- Small quantities of **kerosene-type jet fuel** used for domestic aviation are included in international aviation bunkers data.
- Data for energy use of **white spirit** are not available.

### Natural gas

#### General notes

- Data for losses were not available between 2009 and 2013.
- Between 1970 and 1971 and between 1978 and 1979, there are breaks in time series due to a revision of data for 1968-1969 and 1979-92 made in 2003. Data for 1970 were estimated by the Secretariat.

### Supply

- In 2002 the gross calorific value (GCV) of production increased significantly as extraction from a field with a low GCV ended.
- Imports include gas used for pipeline compressor stations.

### Transformation

- In 2014, the decrease in *autoproducer CHP* plants consumption was due to a plant closure.
- *Autoproducer electricity* plants stopped operation in 2016.
- Amounts in *non-specified transformation* represent **natural gas** used for hydrogen manufacture. This hydrogen is used for hydrodesulphurization and for hydrocracking in oil refineries.

### Consumption

- In 2016, non-energy use of **natural gas** in the *chemical and petrochemical* industry decreased due to a two-month stoppage in ammonia production.

- In 2001, there is a break in time series for energy use in *oil and gas extraction* due to the application of the IEA's definition starting that year.
- There are inconsistencies in the time series of *commerce/public services* as this sub-sector was computed as a residual.

## Biofuels and waste

### General notes

- Prior to 2001, the data reported as **industrial waste** include **biogases** and **municipal waste**.

## Electricity and heat

### General notes

- Data for **solar photovoltaic** are available from 2010.

### Transformation

- Electricity and heat production from combustible fuels from 1990 to 2003 have been estimated based on the data on fuel used for electricity and heat plants reported in the annual fuel questionnaires.
- Prior to 2001, electricity generation from primary **solid biofuels**, **municipal waste** and **biogases** are included with **industrial waste**.

### Consumption

- The low electricity consumption in oil refineries in 2003 and 2004 is due to a change in ownership and work carried out on a refinery.
- Data for direct use of **geothermal heat** are available from 2001 and direct use of **solar thermal heat** from 2005.

## Slovenia

### Source

Statistical Office of the Republic of Slovenia, Ljubljana.

### General notes

- A new energy data collection system was implemented in January 2001, causing some breaks in time series between 1999 and 2000.

- Data for Slovenia are available starting in 1990. Prior to that, they are included in Former Yugoslavia.

## Coal

### Transformation

- In 2015, one of the main activity electricity plants burning **lignite** ceased its operations.

## Oil

### Supply

- Between 2013 and 2014, a break in imports and exports time series for **kerosene-type jet fuel** and **fuel oil** appears due to improvements in reporting methodology. New trade corresponds to imports that are first stocked on Slovenian territory and later re-exported.

### Consumption

- Time series for **motor gasoline** and **gas/diesel** consumption in road fluctuate as they are computed by the Slovenian administration as residual between the supply and the total consumption of all other categories.

## Natural gas

### Transformation

- In 2014, improvements in a *main activity producer CHP* plant resulted in a substantial reduction of **natural gas** consumption in this sector.

### Consumption

- In 2011, the decrease in the *chemical and petrochemical* sector non-energy use consumption is due to minimal use of gas for production of methanol.
- There are inconsistencies in the time series for *commercial/public services* as this sub-sector is computed by the Slovenian administration as a residual.

## Biofuels and waste

### Consumption

- Increases in consumption of **biodiesel** starting from 2017 are the result of an amended energy policy, which went into effect in mid-2017.

- The break in time series between 2008 and 2009 for **solid biofuels** is due to revisions based on a new household survey which is to be carried out on an annual basis.
- Breaks in total final consumption for **industrial waste** prior to 2008 are a result of a sectoral re-classification.

## Electricity and heat

### Consumption

- Data on electricity consumption in *Road* are available from 2017.
- The increase in electricity consumption in *Rail* for 2017 is due to a new survey started by the Ministry of Infrastructure in 2018.
- Direct use of **solar thermal** and **geothermal heat** is available from 2009.
- Surveys for data on heat consumption are available from 2003 onwards for the residential, industry and energy sectors. Prior to 2003, the data have been estimated by the Slovenian administration.

## Spain

### Source

Ministerio de Energía, Turismo y Agenda Digital, Madrid.

### General notes

- Spain is currently working on improving its data collection system. Therefore breaks in time series are present in the data and historical revisions are expected in future editions.

## Coal

### General notes

- The calorific values for **sub-bituminous coal** are correct on an as received basis, and comply with definitions of **sub-bituminous coal** on a moist, but ash free basis.
- **Coke oven coke** indigenous production and consumption in the iron and steel industry were estimated by the IEA Secretariat from 2016 to 2017 pending revisions by the Spanish administration.

### Supply

- **Lignite** mining ceased in 2008.
- Underground production of sub-bituminous coal ceased in 2016.

### Transformation

- In 2018 edition, a reclassification of plants from autoproducer to main activity has led to breaks between 2015 and 2016.

## Oil

### General notes

- A change in the reporting system occurred mid-1996 resulting in some breaks in time series.

### Supply

- The rise in crude production in 2013 is linked with the development of the Montanazo-Lubina deep off shore field.

### Consumption

- A more detailed breakdown in some consumption time series appears between 2012 and 2013 due to an update and improvement in the reporting methodology.

## Natural gas

### General notes

- Spain has implemented a new tool in data collection, so there are currently breaks in the time series for 2014 and 2015 in transformation and industry respectively.

### Transformation

- The increase in the *transformation sector* consumption for 2017 comes from more gas-fired plants being used to compensate decreased hydro generation due to a drought.
- Due to the implementation of an updated tool for gathering information on electricity generation plants in 2013 many *autoproducer electricity* plants were reclassified as *autoproducer CHP* plants.
- In 1997, the increase in input to *main activity producer electricity* is due to two main activity producer electricity producers running on **natural gas**.

- Between 1993 and 1994 there is a break in time series in *autoproducer CHP* plants consumption, since a new survey revealed a large number of CHP autoproducers that were previously included in *industry* consumption.
- Since 1990 the decrease of **natural gas** inputs into **gas works gas** production is due to the substitution of **natural gas** by manufactured gas.

### Consumption

- Since 2001, the final consumption breakdown is estimated by the Spanish administration.
- Between 2005 and 2006 there are some breaks in time series for the energy industry own use and for final consumption due to a change in the estimation methodology.
- Since 1988 the increase of **natural gas** used as feedstock is due to a substitution of **naphtha** for the production of fertilisers.
- Prior to 1982 **natural gas** consumption in textiles and leather, transportation equipment and machinery has been included in non-specified industry.

## Biofuels and waste

### General notes

- The Spanish administration verifies that production and consumption of **industrial waste** do exist but data are not available after 2001.

### Transformation

- 2017 is the first year that data are available for the blending of **biogas** with natural gas. An update to the time series is expected in the future.
- Based on studies from the Institute of Cork, Wood and Charcoal (IPROCOR), the efficiency of **charcoal** production plants is assumed to be 20%.
- From 2013 data, a revision of the industry sector of some companies causes breaks in time series for **solid biofuels**, **municipal waste** and **biogases**.

### Consumption

- Increased consumption of **biofuels** from 2016 to 2017 is a result of increased demand for motor gasoline/diesel.
- Prior to 2006, inputs of **biogases** used to generate process heat were erroneously included as inputs to transformation when they should have been re-

ported in the appropriate industry in final consumption.

- The breakdown of **solid biofuels** direct use in the industry sector prior to 1999 is not available.

## Electricity and heat

### Supply

- Electricity reported under *other sources* is from waste heat.
- Transmission and distribution losses are estimated by the Spanish administration.
- Data for electricity from **solar thermal** plants are available from 2007.
- Starting in 2006, a new method was used to estimate the losses from final consumption, resulting in a break in time series between 2005 and 2006.
- From 2005, residential rooftop **solar photovoltaic** electricity production data, previously reported under autoproducer, are included in main activity electricity plants according to the Spanish administration classification.
- Electricity production from **wind** and **solar** are reported from 1989 when data became available.

### Transformation

- In the 2017 edition, a change in reporting methodology resulting in reclassification of plants from autoproducer **electricity** to autoproducer CHP has led to breaks in electricity production in autoproducer electricity plants between 2012 and 2013 and 2014 and 2015. The administration anticipates further revisions to the time series in subsequent cycles.
- The National Energy Commission reclassified plants that consume **biogases**, leading to breaks in time series between 2007 and 2008.
- In 2000 and 2006, many plants were reclassified from main activity producer to autoproducer or vice versa.
- For 2004 and 2005, electricity production from gas/diesel oil is included with **fuel oil**.
- The large increase in electricity output from main activity producer electricity plants fuelled by **natural gas** in 1997 is due to the opening of a new plant.
- Prior to 1989 inputs and outputs from the use of **biofuels and waste** to generate electricity and/or heat (i.e. comprising **solid** and **liquid biofuels**,

**industrial waste, municipal waste and biogases**) are reported under non-specified **biofuels and waste**.

- Prior to 1987 **electricity** production in main activity producer CHP plants is included with production from main activity producer electricity plants.
- From 1983, net **electricity** production by auto-producers has been estimated by the Spanish administration, and includes production from combustible fuel sources only and net electricity production by autoproducer CHP plants is included in electricity plants.

### Consumption

- For 2012, the **electricity** consumption data are estimated by the Spanish administration.
- Data for direct use of **geothermal** and **solar thermal heat** are available from 1990.
- **Electricity** consumption under the *non-specified industry* category includes the consumption for the manufacture of rubber and plastic products, furniture, repair and installation of machinery and equipment (except repair and maintenance of ships and boats) and other manufacturing. This aligns with the Classification of the Economic Activities in the European Community (NACE) group code 22 and 31 to 33 (excluding class 33.15).

## Sweden

### Sources

Statistics Sweden, Örebro.

Swedish Energy Agency (Energimyndigheten), Eskilstuna.

### Coal

#### General notes

- **Peat products** data may be reported under the category of **peat**, particularly for imports.
- Autoproducer inputs to waste heat production that are sold are reported in the respective final consumption sectors and not in transformation.
- Some mixture of LNG with air to form a lower calorie product is reported as **gas works gas** pro-

duction replacing traditional gas works gas manufacture.

### Supply

- **Other bituminous coal** production until 1992 is coal recovered during the quarrying of clay.

### Oil

#### General notes

- Swedish stock data include peacetime crisis stocks. Since these stocks may be held in **crude oil** instead of oil products, there may be occurrences of negative stock levels for products.
- Data are available from 2003 for **refinery gas** and from 2000 for **additives** and **ethane**.
- Beginning in 2002, Sweden has changed some of the conversion factors for some products. That explains the small breaks in time series between 2001 and 2002.

#### Transformation

- In 2014, **gas/diesel oil** inputs to main activity CHP electricity plants are confidential and aggregated with **fuel oil**.
- In 2013 data, the drop in **crude oil** refinery intake is related with maintenance in August and September 2013 at the Swedish refineries.
- From 2011, the country's gas works plants stopped using **naphtha**.

#### Consumption

- Starting from 1995 data, Sweden has changed its standard classification of industry sub-sectors
- Between 1985 and 1986, there are breaks in consumption time series of **fuel oil** due to more detailed reporting.
- In 1984 data, consumption of **other kerosene** in the road sector is discontinued due to product re-classification.

### Natural gas

#### Supply

- **Natural gas** consumption in *international marine bunkers* are available for the first time for the year 2017.

### Transformation

- Since 2005, the **natural gas** inputs to *gas works (transformation)* has been estimated by the IEA Secretariat.
- Autoproducer inputs to waste-heat production that are sold are reported in the respective end-use sectors and not in the transformation sector.

### Consumption

- For 2013, data for the energy use of gas by *oil refineries* have been estimated by the IEA Secretariat.
- For 2008, data for total final consumption and its breakdown have been estimated by the IEA Secretariat based on other Statistics Sweden publications.
- For years prior to 1993, *road transport* is included in *commercial/public services*.

## Biofuels and waste

### General notes

- There are some breaks in time series between 2015 and 2016 in pumped hydro, **industrial waste** and **other liquid biofuels** figures due to the lack of data. The figures are expected to be modified in the 2018 edition.
- From 1990 to 2006, **municipal waste** was reported as 60% non-renewable and 40% renewable. In 2007, reanalysis of the waste revealed the content was 40% non-renewable and 60% renewable. This was re-analysed again starting from 2016 data, when the result of the analysis revealed the split should be 52% renewable and 48% non-renewable. This results in breaks in the time series between 2006 and 2007 and also 2015 and 2016 for both renewable and non-renewable **municipal waste**.
- In the 2018 edition, data for **biodiesels** were revised from 2006 to 2015 while **biogasoline** and **bioethanol** were revised from 2005 to 2015. The revisions affected indigenous production due to increased information about net trade, as well as the transformation sector, for blending with motor gasoline/diesel/kerosene and consumption in the road sector.

### Supply

- Due to a change of tax regulations in 2017, it was no longer profitable to produce fatty acid methyl ester (FAME) in the same capacity as before, so there was a drop in **biodiesel** production. This drop in production was substituted by imports to meet increased demand.
- In the 2018 edition, trade data were added for **primary solid biofuels** starting from 2012. As the net trade used to be reported together with indigenous production, this has resulted in a downward revision of indigenous production for 2012-2015.

### Consumption

- Due to confidentiality issues, **solid biofuels** consumption in food, beverages and tobacco is reported with paper, pulp and printing for 2014 data.
- Consumption data by sector for **biogases** are available from 2011.
- In 2011 data, there was a change in the reporting methodology for consumption of solid biofuels and waste in the residential sector, which is responsible for breaks in time series between 2010 and 2011.

## Electricity and heat

### Supply

- For 2017, electricity inputs to and outputs from pumped **hydro** storage plants are based on a revised methodology. As a result, breaks occur between 2016 and 2017. Prior to 2017, electricity inputs to mixed hydro storage plants are reported under pure pumped plants. Historical revisions are pending.
- Inputs to **heat pumps** include heat recovered from industry and from ambient sources (including sewage and seawater).
- Ambient heat is shown as the indigenous production of **heat**.
- Information on heat for sale produced in **heat pumps** and **electric boilers** is available starting in 1992.

### Transformation

- In Sweden, heat produced in **heat pumps** is sold to third parties (as district heat) and is therefore included in transformation.

- The electricity used to drive **heat pumps** is considered to be transformed and appears as output in transformation rather than as electricity used in energy industry own use.
- Heat production from **solid biofuels** in auto-producer CHP includes waste heat and chemical heat.
- For 2012 and 2013, small quantities of bio-methanol used to produce electricity are included in **other liquid biofuels**, under production, as well as input and output of autoproducer CHP.
- For 1997 and 1998, heat production from **liquid fuels** in main activity producer CHP plants includes heat recovered from flue-gas condensing.
- Prior to 1992, data on electricity production from **biogases** is included with **solid biofuels**.
- Heat produced for sale by autoproducer CHP plants is reported starting in 1992.
- From 1987, the breakdown of net **electricity** production by industry for autoproducer electricity plants is available.
- Prior to 1987 net **electricity** production by autoproducer plants includes data for CHP plants only.
- Prior to 1980, **heat** produced in main activity producer heat plants is not available.
- Prior to 1974, **heat** produced in main activity producer CHP plants is not available.

### Consumption

- Consumption of electricity for distribution of district heat is included with other energy industry own use.
- Fuel inputs to the **heat** that is recovered by the heat pump are reported in the appropriate industry sub-sector (i.e. chemical and paper, pulp and printing).
- In 2014, consumption of **electricity** in the mining and quarrying and the pulp, paper and printing sectors are confidential and were incorporated under the *non-specified industry* sector.
- Data on direct use of **solar thermal** are available from 1989.
- Consumption of **heat** in industry and other sectors is available from 1984.

## Switzerland

### Sources

Swiss Federal Office of Energy (SFOE), Ittigen.

Carbura - Swiss Organisation for the Compulsory Stockpiling of Oil Products, Zurich.

### General notes

- From 1999, data on consumption result from a new survey and are not comparable with data for previous years.

### Coal

#### General notes

- Calorific values for **anthracite**, **other bituminous coal** and **coke oven coke** are taken from a common default figure. Calorific values for **lignite** are also default, but are based on dried **lignite** fines which have a higher calorific value.

#### Consumption

- From 1985, industrial consumption of **gas works gas** is reported in *non-specified industry* to prevent the disclosure of commercially confidential data.
- The allocation of consumption between certain coal types is estimated by the Swiss administration.

### Oil

#### General notes

- The statistical differences for **gas/diesel oil** are partly due to changes in consumer stocks.
- In 2004, **petroleum coke** production started due to the installation of a cracking unit in a refinery
- As of 1993, the Swiss administration has reported figures for **naphtha** that are net of quantities used for blending into motor gasoline. For 1994, 1995, 1997, 1999, 2001 and 2002 this reporting has led to negative production numbers for naphtha. For these years, the IEA Secretariat has moved the data into transfers and reduced the production of motor gasoline by corresponding amounts.

### Supply

- In 2015, low refinery throughput is due to maintenance in May and June and to an unplanned outage in October due to a leak in a heat exchanger at the Cressier refinery. The closure of the Collombey refinery from March 2015 also contributed. As a result, imports of many oil products increased in 2015.
- The Collombey refinery remained closed in 2016, resulting in decreased refinery throughput and increased imports in this year. Refinery output of **petroleum coke** stopped as this product was only produced at the Collombey refinery.
- Data for refinery losses at the remaining Cressier refinery are low and are under investigation.
- Since 2013 oil importers are obliged to compensate parts of the CO<sub>2</sub> emission that are produced by the transport fuels they sell. The biofuel components are exempt from this obligation, which together with tax exemptions on biofuels, partly explains the increase in biofuel blending since.

### Transformation

- **Gas/diesel oil non-specified transformation** represents inputs to mobile and stationary power generators, of which the electricity output is unknown at this stage.
- In 2012, low refinery intake is due to the temporary shutdown of the refinery in Cressier in the first semester of 2012 and maintenance at Collombey refinery.
- In 1988, the reduction in refinery intake of refinery **feedstocks** in 1988 is partly due to a switch to crude oil and partly to a shutdown for maintenance of a refinery.

### Consumption

- In the 2019 edition the Swiss administration revised data back to 1990 for **road diesel** consumption in rail and domestic navigation, and **motor gasoline** consumption in domestic navigation.
- In 1994, the increase in consumption of **gas/diesel oil** is due to consumer stock-building prior to the introduction of a value-added excise tax on heating fuels as of 1 January 1995.

## Natural gas

### General notes

- In the 2019 edition, the *non-specified other* flow is calculated as residual flow for **natural gas**. Up until the 2018 edition, the statistical differences used to be absorbed by *agriculture/forestry*.

### Transformation

- Since 2013 there are fluctuations in gas consumption of main activity producers CHP plants due to the fuel flexibility of a plant.
- In 1996, the increase of gas input to main activity CHP plants is due to more complete accounting for all producing entities.

### Consumption

- Between 1977 and 1978, there are breaks in time series due to the introduction of a new survey by industry type.

## Biofuels and waste

### Supply

- Due to favourable taxation in Switzerland, the imports of **biodiesel** and **bioethanol** intended to be blended with oil products increased significantly from 2016 to 2017.
- Due to a new program launched in September 2014 in which CO<sub>2</sub> emissions due to traffic can be compensated by substituting fossil gasoline and diesel by biofuels, the imports and road consumption of **biodiesels** and **biogasoline** increased sharply starting in 2015.

### Consumption

- Consumption data for **biogases** in the transport sector are available from 1996 to 2012 as a biogas fuel station had stopped selling biogas in 2013.

## Electricity and heat

### Supply

- **Heat** production includes heat produced by nuclear power stations and distributed to other consumers.
- Data for electricity production from **wind** are available from 1996.
- Data for **solar** electricity production by auto-producers are available from 1990.

### Transformation

- For 2016 and 2017, electricity output from **nuclear** sources declined due to shut downs at two of Switzerland's five nuclear power plants (Beznau 1 and Leibstadt).
- **Electricity** used for pumped storage (pure hydro pumping plants) is included under used for pumped storage (mixed plants).
- In 2016, two new **pumped hydroelectric** plants went into operation.
- For 2015, the large decline in **electricity** and **heat** production from **industrial waste** is due to one large main activity CHP plant significantly reduces their activity. This plant eventually closed in 2016, further lowering **electricity** and **heat** generation for this fuel.
- From 2012, the **municipal waste** autoproducer plant previously reported as electricity plant met the CHP requirements and was reclassified as such.
- **Biogas** is no longer being used for heat production as of 2011.
- The decrease in the use of **natural gas** in main activity CHP plants in 2007 is caused by the reduced operation of one plant after the start-up of a new waste-incineration plant and the shutting down of another plant. Use increases again in 2008 due to the re-starting of a district heating plant.
- The autoproducer heat plant that produced heat for sale using **municipal waste** was closed in 2006.
- The breakdown of **electricity** and heat generation from autoproducers by sector is not available after 1990.
- Prior to 1978, data for **heat** output from CHP plants are not available.
- The allocation of **electricity** production in main activity producer electricity only and CHP plants between 1967 and 1973, and in main activity producer CHP and autoproducer CHP plants in 1974 are Secretariat estimates.
- All **hydro electricity** production is reported under large scale hydro (> 10 MW) due to the fact that production data are not being collected by different size capacity categories.
- Consumption
- **Electricity** consumption in the transport equipment industry is included with machinery. **Geothermal** direct use is overstated as

it refers to heat production by **geothermal heat** pumps, which include inputs from electricity and/or gas in the transformation process.

- The breakdown of final consumption of electricity in the industry sector from 2000 to 2001 was estimated by the Secretariat.
- Data for direct use of **geothermal** heat and **solar thermal** heat are available from 1990.

## Turkey

### Sources

Ministry of Energy and Natural Resources (Enerji ve Tabii Kaynaklar Bakanlığı), Ankara.

Petrol İşleri Genel Müdürlüğü, Ankara.

### Coal

#### General notes

- In the 2018 edition, revisions were conducted by the Turkish administration back to 1990 impacting the transformation and industrial sector. The revisions in the transformation sector were the result of new data submitted by the Turkish Electricity Transmission Company (TECT).
- In the 2017 edition, historical revisions on **coal tar** data were conducted by the Turkish administration due to new available information.
- In the middle of 2014, most autoproducer electricity, heat and CHP plants in Turkey were reclassified as main activity producer due to a change in the legislation. Although the licences of these plants changed, the administration decided to restore the affected plants' classification back to autoproducer in 2017 to harmonise with plant definitions in the IEA questionnaire.
- Data from 2012 onwards utilised the latest census data, causing breaks in time series between 2011 and 2012.
- Data from 2008 are provided from the results of an improved questionnaire. Significant changes occur in consumption patterns within the iron and steel industry, coal mining as well as across industry, residential and commercial/public services for **other bituminous coal**.
- Calorific values for fuels used for electricity, CHP and heat plants are obtained from data submitted to the Ministry of Energy and Natural Resources

(MENR) by the Turkish Electricity Transmission Company, and these values may differ significantly from production and import values provided by MENR, causing imbalances for some years.

- Production of **gas works gas** declined in 1989 due to plant closures; the last plant closed in 1994. Use of **gas coke** and **gas works gas** ceased in 1994.
- Due to government regulations in industry and residential, in particular, there has been a shift from the use of domestically produced **coal** to imported **coal** and **natural gas**.

### *Supply*

- Breakdown of imports of **coke oven coke** by country of origin in 2017 has been estimated by the IEA Secretariat.

### *Transformation*

- In the middle of 2014, most autoproducer plants in Turkey were reclassified as main activity producer due to a change in the legislation. Amongst other things, this brought the reporting of unsold heat and prorated inputs in line with IEA methodology.

### *Consumption*

- In the 2018 edition, revisions on industrial coal consumption were conducted by the Turkish administration back to 2010 due to new available information.
- Privatisation of state owned coke ovens in recent years results in incomplete information on **coke oven gas** distribution.
- In the 2017 edition, consumption of **sub-bituminous coal** in construction has been reclassified by the Turkish administration as consumption in the non-metallic minerals industry.
- In 2015, a new survey was introduced by the Turkish administration to collect more detailed industrial consumption data, resulting in breaks in time series between 2014 and 2015.

## **Oil**

### *General notes*

- A project to upgrade the İzmit refinery was completed in 2015. This resulted in considerably higher refinery throughput in 2015, compared to

previous years. The project included a new unit to convert high sulphur fuel oil into higher grade products, such as gas/diesel oil and motor gasoline, and producing petroleum coke as a by-product.

- In the 2016 edition, the Ministry of Energy revised time series for **kerosene-type jet fuel** from 2013. Sales to foreign airlines, previously accounted for under exports, are now reported under international aviation according to the IEA methodology. Data could not be revised for prior years. Exports of **jet kerosene** up to 2012 years may include international aviation consumption.
- In the 2016 edition, the Ministry of Energy revised crude oil net calorific values from 2010 due to a new methodology for calculating them.
- Production *from other sources (natural gas)* of **other hydrocarbons** corresponds to hydrogen used in refineries, also represented as the output of *non-specified transformation* in the balances format.
- From 2013, marine fuels are reported under **fuel oil** instead of **gas/diesel oil**.
- From 2012, **petroleum coke** data are reported.

### *Supply*

- In 2014, the drop in **lubricants** imports and consumption is related to a legislation change effective 1st of January 2014 regarding base oil imports.
- From 2012, new information on **additives** imports (MTBE) data became available.
- From 2012, no exports breakdown is available for **white spirit, lubricants, bitumen** and **other products**.
- From 2010 data, more accurate NCVs for crude oil are available due to the implementation of a new survey.
- For the years 1978, 1980, 1981, 1983, 1984, international marine bunkers are included in exports.

### *Transformation*

- **Gas/diesel oil** and **fuel oil** consumed to produce electricity are used in both oil and coal-fired plants.

### *Consumption*

- In the 2019 edition consumption of **petroleum coke** was reclassified from non-energy to energy use.

- For the 2015 data, new surveys were used to create a more detailed breakdown of the industry and other sectors. This led to breaks in time series between 2014 and 2015.
- From 2014, information on gas/diesel consumption in fishing is available.
- From 2013, additional information on **petroleum coke** cement consumption is available.
- Prior to 2012, consumption of **other oil products** in the chemical sector was included under *non-specified industry*.
- Between 2010 and 2011, breaks in consumption time series for **LPG**, **motor gasoline** and **gas/diesel oil** appear due to improved survey methods.
- Between 1977 and 1978, the end-use classification of **gas/diesel oil** and **fuel oil** were changed in the Turkish national statistics resulting in breaks in time series.

## Natural gas

### Supply

- *Exports* reported by the Turkish administration represent transit gas.
- In 2008, there is a break in time series for *stock changes* due to a revision of storage capacity data.
- In December 2016, the first Floating Storage and Regasification Unit (FSRU) terminal started to work, allowing thus greater import quantities and stock levels.

### Transformation

- *Non-specified transformation* of **natural gas** represents amounts used to produce hydrogen for hydrocracking in refineries.
- In the 2018 edition, Turkish administration revised 2014 and 2015 data, as some main activity producing plants in Turkey were reclassified as autoproducers.

### Consumption

- In 2015, a new survey was introduced by the Turkish administration to collect industrial consumption data, resulting in a substantial decrease of consumption reported under *non-specified industry*.

- In 2013, energy use of **natural gas** in *blast furnaces* was zero, as gas was replaced by coal and coke.
- From 2009, there are some breaks in time series across all sectors, as consumption data started being collected by a different institution, the Turkish Energy Market Regulatory Authority.
- In 2006, there is a break in time series for non-energy use in *chemical and petrochemical industry* due to improvements in the classification.
- Prior to 2000, data for *commercial/public services* were included in the *residential* sector.
- Between 1999 and 2001, the decrease in **natural gas chemical and petrochemical** feedstocks is linked to the activity of the fertiliser industry.
- Since 1988, data for **natural gas** consumption in the *chemical and petrochemical industry* (for fertilisers) and in *non-specified industry* (dye industry) are available.
- *Non-specified industry* includes the natural gas distributed by OIZ (Organised Industrial Zones).

## Biofuels and waste

### General notes

- The Turkish administration only intermittently surveys **renewables and waste** used for power and heat. Due to this fact, some breaks may appear in the **biofuels and waste** time series.

### Transformation

- In 2017, the increase in electricity production in main activity producers burning **solid biofuels** is related to new plants.

### Consumption

- Prior to 1998, consumption in the **wood and wood products** sector includes that of the paper, pulp and printing industry.

## Electricity and heat

### Supply

- *Other sources* **heat** production represent purchased steam (waste heat) from the industry, mainly from cement and glass manufacturing, while *other sources* **electricity** is the proportion of generation by plant obtained from this heat.
- Electricity production from **wind** is available starting in 1998.

### Transformation

- In 2017, the increase in electricity production from **solar PV** main activity producers is related to new plants coming online, mostly unlicensed.
- In the 2006 edition, the Turkish Statistical Office started providing **electricity** and **heat** output on the basis of a new survey that revised time series back to 2000. This causes breaks in the time series between 1999 and 2000. Not all of the input time series have been revised.
- A new **gas**-fired main activity producer CHP plant was put into operation in 1999 and a new auto-producer electricity plant fuelled with **coking coal** started in 2000.
- Data for **blast furnace gas** for electricity and heat generation are available from 1995.
- Data on electricity generated from **biofuels** are available from 1991.
- In 1995, the Turkish administration reclassified autoproducer plants by type and source to be consistent with IEA definitions. This causes breaks between 1994 and 1995 for electricity production, most notably in plants fuelled by **biogases**.

### Consumption

- Consumption data in the machinery sector includes transport equipment.
- Comprehensive data on electricity consumption are available from 1973. This causes a break in the time series between 1972 and 1973.

## United Kingdom

### Source

Department for Business, Energy and Industrial Strategy (BEIS), London.

### Coal

#### General notes

- Oxygen steel furnace gas data are reported with **blast furnace gas** rather than as **other recovered gases**.
- In the 2017 edition, calorific values of **other bituminous coal** were revised for the period 2002-2015 due to a change in the methodology, impacting all flows.

- Prior to 1994, the consumption of substitute natural gas is included with **natural gas** while its production is included with **gas works gas**.

### Supply

- Underground production of **other bituminous coal** in 2016 decreased due to the closure of Hatfield, Thoresby and Kellingley mines.

### Transformation

- The consumption of **solid biofuels** increased in 2015, as the largest power station in the UK converted a further unit from **coal** to **biomass** mid-year, and the previously converted unit had a full year of operation in 2015 rather than just the last few months of 2014.
- The market decline in use of **other bituminous coal** from 2013 onwards for autoproducer electricity generation was due to a plant being sold to a dedicated main-activity electricity producer.

### Consumption

- Consumption shown for the commercial/public services includes consumption of some of *non-specified other*.

### Oil

#### General notes

- Breaks in time series occur for **LPG** between 2007 and 2008 due the inclusion of additional information from the petrochemical sector.
- For international marine bunkers and domestic navigation, a different bunkers methodology is applied from 2008, in line with UK's National Atmospheric Emissions Inventory. From 2013 onwards, improved data are available for international marine bunkers. Deliveries to international marine bunkers may be underestimated in previous years.
- For consumption of oil products, the UK administration revised its methodology from 2008 to better track consumption of imported oil products and domestically refined oil products sold through third parties to final consumers.
- Breaks in time series appear in 2013 for **ethane, naphtha, white spirit, lubricants, bitumen, petroleum coke** and **other oil products**, as new information became available on the energy use of these products.

### Supply

- From 2008 data on **naphtha** and **motor gasoline** better reflects the blending of these products. Breaks in series may appear between 2007 and 2008.
- Between 2007 and 2008 breaks in time series appear for **NGL** as a result of the UK administration obtaining additional information on the destination of some upstream **NGL**. Previously classified as exports, these amounts now appear as transfers, mainly to **LPG**, then as consumption in the petrochemical sector.
- Between 2002 and 2004 products transferred include backflows and interproduct transfers. From 2005 onwards backflows are estimated by the UK administration.
- Condensates are reported in **NGL** from 1980 and in crude oil until 1979.
- **LPG** includes ethane until 1980.
- **Other hydrocarbons**, reported until 1994, correspond to bitumen production from coal.

### Consumption

- Breaks in time series may occur in the consumption of **gas/diesel oil** between 2011 and 2012,, following the UK administration's improved access to customs trade data, in particular duty figures for demand in agriculture.

## Natural gas

### General notes

- Since 1992, *distribution losses* include metering differences and losses due to pipeline leakage.

### Supply

- In the 2018 edition, UK administration revised the supply balance back to 2008 to update Norwegian imports from two terminals previously reported as *indigenous production*.
- In 2002, the increase in *imports* is due to increased supplies from the Norwegian sector of the North Sea through the Vesterled pipeline, which was commissioned in the 4th quarter of 2001.
- In 2017 data the decreased *closing stock level* is related to the cessation of storage operations in Rough, UK's single largest storage facility.

### Transformation

- The **natural gas** reported in *coke-oven (transformation)* is used to form synthetic **coke oven gas** rather than undergoing a coking process.

### Consumption

- In the 2018 edition, **natural gas** consumption in the sectors of *industry, residential, commercial/public services*, was revised back to 2008 to include information from other data sources such as the Purchases Inquiry, EU ETS and ONS Index of Services and Production.
- In the 2019 edition, the UK administration proceeded to revisions back to 2015 based on improved data from the Purchases Inquiry annual survey of the Office of National Statistics (ONS).
- Before 2008, the commercial sector consumption is included in *non-specified other*, while that of public services is shown separately.
- Between 2007 and 2008 there are some breaks in time series in sectoral consumption due to a new methodology of data estimation.
- **Natural gas** consumption includes substitute natural gas made at gas works and piped into the natural gas distribution system.
- *Non-specified industry* represent to sales by independent gas suppliers unallocated by category.
- Consumption by the mining and quarrying and the wood and wood products sectors is included in non-specified industry.
- *Non-specified energy* includes gas used for heating and pumping operations in the distribution network.

## Biofuels and waste

### General notes

- In the 2017 edition, the UK government revised the data time series for **municipal waste** and **solid biofuels** back to 2001. As a result, breaks in time series may occur between 2000 and 2001.

### Transformation

- From 2015, the UK administration started collecting data from the main-activity **solar PV** companies. Prior to this, all data were included under autoproducers.
- The consumption of **solid biofuels** has increased in 2015, as the largest power station in the UK

halfway through the year converted a further unit from coal to biomass, plus the previously converted unit had a full year of operation in 2015 rather than just the last few months of 2014.

- Prior to 2013, due to data confidentiality reasons, one or two main-activity **municipal waste** plants had to be included within the autoproducer plant category. Since 2013, as there have been at least three main-activity companies, these plants have been reclassified from autoproducer plant to main activity electricity plant, with some CHP plants included under main electricity due to confidentiality reasons.

### *Consumption*

- The UK administration undertook a survey of domestic wood consumption in 2015 and revised figures back to 2008. This resulted in breaks in time series for **solid biofuels** consumption in residential between 2007 and 2008.
- In the 2018 edition, following a review of the consumption of **biogases** and **municipal wastes** for 2015 and 2016 data, data that were allocated to other sectors have been reallocated to the industry sectors. This has caused a break in time series between 2014 and 2015. A review prior to 2015 is expected in the next cycle.

## Electricity and heat

### *General notes*

- For the United Kingdom, it is necessary to combine figures for main activity producers and autoproducers in order to prevent the disclosure of information relating to less than three electricity generating companies, since this information is considered confidential. For this reason, data for main activity producer CHP plants have been included with autoproducer CHP plants from 1988. Prior to 1988, electricity output from CHP plants was included with autoproducer electricity plants.
- The re-organisation and subsequent privatisation of the electricity supply industry in 1990 has resulted in some breaks in time series.

### *Supply*

- Data for **off-grid solar PV** are currently not available in the United Kingdom but the addition of this data is expected in the future.
- Large declines in electricity generation from **coal-fired** power since 2013 are due to concrete plans

to phase out coal use for electricity generation entirely by 2025. Alternative generation has been supplied by increases from other sources, including **biomass**, **natural gas**, **nuclear**, **solar** and **wind** generation, and increases in imports through undersea HVDC interconnectors.

- Electricity production data for **solar PV** are available from 1999.
- The launch of a feed-in-tariff scheme in April 2010 resulted in a rapid increase of capacity and corresponding electricity production growth from **solar PV** in the following years.
- In 1996, the break in electricity production from **nuclear** is due to a reclassification of plants from autoproducer to main activity producer plants.
- Data on electricity production from **wind** is available from 1989.

### *Transformation*

- **Electricity** used for pumped storage (mixed plants) is included under used for pumped storage (pure hydro pumping plants) for confidentiality reasons.
- In 2007, outputs of electricity from **petroleum coke** are included in **fuel oil**.
- Prior to 2003, all outputs of electricity and heat from **oil products** are reported in the other oil products category.
- **Heat** production from autoproducers is available starting in 1999.
- Inputs and output from **natural gas** for main activity producer electricity production are included in autoproducer electricity for 1990 (for reasons of confidentiality).

### *Consumption*

- For the 2019 edition, a change in methodology was applied for **heat** consumption figures from 2015 onwards. Due to new information regarding the purchasing and reselling of heat, consumption previously included under the *Commercial and Public services* sector was reallocated to the *Residential* sector.
- Consumption in gas works includes electricity use in the transmission/distribution of public supply gas.
- Consumption in the non-metallic mineral products sector includes mining and quarrying.

- **Electricity** consumption in coal mines includes consumption in patent fuel plants.
- Data for **electricity** consumption in transport was classified by sub-sector only starting from 2004 resulting in a break in time series between 2003 and 2004. Prior to 2004, *non-specified transport* includes consumption for traction by urban rails and road vehicles, and consumption for non-traction by railways and bus stations and airports. From 2004 onwards, road vehicles consumption is included under road transport. Prior to 2004, electricity consumption in rail refers to industrial rail only. From 2004 onwards it includes both industrial and urban rail.
- Consumption in the machinery sub-sector includes that of the transport equipment industry before 1996.
- Starting in 1990, small amounts of **electricity** used in heat pumps have been included in residential.
- From 1984 onwards, the **electricity** consumption in the *non-specified industry* sector includes that of the wood and wood products sub-sector and unallocated consumption. The unallocated consumption comes from data reported as ‘Other industries’ by companies and includes Standard Industrial Classification (SIC) codes 7, 22, 31, 32, 33.19, 36, 38.3.
- **Electricity** consumption in energy non-specified sub-sector is primarily made up of ‘gas and electricity supply’ and includes Standard Industrial Classification (SIC) codes 24.46 and 35.

## United States

### Source

US Energy Information Administration, Washington D.C.

### General notes

- Starting with 2017 data, inputs to and outputs from electricity and heat generation include Puerto Rico.
- End-use energy consumption data for the United States present a break in time series with historical data due to a change in methodology in 2014. The break in time series occurs between 2011 and 2012 for oil; and between 2001 and 2002 for electricity and natural gas. The new methodology is based on the last historical year of the most recent Annual Energy Outlook (AEO) publication.

Changes occur primarily in reported end-use energy consumption in the industrial sector and its subsectors, including the non-manufacturing industries of mining, construction and agriculture. Historical revisions are pending. Due to other changes in reporting methodologies, there are numerous breaks in time series for the US data, particularly in 1992, 1999, 2001, 2002 and 2013. Care should be taken when evaluating consumption by sector since inputs of fuel to auto-producers are included in final consumption for some years. No data are available for most energy products in the construction and mining and quarrying industries.

## Coal

### General notes

- Since the Energy Information Administration (EIA) and the US Department of Commerce do not collect separate data on **patent fuel** exports by country, total exports data of **patent fuel** are included in the exports of **other bituminous coal**.
- **Coal tar** as a by-product of coke ovens is not currently reported.
- In 2002, the United States reported “synfuel” production as **patent fuel** for the first time. Prior to 2002, the consumption of this fuel was reported with **other bituminous coal**. Production ceased in 2007 for economic reasons.
- **Hard coal** data prior to 1978 may include **sub-bituminous coal**.

### Supply

- *Other sources coal* production represents coal production that does not have a Mine Health and Safety Administration (MSHA) identifier.

## Oil

### General notes

- In the 2018 edition, the US administration revised data back to 2011 for several products owing to the introduction of a number of methodological changes. This results in a number of breaks in the time series between 2010 and 2011, particularly in the consumption data.
- From 2011 onwards, olefins are reported under other oil products instead of LPG.
- Breaks in time series due methodology improvements and newly available information to the US

administration also appear in historical data: in 1990 for fuel oil (new methodology for marine bunkers); in 1992 for LPG/NGL (specific densities); in 1993 for oxygenates (new collection system to accommodate the revised Clean Air Act); in 1994 for motor gasoline (new model from the US Department of Transportation); in 1999-2000 for industry consumption (new available data from the 2002 MECS survey); in 2001 for fuel oil (changes in methodology for classifying imports of unfinished oils) and in 2011 for refinery gas (new density).

### Supply

- Deliveries to international marine bunkers of gas/diesel oil have been estimated by the IEA Secretariat for 2016 and 2017 based on information provided by the EIA.
- In the 2018 edition, the breakdown of exports by destination of low sulphur fuel oil and high sulphur fuel oil is not available. The time series was revised back to 2011.
- High statistical differences for crude oil represent “unaccounted for crude oil”, the difference between the supply and disposition of crude oil.
- From 2013, the US administration reports exports of **refinery feedstocks**, some of which were previously reported under **white spirit and SBP**.
- Stocks changes for **gas/diesel oil, fuel oil and petroleum coke** were estimated by the IEA Secretariat from 1996 onwards to include stock changes at utilities.

### Transformation

- From 2002 onwards, the IEA Secretariat has estimated the amounts of refinery gas used for auto-producer electricity production.

### Consumption

- Between 2010 and 2011, end-use energy consumption data for the United States present a break in time series due to a change in methodology. For the period 2011-2016, quantities of non-energy use of LPG in chemical and petrochemical, and of other oil products in non-specified industry have been estimated by the IEA Secretariat.
- From 2013 onwards, road use lubricants are reported under non energy consumption in transport equipment, machinery, and wood and wood pro-

ducts. Previously, such quantities were reported under non-specified industry.

- From 1995 onwards, **LPG** inputs to gas works are included in industry.

## Natural gas

### General notes

- Puerto Rico is currently not included in US data for **natural gas** with the exception of gas consumed for electricity generation. LNG imports into Puerto Rico are reported in the Other non-OECD Americas regional aggregate.

### Supply

- In the 2017 edition of this publication, the *indigenous production* data for 2014 was revised by the US administration creating a break in the time series between 2013 and 2014 due to a change in the methodology. In addition, this increased the *statistical difference* that remained high in 2015 and 2016.
- The exports have been increasing since 2015, due to new liquefaction capacity (i.e. Sabine Pass) coming online at the end of that year.

### Transformation

- Since 2012, data reported under *non-specified transformation* represent **natural gas** used for hydrogen manufacture. Prior to 2012, these quantities are reported under the *chemical and petrochemical* sector.
- Between 1999 and 2000, there are some breaks in time series for the transformation subsectors due to a new data reporting method.
- Between 1990 and 2002, the amounts of **gas works gas** that are blended with **natural gas** have been estimated on the basis of the output efficiency of the process.
- Since 1989, consumption by *autoproducer CHP* plants is available, while consumption by *auto-producer electricity* and *main activity producer CHP* plants is available since 1991. Prior to these years, these consumptions are included with *industry* and *commerce/public services*.

### Consumption

- In the 2019 edition, revisions were made to the *industry sector* from 2015 onwards, by reallocating **natural gas** consumption to the *chemical and*

*petrochemical* sub-sector from other industrial sub-sectors.

- Due to revisions made to the iron and steel model, there is a break in the time series between 2014 and 2015 for the consumption in *blast furnaces (energy)*.
- Until 2001, *agriculture/forestry* consumption is included under *industry*.
- From 1995 to 2001, the detailed breakdown of *industry* consumption is estimated by the Energy Information Administration using the Manufacturing Energy Consumption Survey (MECS), which is conducted quadrennially.
- Prior to 1995 a detailed breakdown of industry consumption is not available (between 1990 and 1994, chemical consumption is estimated by the American administration).
- In 1991 data on **natural gas** use in the *road* sector were collected for the first time, and are not available for previous years.
- *Non-specified energy industry own use* represents **natural gas** consumed for the production of **ethanol**.
- Consumption in fisheries is included under *industry*.

## Biofuels and waste

### General notes

- The EIA assumes all **industrial waste** is non-renewable.
- Due to the change in reporting methodology for **liquid biofuels**, breaks in time series occur between 2009 and 2010. This is especially noticeable in the **biodiesel** time series.
- Supply
- Data for production of **industrial waste** have been decreasing since May 2014 due to reclassification, resulting in a break in series between 2013 and 2014.
- Indigenous production of **biodiesel** is estimated in 2010 based on the EIA's Monthly Energy Report.

### Transformation

- The EIA collects generation and consumption data from all plants 1 MW or more in capacity.

## Consumption

- Due to an improved estimation, there are some breaks in time series of the industry sector and other sectors between 2009 and 2010: for industry, **geothermal**, **biogases** and **industrial waste** (paper, pulp and printing); for other sectors, **geothermal** and **solar thermal**.

## Electricity and heat

### General notes

- **Geothermal** supply and inputs to transformation data are estimated by the IEA Secretariat starting in 2009 because of efficiency discrepancies.
- Between 2001 and 2002, there are breaks in time series concerning the total production of electricity and heat in the United States. Comprehensive data on electricity and heat production and consumption in main activity producer electricity, CHP and heat plants and autoproducer electricity and CHP plants are not available for all years.

### Supply

- The IEA Secretariat estimated US **solar PV** electricity generation from autoproducers starting in 1999 by multiplying the dispersed and distributed PV capacity estimated by the US administration by an average capacity factor of 12%. The capacity factor was based on a report published in 2007 by the IEA Photovoltaic Power Systems Programme, Cost and Performance Trends in Grid-Connected Photovoltaic Systems and Case Studies. The corresponding consumption of electricity has been included under *non-specified other*.
- Data for electricity absorbed by pumping and electricity production from **pumped storage** plants became available starting in 1987.
- Discrepancies occur between respective reported figures for electricity trade between the US and Mexico from 2013 onwards, and between the US and Canada from 2016 onwards. This is in part due to a change in data source for US electricity trade figures, which creates a break in series between 2015 and 2016.

### Transformation

- **Electricity** inputs to both mixed **hydro** and pure pumped storage pumping plants are reported under inputs to pure pumped storage.
- **Offshore wind** production began in 2016.

- Beginning with 2016 data, the calculation for **heat** production in CHP plants has changed, resulting in breaks in time series. The United States administration is currently unable to apply this methodology to historic years, so will only cover heat data for 2016 onwards. As a result of this methodology change, several combustible fuel power plants have their overall efficiency values increased, recording increased heat production. The previous methodology existed for the years 2006 to 2015, so further breaks exist between 2005 and 2006.
- For 2016, **electricity** and **heat** generation from some types of **coal** and some plant types were estimated by the IEA Secretariat, based on an initial submission from the US administration and subsequent reclassification of portions of this coal between coal types.
- Accurate accounting of **coke oven gas** and **refinery gas** inputs is not always possible, which can lead to efficiencies of over 100% in main activity producer CHP plants.
- *Other sources* **electricity** production represents purchased steam and waste heat from industries.
- The low efficiencies from 2011 for **other bituminous coal** autoproducer electricity plants are due to the fact that one unit; the Albany Brewery Power Plant only produces unsold heat, and is reported in the wrong category of plant.
- From 2007 to 2009, heat from **industrial waste** includes recovered heat from industrial processes. From 2010, the electricity produced from recovered heat is reported under **other sources**.
- The decline in **patent fuel** used for electricity production in 2008 and subsequent cessation in 2009 is a result of the termination of the “synthetic fuel from coal” tax credit in 2008, which had been in the order of \$20 to \$25 USD per tonne, and while intended to deal with coal liquefaction and similar technologies, it had spawned an industry of cosmetic upgrading as a tax minimisation vehicle.
- From 2004 to 2013, the EIA reported electricity and heat production from **anthracite** under **other bituminous coal**. The Secretariat estimated the split of generation output by fuel type based on the assumption that the plant efficiencies of the aggregate are equal to that of each part.
- Starting in 2002, autoproducer electricity output for **oil** includes generation from **refinery gases** with a low average calorific value. Prior to 2002, this output was not accounted for.
- Prior to 2001, some data on plants consuming **sub-bituminous coal** and **lignite** have been estimated by the Secretariat using information provided in the EIA’s Annual Electricity Generator Report – Utility.
- Data for **peat** are confidential between 1994 and 1998 and from 2000 are not reported.
- Prior to 2000, autoproducers include small and independent power producers which under IEA definitions are considered as main activity producers. Production from these small and independent power producers accounts for about 25% of reported production of electricity by autoproducers in the United States. This reclassification causes breaks between 1999 and 2000.
- In the 2003 edition, the United States administration reclassified some plants to autoproducers. This reclassification causes more breaks between 1998 and 1999.
- Data for **heat** produced in main activity producer heat plants are available from 1992 to 1999, and for autoproducer CHP plants for 1989 to 1999.
- From 1999 onwards, the fuel used in **heat** production by autoproducers is included in final consumption because the US administration cannot distinguish between the heat used directly on-site and the heat sold. Therefore, this may underestimate the heat sold to third parties.
- Prior to 1999, **solar thermal** electricity production includes generation from natural gas because some natural gas units are attached to **solar thermal** plants and their production could not be separated.
- Prior to 1991 some of the fuel inputs to **electricity** and **heat** production reported for autoproducer plants are reported as final consumption in the particular economic sector in which the autoproducer is operating.
- Prior to 1989, there are no generation data available from autoproducers.
- **Sub-bituminous coal** inputs for electricity and heat production are included in **hard coal** before 1983.

### Consumption

- Consumption breakdown data for **electricity** are modelled based on data obtained from the Annual Energy Outlook and conversion factors. These da-

ta are based on fiscal values rather than physical tonnage, so if commodity prices increase or decrease between AEO versions and the conversion factors are not updated, derived changes in consumption may appear that are not supported by physical changes in production, or actual changes in consumption. For example in 2016, production of steel in electric arc furnaces increased by 6%, however consumption of electricity in the *iron and steel* industry was reported as declining by 17%.

- For the 2019 edition, the breakdown of final **electricity** consumption for 2017 was based on the results of the Annual Energy Outlook (AEO) of 2018. The model used in the 2018 edition of the Outlook was updated to incorporate the results of the 2014 Manufacturing Energy Consumption Survey (MECS). The MECS values were last updated in 2010, and in the intervening period, several industries had changed significantly. For industry sub-sectors where disaggregated AEO2018 values are unavailable e.g. non-ferrous metals, textiles, and non-metallic minerals, consumption was extrapolated from the MECS 2014 values at the same rate as shipments in that industry. Breaks in time series occur across several sectors between 2016 and 2017.
- Similarly, the breakdown of final electricity consumption for 2015 was based on the results of the Annual Energy Outlook (AEO) of 2016. Breaks in time series appear in the mining and agricultural electricity consumption sectors as a result of introduction of individual industry benchmarking for 2015 results. Changes in iron and steel, and pulp and paper data from 2014 to 2015 are the result of fundamental revisions of the iron and steel and pulp and paper models between AEO2014 and AEO2016 as well as the use of individual industry benchmarking for AEO2016. These changes are a few notable examples of series changes, and any series can change between AEO releases because of data updates and methodology changes.
- Prior to 1991, total consumption of **heat** sold referred to consumption in commercial/public services.
- No data are available for **heat** sold that is consumed in the residential and agriculture/forestry sectors for any year.
- Data for direct use of **solar thermal** heat in residential are available from 1999.

- Since 1995, **heat** consumption data by sector are no longer collected, and have been estimated by the Secretariat, resulting in breaks in time series between 1994 and 1995, and 1999 and 2000.
- Data for consumption of **heat** sold in industry are available from 1991 and in energy industry own use from 1992.

## ASSOCIATION COUNTRIES

### Brazil

#### General notes

- Brazil joined the IEA as an Association country in October 2017.
- The split between domestic and international marine bunkers is done based on flag (nationality) of ships.
- New information became available in 2015 which explains the types of product transfers within Brazilian refineries. The IEA attempted to reflect these transfers as accurately as possible.
- In the IEA balance for Brazil, “Biogasoline” refers to anhydrous ethanol while “Other liquid biofuels” refers to hydrated ethanol. The national energy balance of Brazil shows bioethanol as two separate products: anhydrous ethanol (“álcool anidro”, i.e. nearly pure ethanol, containing less than 1% of water) and hydrated ethanol (“álcool hidratado”, i.e. a blend of ethanol and water, in the proportion of about 95% to 5%, generally obtained from conventional distillation). While anhydrous ethanol is blended with gasoline (the blend sold at the pump generally contains 20-25% of ethanol), hydrated ethanol is sold at separate pumps as a product by itself (álcool) to be used in flex fuel cars, i.e. vehicles that can run on any mix of gasoline and ethanol.
- Although IEA’s balance is based on Brazil’s national statistics, differences with the national energy balance can be observed due to the different methodologies adopted for reporting nuclear, chemical heat, natural gas, renewables, blast furnaces and coke ovens.
- Brazil produces a large share of its pig iron in blast furnaces that are fuelled and fed with charcoal. The blast furnace gases produced when charcoal is used as a reagent in the blast furnaces are renewable products and they have been reported in this publi-

cation under the product “Biogases from thermal processes”. Additionally, only the part of these gases consumed for power generation (i.e. energy purposes) has been accounted for in the transformation sector. The remaining charcoal consumed in or used to heat the blast furnaces is reported in final consumption under the iron and steel industry with no distinction between transformation and final consumption.

- Prior to the year 2000 blast furnace gases data availability is limited to the input to auto producer electricity plants. Therefore, from 1971 to 1999, the other flows (e.g. production, consumption etc.) are IEA Secretariat estimates.
- The Itaipu hydroelectric plant, operating since 1984 and located on the Paraná River (which forms the border of Brazil and Paraguay) was formed as a joint venture between Eletrobrás and the Paraguayan government. Production is shared equally between Brazil and Paraguay.

## Sources

### Sources 1971 to 2017:

- Direct communication with the Ministério de Minas e Energia, Brasilia.
- *Solar Heat Worldwide*, AEE - Institute for Sustainable Technologies, Gleisdorf, IEA Solar Heating & Cooling Programme various editions up to 2018.

## Indonesia

### General notes

- Indonesia joined the IEA as an Association country in November 2015.
- For 2012-2017 coal exports data from BPS are used. This results in breaks in time series for 2011-2012.
- Non-specified industry consumption is re-estimated by the IEA Secretariat.
- The production and allocation of coal among the various coal types and products between 2000 and 2017 are estimated by the IEA Secretariat due to data collection limitations.
- New information on the use of municipal waste and solid biofuels for power generation became available to the Ministry of Energy and Mineral Resources this year. This leads to a break in time series between 2016 and 2017.

- In this edition, the IEA Secretariat came across new information regarding the use of coal in Indonesia’s industry sector. First estimates of this use may lead to breaks in time series between 2015 and 2016, as well as between 2016 and 2017.
- In 2015, data reported for coal consumption in pulp and paper industry might also include coal consumed in the textile and fertilizers sectors. This may create breaks in time series.
- Electricity consumption for the agricultural sector is estimated by the IEA Secretariat for 2000-2017. This may lead to breaks in time series between 1999 and 2000.
- In this edition tThe IEA Secretariat estimates coking coal production for the period 2014-2017. Breaks in time series may appear between 2013 and 2014.

## Sources

### Sources 2008 to 2017:

- Direct communication with the Data Centre and Information Technology (PUSDATIN), Ministry of Energy and Mineral Resources, Jakarta.
- *Handbook of Energy & Economic Statistics of Indonesia*, PUSDATIN, Ministry of Energy and Mineral Resources (ESDM), Jakarta, various editions up to 2018.
- *Statistik, Minyak & Gas Bumi*, Directorate General of Oil and Gas, Ministry of Energy and Mineral Resources (ESDM), Jakarta, various editions up to 2018.
- *Trade data on coal, charcoal for 1999-2017*, website of the Central Bureau of Statistics of the Republic of Indonesia (BPS).
- *Irrigation management to increase agriculture production*. Ministry of Agriculture Republic of Indonesia, Jakarta, 2012.
- *PLN Statistics*, PT.PLN (Persero), Jakarta, various editions up to 2018.
- Direct communication with PT PLN (Persero), Jakarta.
- Direct communication with the Indonesia Coal Mining Association, Jakarta.
- IEA Secretariat estimates.

### Sources 1992 to 2007:

- *Indonesia Mineral and Coal Statistics*, Directorate of Coal and Mineral Resources, Jakarta, 1998 to 2007.
- *Statistics on Electricity and Energy*, 1998 to 2004, Directorate General of Electricity and Energy Utilisation, Jakarta, 1999 to 2005.

- *Oil and Gas Statistics of Indonesia*, Directorate General Oil and Gas, Jakarta, various editions 1981 to 2007.
- *The Petroleum Report Indonesia*, various editions, US Embassy in Jakarta, Jakarta, 1986 to 2008.
- *Oil and Gas Data Information*, 6th Edition, Directorate General Oil and Gas, Jakarta, 2002.
- *Statistik Perminyakan Indonesia* 1995 to 1999, Indonesia Oil and Gas Statistics, Directorate General of Oil and Gas, Jakarta, 2001.
- *Neraca energy 2000*, Energy Balance of Indonesia 2000, Asean Center for Energy.
- *Mining and Energy Yearbook*, 1998, Ministry of Mines and Energy, Jakarta, 1998.
- APEC annual energy statistics questionnaires.
- Direct communication with Directorate General of Coal and Mineral Resources, Directorate General Oil and Gas, and Directorate General of Electricity and Energy Utilisation of the Ministry of Energy and Mineral Resources.
- Direct communication with the Indonesian Institute for Energy Economics, 2004 and 2005.
- Direct communication with the ASEAN Centre for Energy, 2005.

#### **Sources up to 1991:**

- *Indonesian Financial Statistics*, Bank of Indonesia, Jakarta, 1982.
- *Indikator Ekonomi 1980-1985*, Biro Pusat Statistik, Jakarta, 1986.
- *Statistical Yearbook of Indonesia*, Biro Pusat Statistik, Jakarta, 1978 to 1984 and 1992.
- *Statistik Pertambangan Umum*, 1973-1985, Biro Pusat Statistik, Jakarta, 1986.
- *Energy Planning for Development in Indonesia*, Directorate General for Power, Ministry of Mines and Energy, Jakarta, 1981.
- *Commercial Information*, Electric Power Corporation, Perusahaan Umum Listrik Negara, Jakarta, 1984, 1985.

#### **Sources for Biofuels and waste:**

- *GAIN Report - Indonesia biofuels Annual*, United States Department of Agriculture, various editions up to 2018.
- The UN Energy Statistics Database
- IEA Secretariat estimates.
- Direct communication with Indonesian Biofuel Producer Association (APROBI), Jakarta.

## Morocco

### General notes

- Morocco joined the IEA as an Association country in November 2016.
- Morocco started filling the five Joint IEA/Eurostat/UNECE questionnaires for the year 2015. This may lead to breaks in time series between 2014 and 2015.
- In the 2018 edition, revisions in biofuels were made for the period 2004-2014. This may lead to breaks in time series between 2003 and 2004.
- In the 2018 edition, revisions in auto producer electricity from combustible fuels and electricity production from heat from chemical sources were made and a break in time series may be observed between 2012 and 2013.
- In the 2019 edition, revisions in solar thermal electricity production were made for 2015 and 2016. This may lead to breaks in time series.
- The Samir-Mohammedia refinery expansion was completed in 2009, accommodating new feedstocks and additives. This may lead to breaks in time series between 2009 and 2010.
- In August 2015, refinery activity stopped, causing significant decreases in refined oil products production and breaks in time series between 2014, 2015, and 2016.

### Sources

#### **Sources 2015 to 2017:**

- Joint IEA/Eurostat/UNECE annual energy questionnaires.

#### **Sources 1992 to 2014:**

- Direct communication with Ministère de l'Énergie et des Mines, Direction des Mines, Rabat.
- *Annuaire Statistique du Maroc*, Haut-Commissariat au Plan, Direction de la Statistique, Rabat, 1980, 1984, 1986 to 2011.
- Electricity consumption by economic sector from direct communication with Office National de l'Électricité, Casablanca.

#### **Sources up to 1991:**

- *Rapport d'Activité 1992*, Office National de l'Électricité, Casablanca, 1993.

- *Le Maroc en Chiffres 1986*, Ministère du Plan, Direction de la Statistique, Rabat, 1987.
- *Rapport Annuel*, Office National de Recherches et d'Exploitations Pétrolières, Maroc, 1984.
- *Rapport d'Activité du Secteur Pétrolier 1983*, Ministère de l'Energie et des Mines, Direction de l'Energie, Rabat, 1984.
- *Rapport sur les Données Energétiques Nationales 1979-1981*, Ministère de l'Energie et des Mines, Rabat, 1982.

#### *Sources for biofuels and waste:*

- Joint IEA/Eurostat/UNECE annual energy questionnaire on renewables (2015-2017).
- Before 2015 : Direct communication with Ministère de l'Energie et des Mines, Direction des Mines, Rabat ; The UN Energy Statistics Database; IEA Secretariat estimates.

## Singapore

### General notes

- Singapore joined the IEA as an Association country in October 2016.
- Some key oil products and flows are aggregated by Singapore, to avoid breach of confidentiality. Detailed breakdown is then estimated by the IEA Secretariat.
- At the time of publication, refinery input and output figures for 2017 were not available and they have been therefore estimated by IEA Secretariat. These values may differ significantly from actual figures published later in Singapore's official sources.
- The IEA Secretariat, the Energy Market Authority and the National Climate Change Secretariat (NCCS) have worked closely together on improving data quality for Singapore. Therefore, breaks in time series between 2008 and 2009 and differences in trends when compared to previous publications may occur for some products.
- From 2009, Singapore publishes splits of refinery output between light, middle and heavy distillates and residuum only. Further breakdown between products is estimated by the IEA Secretariat. Singapore aggregates petrochemical and refinery consumption. The split between refining and petrochemical consumption is estimated by the IEA Secretariat.

- Refinery input is broken down between crude oil and feedstocks. Splits of feedstock by product are not provided by Singapore. By default, IEA estimates that feedstocks come from naphtha as a result of residual calculation plus gas/diesel and fuel oil in equal proportions.
- Other data remain aggregated due to lack of data availability. Electricity consumption in the industry sector from 2005 includes electricity consumption by refineries. Electricity consumption in transport includes all electricity consumption at airport terminals. Municipal waste production and consumption may include biogas.
- Refinery gas production and consumption may include syngas produced by the petrochemical sector.
- energy balance of Singapore. The IEA Secretariat has adjusted total imports of gas/diesel from 2009 to match demand.
- A coal-fired power plant started operations in 2013. This might lead to breaks in time series between 2012 and 2013.

### Sources

#### *Sources 1992 to 2017:*

- Direct communication with the Energy Market Authority, Singapore.
- Direct communication with the Solar Energy Research Institute of Singapore, 2011.
- *Singapore Energy Statistics*, Energy Market Authority, Singapore, various editions up to 2018.
- *Monthly oil statistics*, Enterprise Singapore, 2011-2017.
- *Yearbook of Statistics Singapore*, Department of Statistics, Singapore, various editions up to 2018.
- *Bunker sales*, website of The Maritime and Port Authority of Singapore, accessed February 2019: [www.mpa.gov.sg](http://www.mpa.gov.sg).
- *Motor Vehicle Population by Type of Fuel Used*, website of the Land Transport Authority, accessed February 2019: [www.lta.gov.sg](http://www.lta.gov.sg).
- *Solid Waste Management Statistics*, website of The Ministry of the Environment and Water Resources, accessed February 2019: <http://app.mewr.gov.sg/>.
- Direct communication with the National Climate Change Secretariat (NCCS), Singapore, from 2013 to 2015.

- *Singapore Trade Statistics*, International Enterprise Singapore, Singapore, various CD-ROM editions up to 2011.
- *Argus Fundamentals*, Argus Media, various editions up to 2012.
- *Asia Pacific Databook*, FACTS Global Energy, Singapore, various editions up to 2013.
- *The Strategist Oil Report*, Singapore, various issues up to March 1999.
- *Petroleum in Singapore 1993/1994*, Petroleum Intelligence Weekly, Singapore, 1994.
- ASEAN-EC Energy Management and Research Training Centre (AEEMTRC), 1996.
- Direct submissions from oil industry sources up to 1996.
- *The UN Energy Statistics Database*.
- IEA Secretariat estimates.
- **Sources up to 1991:**
- *Monthly Digest of Statistics*, Department of Statistics, Singapore, various editions from 1987 to 1989.
- *Yearbook of Statistics Singapore 1975/1985*, Department of Statistics, Singapore, 1986.
- *ASEAN Oil Movements and Factors Affecting Intra-ASEAN Oil Trade*, Institute of Southeast Asian Studies, Singapore, 1988.
- *The Changing Structure of the Oil Market and Its Implications for Singapore's Oil Industry*, Institute of Southeast Asian Studies, Singapore, 1988.
- *Public Utilities Board Annual Report (1986 and 1989)*, Public Utilities Board, Singapore, 1987 and 1990.
- **Sources for biofuels and waste:**
- *Singapore Energy Statistics*, Energy Market Authority, Singapore, various editions up to 2018.
- The UN Energy Statistics Database.
- IEA Secretariat estimates.

## Thailand

### General notes

- Thailand joined the IEA as an Association country in November 2015.
- Data for lubricants, refinery gas and non-specified oil products are not published by the Ministry of Energy and are estimated by the IEA Secretariat. Up to 2014, IEA Secretariat also estimated naphtha.

- Data for production, own use and non-energy use of natural gas may include propane, butane and ethane produced in gas separation plants.
- Stock changes may include statistical difference for certain products.
- In 2014, information became available for the consumption of anthracite and lignite coal in industry. Breaks in time series may occur between 2011 and 2012.

### Sources

#### Sources 2012 to 2017:

- Direct communication with the Ministry of Energy, Thailand, Bangkok.
- Direct communication with the Petroleum Institute of Thailand, Bangkok.
- *Thailand Energy Statistics*, Ministry of Energy, Department of Alternative Energy Development and Efficiency, Bangkok, various editions up to 2017.
- *Thailand Energy Balance Table*, Ministry of Energy, Department of Alternative Energy Development and Efficiency, Bangkok, various editions up to 2017.
- *Thailand Alternative Energy Situation*, Ministry of Energy, Department of Alternative Energy Development and Efficiency, Bangkok, various editions up to 2016.
- *Thailand Energy Efficiency Situation*, Ministry of Energy, Department of Alternative Energy Development and Efficiency, Bangkok, various editions up to 2017.
- *Energy Statistics of Thailand*, Ministry of Energy, Energy Policy & Planning Office, Bangkok, various editions up to 2017.
- *Key Statistical Data*, Electricity Generation Authority of Thailand, online database: [www.egat.co.th](http://www.egat.co.th) accessed March 2019.
- *Thailand's Petroleum & Petrochemical Statistics*, Petroleum Institute of Thailand, Bangkok, various editions up to 2017.
- IEA Secretariat estimates.

#### Sources 2002 to 2012:

- Direct communication with the Petroleum Institute of Thailand, Bangkok, 2008 to 2012.
- *Thailand Energy Situation*, Ministry of Energy, Department of Alternative Energy Development and Efficiency, various editions up to 2012.
- *Key Statistical Data*, Electricity Generation Authority of Thailand, online database: [www.egat.co.th](http://www.egat.co.th).





## 7. METHODOLOGICAL NOTES

This publication is based on the data in physical units of the IEA *World Energy Statistics* publication and on the IEA energy balance methodology, briefly summarised below.

### Energy balance: key concepts

Energy statistics expressed in physical units in the form of commodity balances, balances of supply and use of each energy commodity, are a simple way to assemble the main statistics so that key data are easily obtained, and that data completeness can be quickly assessed. However, because energy products are mainly bought for their heat-raising properties and can be converted into other energy products, presenting data in energy units is very powerful. The format adopted is called energy balance.

The energy balance takes the form of a matrix, where columns present all the different energy sources and rows represent all the different “flows”, grouped in three main blocks: energy supply, transformation/energy use and final consumption.

To develop an energy balance from the set of energy commodity balances, the two main steps are: i) all the data are converted to a common energy unit – and also a “total” product is computed; and ii) some re-formatting is performed to avoid double counting when summing products together. For example, while the production of secondary products (e.g. motor gasoline) is shown in the production row in commodity balances, it is reported as an output of the relevant transformation (e.g. oil refineries) in an energy balance, where the production row only refers to production of primary products (e.g. crude oil).

The methodological assumptions underlying energy balances discussed in the next section are particularly important to understand differences across balances formulated by different organisations starting from the same energy commodity data.

### IEA energy balances methodology

The unit adopted by the IEA is the tonne of oil equivalent (toe) which is *defined* as  $10^7$  kilocalories (41.868 gigajoules). This quantity of energy is, within a few per cent, equal to the net heat content of 1 tonne of crude oil. Conversion of the IEA energy balances to other energy units would be straightforward.

The main methodological choices underlying energy balances that can differentiate balances across organisations are: i) “net” versus “gross” energy content; ii) calorific values; and iii) primary energy conventions.

#### Net versus gross energy content

The IEA energy balances are based on a “net” energy content, which excludes the energy lost to produce water vapour during combustion. All the elements of the energy balance are expressed on the same net basis to ensure comparability. Even elements (e.g. natural gas) that in commodity balances may be already in energy units but on a different basis (e.g. “gross”) are converted (e.g. from “gross” to “net”).

The difference between the “net” and the “gross” calorific value for each fuel is the latent heat of vaporisation of the water produced during combustion of the fuel. For coal and oil, the net calorific value is about 5% less than gross, for most forms of natural and manufactured gas the difference is 9-10%, while

for electricity and heat there is no difference as the concept has no meaning in this case.

### Calorific values

Generally, the IEA adopts country-specific, time-varying, and for some products flow-dependent, net calorific values supplied by national administrations for most products; and regional default values (in conjunction with Eurostat for the European countries) for the oil products. More detailed explanations on the IEA conversion to energy units for the different energy sources are given in section 8 *Units and Conversions*.

### Primary energy conventions

A very important methodological choice is the definition of the “**primary energy equivalent**” for the electricity and heat produced from non-combustible sources, such as nuclear, geothermal, solar, hydro, wind. The information collected is generally the amount of electricity and heat produced, represented in the balance as an output of transformation. Conventions are needed to compute the most appropriate corresponding primary energy, input to the transformation, both in form and in amount.

The principle adopted by the IEA is that the **primary energy form** is *the first energy form downstream in the production process for which multiple energy uses are practical*. For example, the first energy form that can be used as energy in the case of nuclear is the nuclear heat of the reactor, most of which is then transformed into electricity. The application of this principle leads to the choice of the following primary energy forms:

- **Electricity** for primary electricity (hydro, wind, tide/wave/ocean and solar photovoltaic).
- **Heat** for heat and secondary electricity (nuclear, geothermal and solar thermal).

Once the primary energy form is identified for all electricity and heat generated from non-combustible sources, the IEA adopts the **physical energy content method** to compute the corresponding primary energy equivalent amounts: the primary energy equivalent is simply the physical energy content of the corresponding primary energy form.

For primary electricity, such as hydro and solar PV, as electricity is identified as the primary energy form, the primary energy equivalent is simply the gross electricity generated in the plant.

For nuclear electricity, the primary energy equivalent is the quantity of heat generated in the reactors. In the absence of country-specific information, the IEA estimates the primary energy equivalent from the electricity generated by assuming an efficiency of 33%, derived as the average efficiency of nuclear power plants across Europe. Note that the principle of using the heat from nuclear reactors as the primary energy form for the energy statistics has an important effect on any indicators of energy supply dependence. Under the present convention, the primary nuclear heat appears as an indigenous resource. However, the majority of countries using nuclear power import their nuclear fuel, and if this fact could be taken into account, it would lead to an increase in the supply dependence on other countries.

For geothermal electricity, the primary energy equivalent is the quantity of heat and a similar back-calculation is used where the quantities of steam supplied to the plant are not measured, assuming a thermal efficiency of 10%. This figure is only approximate and reflects the fact that the steam from geothermal sources is generally of low quality. If data for the steam input to geothermal power plants are available, they are used directly as primary energy equivalent.

Similarly, for solar thermal plants the heat supply is back-calculated assuming a 33% efficiency of conversion of heat into electricity, reflecting relatively low working temperatures, although central receiver systems can reach higher temperatures and therefore higher efficiencies.

In summary, for geothermal and solar thermal, if no country-specific information is reported, the primary energy equivalent is calculated as follows:

- 10% for geothermal electricity;
- 50% for geothermal heat;
- 33% for solar thermal electricity;
- 100% for solar thermal heat.

Alternative methods to the physical energy content method exist, such as the **partial substitution method**, used in the past by the IEA. In this case, the primary energy equivalent of the above sources of electricity generation would be computed as the hypothetical amount of energy necessary to generate an identical amount of electricity in conventional thermal power plants, considering an average generating efficiency. The principle was abandoned by the IEA and

many other international organisations because it had little meaning for countries in which hydro electricity generation was a significant supply source, and because the actual substitution values were hard to establish as they depended on the marginal electricity production efficiencies. Partial substitution also had unreal effects on the energy balance as transformation losses appeared which had no physical basis.

Since the two methods differ significantly in the treatment of electricity from solar, hydro, wind, etc., the share of renewables in total energy supply will appear to be very different depending on the method used. To interpret shares of various energy sources in total supply, it is important to understand the underlying conventions used to calculate the primary energy supply.

## 8. UNITS AND CONVERSIONS

### General conversion factors for energy

To:	TJ	Gcal	Mtoe	MBtu	GWh
From:	multiply by:				
terajoule (TJ)	1	2.388x10 <sup>2</sup>	2.388x10 <sup>-5</sup>	9.478x10 <sup>2</sup>	2.778x10 <sup>-1</sup>
gigacalorie (Gcal)	4.187x10 <sup>-3</sup>	1	1.000x10 <sup>-7</sup>	3.968	1.163x10 <sup>-3</sup>
million tonnes of oil equivalent (Mtoe)	4.187x10 <sup>4</sup>	1.000x10 <sup>7</sup>	1	3.968x10 <sup>7</sup>	1.163x10 <sup>4</sup>
million British thermal units (MBtu)	1.055x10 <sup>-3</sup>	2.520x10 <sup>-1</sup>	2.520x10 <sup>-8</sup>	1	2.931x10 <sup>-4</sup>
gigawatt hour (GWh)	3.600	8.598x10 <sup>2</sup>	8.598x10 <sup>-5</sup>	3.412x10 <sup>3</sup>	1

### Conversion factors for mass

To:	kg	t	lt	st	lb
From:	multiply by:				
kilogramme (kg)	1	1.000x10 <sup>-3</sup>	9.842x10 <sup>-4</sup>	1.102x10 <sup>-3</sup>	2.205
tonne (t)	1.000x10 <sup>3</sup>	1	9.842x10 <sup>-1</sup>	1.102	2.205x10 <sup>3</sup>
long ton (lt)	1.016x10 <sup>3</sup>	1.016	1	1.120	2.240x10 <sup>3</sup>
short ton (st)	9.072x10 <sup>2</sup>	9.072x10 <sup>-1</sup>	8.929x10 <sup>-1</sup>	1	2.000x10 <sup>3</sup>
pound (lb)	4.536x10 <sup>-1</sup>	4.536x10 <sup>-4</sup>	4.464x10 <sup>-4</sup>	5.000x10 <sup>-4</sup>	1

### Conversion factors for volume

To:	gal U.S.	gal U.K.	bbl	ft <sup>3</sup>	l	m <sup>3</sup>
From:	multiply by:					
U.S. gallon (gal U.S.)	1	8.327x10 <sup>-1</sup>	2.381x10 <sup>-2</sup>	1.337x10 <sup>-1</sup>	3.785	3.785x10 <sup>-3</sup>
U.K. gallon (gal U.K.)	1.201	1	2.859x10 <sup>-2</sup>	1.605x10 <sup>-1</sup>	4.546	4.546x10 <sup>-3</sup>
barrel (bbl)	4.200x10 <sup>1</sup>	3.497x10 <sup>1</sup>	1	5.615	1.590x10 <sup>2</sup>	1.590x10 <sup>-1</sup>
cubic foot (ft <sup>3</sup> )	7.481	6.229	1.781x10 <sup>-1</sup>	1	2.832x10 <sup>1</sup>	2.832x10 <sup>-2</sup>
litre (l)	2.642x10 <sup>-1</sup>	2.200x10 <sup>-1</sup>	6.290x10 <sup>-3</sup>	3.531x10 <sup>-2</sup>	1	1.000x10 <sup>-3</sup>
cubic metre (m <sup>3</sup> )	2.642x10 <sup>2</sup>	2.200x10 <sup>2</sup>	6.290	3.531x10 <sup>1</sup>	1.000x10 <sup>3</sup>	1

## Decimal prefixes

10 <sup>1</sup>	deca (da)	10 <sup>-1</sup>	deci (d)
10 <sup>2</sup>	hecto (h)	10 <sup>-2</sup>	centi (c)
10 <sup>3</sup>	kilo (k)	10 <sup>-3</sup>	milli (m)
10 <sup>6</sup>	mega (M)	10 <sup>-6</sup>	micro (μ)
10 <sup>9</sup>	giga (G)	10 <sup>-9</sup>	nano (n)
10 <sup>12</sup>	tera (T)	10 <sup>-12</sup>	pico (p)
10 <sup>15</sup>	peta (P)	10 <sup>-15</sup>	femto (f)
10 <sup>18</sup>	exa (E)	10 <sup>-18</sup>	atto (a)

## Energy content

### Coal

Coal has separate net calorific values for production, imports, exports, inputs to electricity/heat generation and coal used in coke ovens, blast furnaces and industry. Stock changes are converted using a weighted average of the supply calorific values.

For electricity/heat generation, coal inputs to each type of plant (i.e. main activity electricity plant, auto-producer electricity plant, main activity CHP plant, autoproducer CHP plant, main activity heat plant, auto-producer heat plant) are converted to energy units using flow specific average factors calculated from the Annual Electricity Questionnaire. All other flows are converted using an average net calorific value.

### Crude oil

Country-specific net calorific values (NCV) for production, imports and exports by country are used to calculate the balances. The average value is used to convert all the other flows to heat values.

### Gases

*World Energy Statistics* expresses the following gases in terajoules, using their gross calorific value.

$$1 \text{ terajoule} = 0.02388 \text{ ktoe.}$$

To calculate the net heat content of a gas from its gross heat content, multiply the gross heat content by the appropriate following factor.

Gas	Ratio from GCV to NCV
Natural gas	0.9
Gas works gas	0.9
Coke oven gas	0.9
Blast furnace gas	1.0
Other recovered gases	1.0

### Biofuels and waste

The heat content of primary solid biofuels, biogases, municipal waste and industrial waste, expressed in terajoules on a net calorific value basis, is presented in *World Energy Statistics*. The Secretariat does not receive information on volumes and other characteristics of these fuels.

$$1 \text{ terajoule} = 0.02388 \text{ ktoe.}$$

Data for charcoal are converted from tonnes using the average net calorific values given in the electronic tables.

Unless country-specific information has been provided, data for biogasoline are converted from tonnes using 26 800 kJ/kg. Biodiesels and other liquid biofuels are assumed to have a net calorific value of 36 800 kJ/kg unless otherwise specified.

### Oil products

The IEA applies regional conversion factors (in conjunction with Eurostat for the European countries) for the oil products.

#### Regional net calorific values for oil products

Oil products	Europe	Americas	Asia Oceania
	kJ/kg	kJ/kg	kJ/kg
Refinery gas	49 500	48 100	48 100
Ethane	49 500	49 400	49 400
Liquefied petroleum gases	46 000	47 300	47 700
Motor gasoline	44 000	44 800	44 600
Aviation gasoline	44 000	44 800	44 600
Gasoline type jet fuel	43 000	44 800	44 600
Kerosene type jet fuel	43 000	44 600	44 500
Kerosene	43 000	43 800	42 900
Gas/diesel oil	42 600	42 600	42 600
Fuel oil	40 000	40 200	42 600
Naphtha	44 000	45 000	43 200
White spirit	43 600	43 000	43 000
Lubricants	42 000	42 000	42 900
Bitumen	39 000	40 000	38 800
Paraffin Waxes	40 000		
Petroleum Coke	32 000	32 000	33 800
Non-specified oil products	40 000		

## Electricity

Figures for electricity production, trade, and final consumption are calculated using the energy content of the electricity. Electricity is converted as follows:

$$\text{Data in TWh} \times 0.086 = \text{data in Mtoe.}$$

Hydro-electricity production (excluding pumped storage) and electricity produced by other non-thermal means (wind, tide/wave/ocean, solar PV, etc.) are accounted for similarly. Gross electricity generation in TWh  $\times 0.086$  = primary energy equivalent in Mtoe.

The primary energy equivalent of nuclear electricity is calculated from the gross generation by assuming a 33% conversion efficiency. The calculation to be carried out is the following:

$$\begin{aligned} &\text{gross electricity generation in TWh} \times 0.086 / 0.33 \\ &= \text{primary energy equivalent in Mtoe.} \end{aligned}$$

In the case of electricity produced from geothermal heat, if the actual geothermal efficiency is not known, then the primary equivalent is calculated assuming an efficiency of 10%. The calculation to be carried out is the following:

$$\begin{aligned} &\text{gross electricity generation in TWh} \times 0.086 / 0.10 \\ &= \text{primary energy equivalent in Mtoe.} \end{aligned}$$

For electricity produced from solar thermal heat, the primary equivalent is calculated assuming an efficiency of 33% unless the actual efficiency is known. The calculation to be carried out is the following:

$$\begin{aligned} &\text{gross electricity generation in TWh} \times 0.086 / 0.33 \\ &= \text{primary energy equivalent in Mtoe.} \end{aligned}$$

## Heat

Information on heat is supplied in terajoules and is converted as follows:

$$\text{Data in TJ} / 41\,868 = \text{Data in Mtoe.}$$

In the case of heat produced in a geothermal plant, if the actual geothermal efficiency is not known, then the primary equivalent is calculated assuming an efficiency of 50%. The calculation to be carried out is the following:

$$\begin{aligned} &\text{Heat production in TJ} \times 0.0000238 / 0.50 \\ &= \text{primary energy equivalent in Mtoe.} \end{aligned}$$

For heat produced in a solar thermal plant, the primary equivalent is equal to the heat consumed.

$$\text{Data in TJ} / 41\,868 = \text{data in Mtoe.}$$

For direct use of geothermal and solar thermal heat, all the heat consumed is accounted for in production and consumption.

## Examples

The following examples indicate how to calculate the net calorific content (in ktoe) of the quantities expressed in original units in *World Energy Statistics*.

From Original Units	To ktoe (on a NCV basis)
Coking coal production (Poland) for 2017 in thousand tonnes	divide by 41 868 and then multiply by 29 644
Natural gas in terajoules (gross)	multiply by 0.02388 and then multiply by 0.9
Motor gasoline (Poland) in thousand tonnes	divide by 41 868 and then multiply by 44 000
Heat in terajoules (net)	multiply by 0.02388

## 9. ABBREVIATIONS

Btu:	British thermal unit
GWh:	gigawatt hour
kcal:	kilocalorie
kg:	kilogramme
kJ:	kilojoule
kt:	kilotonne
Mt:	million tonnes
m <sup>3</sup> :	cubic metre
t:	metric ton = tonne = 1000 kg
TJ:	terajoule
toe:	tonne of oil equivalent = 10 <sup>7</sup> kcal
CHP:	combined heat and power
GCV:	gross calorific value
HHV:	higher heating value = GCV
LHV:	lower heating value = NCV
NCV:	net calorific value
PPP:	purchasing power parity
IEA:	International Energy Agency
IPCC:	Intergovernmental Panel on Climate Change
ISIC:	International Standard Industrial Classification
OECD:	Organisation for Economic Co-Operation and Development
OLADE:	Organización Latinoamericana de Energía
UN:	United Nations
UNIPED:	International Union of Producers and Distributors of Electrical Energy
c	confidential
e	estimated
..	not available
x	not applicable